

KNIT 'N Style

Fall/Winter 2007
Fashion
Forecast

Living - Eileen Korte

39 Fresh
Looks

23 New
Fibers
Grow Your Yarn Stash

\$5.99 USA
\$7.99 Canada
Please display
until 9/25/07
An All American
Magazine Publication



www.knitstyle.com
October 2007
Issue 151



KNIT

Melissa J. Reppin

Illustrations by

9

Waffle Stitch *Pullover*



Waffle Stitch
Pullover

Seaming Perfection

By Margaret Rodcliffe

Knitting instructions are usually very clear on how to work pattern stitches and shaping, but they don't usually tell you how to sew the pieces together. Even many advanced knitters have difficulty seaming neatly. Unfortunately, the quality of the finishing can make the difference between a garment that looks "handcrafted" and one that looks "homemade." To put a sweater (or anything else) together, you need to be able to join pieces three different ways: side to side, end to end, and end to side.

All of the seaming methods I discuss involve sewing, so you will need a yarn or tapestry needle. Tarn needles have blunt tips and eyes large enough for worsted or bulky weight yarn. They can be made of metal or plastic, and some of the metal ones have bent tips. Tapestry needles have larger eyes than regular sewing needles, rounded tips, and come in various sizes. They are simply smaller versions of yarn needles and should be used with finer yarns, such as sport or fingering weight. The blunt or rounded tips of both kinds of needles help to sew between stitches, rather than splitting the yarn as you sew. You may pick whatever style needle you like, as long as the eye is large enough for your yarn to slide freely. Darning needles have large eyes and sharp points like sewing needles. If the item is very tightly knit, you may find that the sharp point makes it easier to sew up your project.


SIDE TO SIDE

Whenever I join the side edges of two pieces of knitting—as in the side or sleeve seams of a sweater, I prefer to use mattress stitch. The first factor that affects making perfect seams in this situation is how the edge stitches and any increases or decreases were worked. The rule I follow, with very few exceptions, is to keep the edge stitches in stockinette and to work all increases, decreases or pattern stitches at least one or two stitches away from the edge. This ensures that two columns of stockinette stitch run along the side edges, so that mattress stitch can be

used, neatly and consistently, to join the side seams. This topic has been discussed in detail in the article "Planning Ahead for Perfect Finishing" (*Knit 'N Style*, August 2007).

Mind the Gap

At the bottom edge of a seam, there's always a small but noticeable gap. Make a figure 8 of yarn to fill in the gap at the beginning of any seam that will be the finished edge of a garment. Bring the needle up through the corner of one side, then up through the corner of the other side, and up once more through the first corner. If the gap isn't quite filled, sew across once more (see photos below).




Seam the Seams with a figure 8

Getting Ribbed

Making seams look good in ribbed borders is a particular challenge. In K1P1 ribbing (see photos), make your garment pieces with a knit stitch at each end, then sew the seam a half stitch in from the edge. Insert your needle into the center of the bottom stitch from the front of the fabric and come back out

of the fabric one row up the edge of the garment. On the other side, insert your needle into the center of the edge stitch and come out two rows up. Now go back into the same spot you came out of on the first side and come back out two rows up. Alternate sides, sewing under two rows with each stitch, until you reach the top of the ribbing. Continue sewing a half stitch in from the edge in the stockinette stitch section, unless the edge stitch is loose and the seam looks messy. For a neater seam, shift to a whole stitch in from the edge in the stockinette stitch section as described for K2P2 ribbing.



K1P1 ribbing and stockinette

In K2P2 ribbing, make the garment pieces with two knit stitches at each end of the row, then sew a full stitch in from the edge. Start the seam by inserting the needle between the two edge stitches from the front of the fabric and come back out of the fabric one row up the edge of the garment. On the other side, insert the needle between the two edge stitches and come out two rows up. Now go back into the same spot the needle came out of on the first side and come out two rows up. Continue alternating sides, sewing under two rows with each stitch, until the top of the ribbing is reached. At the top of the ribbing, continue sewing a whole stitch in from

Step 3: Sew along the rest of the seams (see photos below)



Step 3: Sewing and stockinette

of the seam. When working a seam on sloped shoulders, lift up or down to a new row periodically to follow the shoulder line (see photos below).



Step 3



Step 2



Step 1

Weaving the shoulders

between the two edge stitches along the armhole. With stockinette (knit stitches are wider than they are tall, so adjust for this as you are working across by sewing under two rows rather than one every third or fourth stitch on the armhole edge (see photos below).



Step 1



Step 2



Step 1

Seaming the sleeve

A Few Notes

Pull the yarn fairly firmly when sewing the seam to draw the two pieces of knitting together. No sewing yarn should be visible unless the fabric is stretched. If seaming leaves gaps, which tends to happen when the knitting is loose or the yarn is bulky, sew under just one row of a time instead of two.

END TO END

To join the tops (or bottoms) of two pieces of knitting, as for shoulder seams, sew in a row of knitting across the seam. This is similar to "grafting" or "Kitchener Stitch" except that the edges are already bound off. I use the term "weaving" to describe this seaming method. The illustrations of this technique are shown sewing right to left but weaving is completely reversible. If you are left-handed, just work across from left to right.

Find the point in the first row of stitches where two legs of knitted stitches come together to form a V pointing at the edge of the knitting. Insert the needle under those two strands. On the opposite side of the seam find the first place where the two strands also come together to form a V pointing at the edge of the fabric, and put the needle through behind these two strands. Return to the first side. Insert the needle into the same spot you last came out of and sew under the next two strands, which form the next "V." Keep alternating from side to side, going into the same spot you came out of and always sewing under the two strands of the V until the seam is finished. Pull the stitches just tight enough so they are the same height as the ones on either side

END TO SIDE

To join the end of a piece of knitting (the top of a sleeve) to the side of another piece of knitting (the armhole of a garment), use a combination of mattress stitch and weaving. First I'll describe how to sew the armhole seam in a dropped shoulder garment, where there's no shaping. We'll get to set in sleeves later.

Attaching A Drop Shoulder Sleeve

Use safety pins to baste the sleeve type to the armhole of the sweater. Fold the sleeve in half to find the exact center of the top and use a safety pin through this point to loosely attach it to the shoulder seam of the garment. Join the outer corners of the sleeve to the bottom of the body armhole with a safety pin in the same manner. Place safety pins halfway between these points and then more safety pins every few inches along the seam. This ensures that the sleeve is joined evenly along the length of the seam.

Along the upper edge of the sleeve, use weaving to attach the sleeve to the body. Find the first V pointing toward the edge of the knitting and insert the needle under those two strands. Along the edge of the armhole, use mattress stitch, sewing between the two edge stitches under just one row. Go back to the top of the sleeve, insert the needle into the same spot you last came out of, and sew under the next V. On the body armhole edge, go back into the same hole you came out of and sew under just one row. Continue alternating between the top of the sleeve and the body armhole edge, weaving along the top of the seam and working

Stop frequently to check the progress of the seam. Lay out the fabric and make sure the edges are still lining up where the safety pins join them. If the safety pins are no longer perpendicular to the seam line, even them out by adjusting on the armhole edge. If the safety pin is too low on this side, catch up by sewing under two rows more often until it's level again. If the safety pin is too high on the armhole, sew under just one row repeatedly. If the garment was knit in something other than stockinette stitch, chances are that the relationship of rows to stitches is different, so adjust for that as you work. Just keep the safety pins level and your seam will work out fine.

Attaching a Set in Sleeve

First let's take a look at the structure of these pieces. This will make it easier to understand what to do when it's time to sew them. The armhole is shaped with a short bound off edge at the underarm, followed by a sloped section of decreases, and then a straight edge up to the shoulder. The sleeve cap is shaped in the same way, bound off at the underarm and sloped using a series of decreases, but then ends with a series of bind offs (see photos on next page).

To join them, match the bound-off section of the sleeve to the bound-off section of the armhole and pin in place. When sewing this section, use weaving to join the top of two knitted pieces. Match the sloped section of each as

3

Sandi Prosser

Illustration by [illegible]

Cables

© 2000 [illegible]

Sindi Prosser



Milano

4

Universal Yarn

www.universalyarn.com

Weekend in
New England

By Kate N. Strick •

5



Ironstone Yarns

(Dorset, England)

Sherpa Cable *Pullover*

Knit This! by Debbie Stoller

6
Skacel
Collection

Illustration: Right in page

Cambio
Unisex
Fair Isle
Pullover

7



Diane Zangl

Instructions begin on page 76

Seacalín Coat



8b

Rebekah Blankenship

Whimsical *Hat & Scarf*



9



Cable Yarn

www.berndorf.com

Cabled Raglan *Pullover*

© 2005 Berndorf & Co. AG

A woman with long dark hair is the central figure, looking towards the camera with a slight smile. She is wearing a dark-colored jacket with a dense, multi-colored floral or leaf pattern. The jacket has a wide, shaggy collar and two large, round, light-brown buttons. Underneath, she wears a dark top. A necklace of dark, round beads is worn around her neck. Her right hand is partially visible, holding a small object. The background is a soft, out-of-focus light blue.

10

Colinette

Point 5 &
Firecracker

77



PHOTOGRAPH BY JENNIFER BROWN

S. R. KIDDER

Stripe Turtleneck

ALL IN ONE: A SWEATER THAT DOES IT ALL



12

Knitting

Dazzling

The Alpaca Yarn Co

Diamonds

13

Joan S. Young

Illustration by Joan S. Young

Falling Flowers

© 1994 by Joan S. Young



South West
Trading Co.

Instructions begin on page 98

14

Retro Wrap Sweater



15
The Scarf
1500 Yds
100% Cotton

Anne Slanting Lace Scarf

by Anne Slanting

A full-page photograph of a man with dark hair and a smile, wearing a long-sleeved sweater with horizontal bands of geometric patterns in brown, tan, and cream. He is standing with his hands in his pockets.

16
Universal Yarn

Instructions begin on page 62

Glen
Fraser

17



Georgia Druen

Instructions begin on page 45

Cable Tunic

18

Seashell

Introductions begin on page 30

Seashell



Shawl

Knit Style # October 2007 M



19

Dayle Burr

Cables & Rib *Jacket*



20



Color: 100%
Material: 100%

Winter
Pastel



21

Instructions begin on page 94

Knit One, Crochet Too

Something
Fishy





22

Goats & Clark

Just a little bit longer on page 94

Round Collar Cardigan

Just a little bit longer on page 94

23



The Great
Adirondack
Yarn Co.

100% Wool - 100% Cotton

Colorado
Lynne

A man with dark hair and a serious expression is shown from the waist up. He is wearing a dark blue, long-sleeved sweater with a prominent cable-knit pattern. His hands are on his hips, and he is looking directly at the camera. The background is a light, solid blue.

24
Dark Horse Yarn

Marching
Cables

© 2000 L. L. Bean Company



125

Bobble
Tote

26



Aurora Yarns

www.aurorayarns.com

Over the Speed Limit

27
Berroco

Autunno/Inverno 2001/2002

Anya

28



Michael
de Vito


Shawl Collar Pullover

www.michaeldeVito.com



Instructions begin on page 40

Funky Lumpy Bumpy Sweater



Custom fabric suggested

30a

30b

Fair Isle Tunic & Wristlets



31

Instructions begin on page 31

Lenvick Raglan

Diane Zangl



32

www.fox.com

Lisa Zubrega

Casual Elegance Car Coat

www.fox.com

A woman with long, wavy blonde hair and blue eyes is looking directly at the camera. She is wearing a red, short-sleeved, cable-knit tunic with a high, ruffled collar. Her hands are clasped in front of her. She is also wearing a black beaded bracelet on her right wrist. The background is a light blue gradient.

Cable & Clay

33

Pattern # 8200-0000-0000

Cable
Tunic



Yarn & Cloth

34

Yarn & Cloth

Cable Tunic

Yarn & Cloth



Knit to
Love Co.

Just a little bit of love 104

Knit Col Socks



Instructions begin on page 110

36a

Plymouth Yarn Co

Stripes for Baby



36b

Instructions begin on page 110

1 MINIT Waffle

1 MINIT Waffle

Continued from page 24



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large)

KNITTED MEASUREMENTS

- Bust 34 (37, 40, 44, 47-0")
- Length 22 (22½, 23½, 23½, 23½")
- Upper Arm 15½ (16, 17, 18, 18½")

MATERIALS

- 19 (20, 21, 22, 23) 34g (100 yd) hanks
- Kollage Yarns Cornucopia (100% cotton) color Thru Spice
- Size 5 US 16" circular needles (for neck)
- Size 6 US needles OR SIZE TO OBTAIN GAUGE

GAUGE

- 20 sts and 29 rows = 3" in Waffle St pattern with larger needles
- 32 sts and 16 rows = 4" in Rib pattern with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



from CO, and after WSR

Shape Shoulders

BO 4 (4, 5, 5, 5) sts at beg of next 8 rows, then BO 5 (6, 3, 4, 5) sts at beg of next 2 rows - 44 sts rem - BO all sts.

FRONT

Work same as Back until piece meas approx 19½ (19½, 20, 20½, 20½") from CO, end after WSR.

Shape Neck

Work across first 33 (34, 35, 36, 37) sts, join second ball of yarn and BO middle 20 sts, work to end row. Work both sides at once with separate ball of yarn and BO 4 sts each neck edge once, BO 2 sts each neck edge

twice, then dec 1 st each neck edge every row twice, then EOR twice - 21 (22, 21, 20, 25) sts rem for each side. Cont even, 4 rows, until piece meas same as Back to shoulders.

Shape Shoulders

Work shaping same as for Back.

SLEEVES

With larger ndls, CO 62 sts. Beg Rib Patt, and inc 1 st each side every 6 rows 0 (0, 1, 9, 21) times, every 8 rows 0 (0, 18, 12, 6) times, then every 10 rows 15 (15, 0, 0, 0) times, working new sts into Rib Patt as they appear - 92 (92, 100, 104, 112) sts. Cont even until Sleeve meas approx 18" from CO, and after WSR.

Shape Sleeve Cap

BO 4 (4, 6, 6, 8) sts at beg of next 2 rows, then dec 1 st each side EOR 19 (23, 26, 28, 24) times, then every row 5 (1, 0, 2, 6) times - 36 sts rem. BO 4 sts at beg of next 4 rows, BO rem 20 sts.

FINISHING

Sew right shoulder seams.

Neck Band

With RS facing and smaller circular ndls, pick up and K94 sts evenly along neckline. Work in Rib Patt for 4". BO all sts loosely.

Assembly

Sew left shoulder seam, including side of neckband. Set in sleeves. Sew sleeve and side seams. Weave in all ends.

Designed by Melissa Leapman exclusively for Knit 'N Style

WAFLE STITCH PATTERN (multiple of 4 sts + 2)

Row 1 (RS): *K2, P2. Rep from * across, end row with K2.

Row 2: *P2, K2. Rep from * across, end row with P2.

Rep Rows 1 and 2 to est Rib Patt.

BACK

With larger ndls, CO 114 (122, 134, 146, 158) sts. Beg Rib Patt, and work even until piece meas approx 3" from CO, end after WSR.

Beg Waffle St Patt, and work even until piece meas approx 13½" from CO, end after WSR.

Shape Armholes

BO 4 (4, 6, 6, 8) sts at beg of next two rows, then BO 2 (2, 4, 4, 6) sts at beg of next two rows. Dec 1 st each side every row 0 (0, 0, 8, 8) times, then EOR 4 (10, 11, 9, 10) times, then every 4 rows 4 (1, 1, 0, 0) times - 86 (88, 90, 92, 94) sts rem. Cont even until piece meas approx 21 (21½, 21½, 22½, 22½")



Continued from page 25



NOTES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large).

FINISHED MEASUREMENTS

- Bust 34 (37, 40, 44, 48)";
- Length 22 (22½, 22¾, 23, 23½)";
- Upper Arm 13½ (14, 17, 18, 18½)";

MATERIALS

- 24 (25, 26, 27, 28) 34g (100 yd) hanks
- Softage Yarns Comacoma (100% cotton) color Brandy
- Size E US crochet hook
- Size F US crochet hook OR SIZE TO OBTAIN GAUGE

GAUGE

- 20 sts and 14 rows = 4" in Waffle St pattern with larger hook
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE

WAFFLE STITCH PATTERN (multiple of 4 sts + 1)

Foundation Row (RS): Dc into fourth ch from hook and into each ch across. Ch 2, turn.

Row 1 (WS): Slip first st, *Fpdc into next 3 st, dc into next dc. Rep from * across, and row with Fpdc into next 3 st, dc into top of turning-ch. Ch 3, turn.

Row 2: Slip first st, *dc into next 3 st, Fpdc into next st. Rep from * across, and row with dc into next 3 st, dc into top of turning-ch. Ch 3, turn.

Rep Rows 1 & 2 to est Waffle St Patt.

RIB PATTERN (multiple of 4 sts + 1)

Foundation Row (RS): Hdc into third ch from hook and into each ch across. Ch 2, turn.

Row 1 (WS): Slip first st, *hdc into next 3 st, Bpdc into next st. Rep from * across, and row with hdc into next 3 st, hdc into top of turning-ch. Ch 2, turn.

Row 2: Slip first st, *hdc into next 3 st, Fpdc into next st. Rep from * across, and row with hdc into next 3 st, hdc into top of turning-ch. Ch 2, turn.

Rep Rows 1 and 2 to est Rib Patt.

BACK

With larger hook, ch 87 (95, 103, 111, 123) Beg Waffle St Patt, and work even on RS (95, 101, 109, 121) sts until piece meas approx 14" from beg, end after WS.

Shape Armholes

Next Row: Slip st into first 4 (5, 6, 6, 7) sts, ch 3 cont patt as est across until 3 (4, 5, 5, 6) sts rem in row. Ch 3, turn, leaving rest of row unworked. **Next Row:** Slip st into first 3 (4, 4, 4) sts, ch 3, cont patt as est across until 2 (2, 3, 3, 3) sts rem in row. Ch 3, turn, leaving rest of row unworked. Cont patt as est, and dec 2 sts each side every row 0 (0, 0, 2, 4)



times, dec 1 st every row 2 (8, 8, 8, 5) times, then dec 1 st EOR 3 (0, 1, 0, 0) times - 45 (45, 47, 49, 49) sts rem. Cont even in patt as est until piece meas approx 22 (22½, 22¾, 23½)" from beg. Fasten off.

FRONT

Same as Back until piece meas approx 19 (19½, 19¾, 10¼, 10½)" from beg, end after WS.

Shape Neck

Work across first 25 (25, 26, 27, 27) sts. Do not ch 3. Turn, leaving rest of row unworked.

Next Row (WS): Slip st into first 3 sts, ch 3, work patt as est across to end row. Ch 3, turn. **Next Row:** Work patt as est across until 3 sts rem on this side. Ch 3, turn, leaving rest of row unworked. Dec 1 st at neck edge every row twice - 16 (16, 17, 18, 18) sts rem. Cont even until this side meas same as Back to shoulders. Fasten off.

For second side of neck, with RS facing and larger hook, skip middle 15 sts and attach yarn with a slip st to next st and ch 3. Complete same as first side.

SLEEVES

With larger hook, ch 38. Beg Rib Patt (ch 3 st), and inc 1 st each side EOR 0 (0, 1, 1, 1) times, every 4 rows 10 (10, 14, 12, 10) times, then every 6 rows 1 (1, 0, 0, 0) times, working row sts into Rib Patt as they appear - 63 (63, 67, 71, 75) sts. Cont even until Sleeve meas approx 18" from beg, end after WS.

Shape Sleeve Cap

Slip st into first 4 (5, 6, 6, 7) sts, ch 2, cont patt as est across until 3 (4, 5, 5, 6) sts rem in row. Ch 2, turn, leaving rest of row unworked. Cont patt as est, and then dec 2 sts each side every row 1 (0, 0, 0, 0) times, dec 1 st each side every row 14 (11, 13, 14, 18) times, then dec 1 st each side EOR 0 (2, 3, 2, 1) times - 23 sts rem. Do not ch 2. Turn. **Next Row:** Slip st into first 4 sts, ch 2. Slip next hdc, hdc into each st across until 3 sts rem. Do not ch 2. Turn. Rep last row once more - 13 sts rem. Fasten off.

FINISHING

Sew shoulder seams.


Neck Band

With RS facing and smaller hook, attach yarn with a slip st to neck opening and ch 2. **Row 1 (RS):** Work 76 hdc evenly around neckline evenly along neckline. Join with a slip st to top of ch 2. Ch 2, turn. **Row 2 (WS):** Ch 2, slip st where slip st was worked, hdc into next hdc. *Bpdc into next st, hdc into next 3 sts. Rep from * around to last 2 sts, ending rnd with Bpdc into next st, hdc into next st. Join with slip st to top of ch 2. Ch 2, turn. **Row 3 (RS):** Slip st where slip st was worked, *Fpdc into next st, hdc into next 3 sts. Rep from * around to last 2 sts, ending rnd with Fpdc into next st, hdc into next st. Join with slip st to top of ch 2. Ch 2, turn. Rep Rows 2 and 3 until neck band meas approx 4" from beg. Fasten off.

Assembly

Set in sleeves. Sew sleeve and side seams. Weave in all ends.

Designed by Melicia Leppman exclusively for Knit 'N Style.



3 Cables Milano

Continued from page 35



SIZES

- Pullover is sized to fit Men's Medium (Large, X-Large, XX-Large)

KNITTED MEASUREMENTS

- Chest 44 (48, 52, 56")
- Length 27 (28, 28, 29")
- Upper Arm 19, 20, 21, 22"

MATERIALS

- 6 (6, 6, 7) 100g (215 yd) skeins Bernco Ultra Alpaca (50% super fine alpaca, 50% Peruvian wool) color Charcoal-Mix #6289 (A)
- 4 (4, 5, 5) 100g (215 yd) skeins Bernco Ultra Alpaca (50% super fine alpaca, 50% Peruvian wool) color Heron #6227 (B)
- Size 7 US needles (for neck)
- Size 8 US needles OR SIZE TO OBTAIN GAUGE
- Size 8-10 US 24" circular needle
- cable needle, stitch marker

GAUGE

- 20 sts and 26 rows = 4" in St st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY

- 6-st RC: Sl 2 sts to cn, hold to back, K6; K2 from cn.
- 6-st LC: Sl 4 sts to cn, hold in front, K2; K4 from cn.
- C10R: Sl 5 sts to cn, hold in front, K5; K5 from cn.
- C12R: Sl 6 sts to cn, hold to back, K6; K6 from cn.

SLEEVE CABLE 1 (10 st panel)

- Rows 1, 3, 5, 9 and 11: Knit
- Row 2 and all WSRs: Purl
- Row 7: C10R.
- Row 12: Purl
- Rep Rows 1-12 for Sleeve Cable 1 pattern.

SLEEVE CABLE 2 (12 st panel)

- Rows 1, 3 and 5 (RS): With A, K6; with B, K6.
- Rows 2, 4 and 6: With B, P6; with A, P6.
- Row 7: Sl 6 sts to cn, hold to back, with B, K6; with A, K6 from cn.
- Rows 8, 10, 12, 14, 16, 18, 20, 22 and 24: With A, P6; with B, P6.
- Rows 9, 11, 13, 15, 17, 19, 21 and 23: With B, K6; with A, K6.
- Row 25: Sl 6 sts to cn, hold to back, with A, K6; with B, K6 from cn.
- Rows 26, 28, 30, 32 and 34: With B, P6; with A, P6.
- Rows 27, 29, 31, 33 and 35: With A, K6; with B, K6.
- Row 36: With B, P6; with A, P6.
- Rep Rows 1-36 for Sleeve Cable 2 pattern.

BODY CABLE 1 (12 st panel)

- Rows 1, 3 and 5 (RS): Knit.
- Row 2 and all WSRs: Purl
- Row 7: C12R.



Rows 9, 11, 13, 15 and 17: Knit.

Row 18: Purl.

Rep Rows 1-18 for Body Cable 1 pattern.

BODY CABLE 2 (12 st panel)

- Rows 1, 3 and 5 (RS): With B, K6; with A, K6.
- Rows 2, 4 and 6: With A, P6; with B, P6.
- Row 7: Sl 6 sts to cn, hold to back, with A, K6; with B, K6 from cn.
- Rows 8, 10, 12, 14, 16, 18, 20, 22 and 24: With B, P6; with A, P6.
- Rows 9, 11, 13, 15, 17, 19, 21 and 23: With A, K6; with B, K6.
- Row 25: Sl 6 sts to cn, hold to back, with B, K6; with A, K6 from cn.
- Rows 26, 28, 30, 32 and 34: With A, P6; with B, P6.
- Rows 27, 29, 31, 33 and 35: With B, K6; with A, K6.
- Row 36: With A, P6; with B, P6.
- Rep Rows 1-36 for Body Cable 2 pattern.

SHAGHORN CABLE (24 st panel)

- Rows 1 and 3 (RS): Knit
- Row 2 and all WSRs: Purl.
- Row 5: K6, 6-st RC, 6-st LC, K6.
- Row 7: K4, 6-st RC, K4, 6-st LC, K4.
- Row 9: K2, 6-st RC, K8, 6-st LC, K2.
- Row 11: 6-st RC, K12, 6-st LC.
- Rows 13, 15 and 17: Knit.
- Row 18: Purl.
- Rep Rows 1-18 for Shaghorn Cable pattern.

BACK

- With A and smaller ndls, CO 110 (118, 130, 138) sts. Work in K2 P2 rib for 3", inc 12 (14, 12, 14) sts evenly across last row - 122 (132, 142, 152) sts. Change to larger ndls. Next row (RS): With B, K61 (66, 71, 76); with A, K61 (66, 71, 76).
- Foundation Row
- With A, P4 (6, 8, 13); K5 (6, 7, 7); P12, K5 (6, 7, 7); P24, K5 (6, 7, 7); P6; with B, P6, K5 (6, 7, 7); P24, K5 (6, 7, 7); P12, K5 (6, 7, 7); P4 (6, 8, 13).
- Rep Main Pattern.

- Row 1 (RS): With B, K4 (6, 8, 13); P5 (6, 7, 7); work Row 1 of Body Cable 1, P5 (6, 7, 7); work Row 1 of Shaghorn Cable, P5 (6, 7, 7); work Row 1 of Body Cable 2, with A, P5 (6, 7, 7); work Row 1 of Shaghorn Cable, P5 (6, 7, 7); work Row 1 of Body Cable 1, P5 (6, 7, 7); K4 (6, 8, 13).
- Row 2: With A, P4 (6, 8, 13); K5 (6, 7, 7); work Row 2 of Body Cable 1, K5 (6, 7, 7); work Row 2 of Shaghorn Cable, K5 (6, 7, 7); work Row 2 of Body Cable 2, with B, K5 (6, 7, 7); work Row 2 of Shaghorn Cable, K5 (6, 7, 7); work Row 2 of Body Cable 1, K5 (6, 7, 7); P4 (6, 8, 13).

The last 2 rows set pattern. Cont in pattern as now est, working appropriate row of Cable Patterns, until piece from CO meas 27 (28, 28, 29)", end after WSR 80 in pattern.

FRONT

Work as given for Back until piece from CO measures 24 (25, 25, 26)", end with RS facing Shape Neck.

Next row (RS): Work in pattern 49 (53, 58,



62) sts, join a new ball of yarn and BO center 24 (26, 28, 28) sts, work in pattern across row. Working both sides at once, BO from each neck edge 4 sts once, 3 sts once, 2 sts once. Dec 1 st at neck edge EOR twice - 38 (42, 47, 51) sts. Work even in pattern until piece from CO meas same as Back to shoulder, and after WSR BO rem sts each side for shoulder.

SLEEVES

With A and smaller ndls, CO 54 (54, 58, 58) sts. Work in K2 P2 rib for 3", and 6 sts evenly across left row - 60 (60, 64, 64) sts. Change to larger ndls - Next row (RS): With A, K30 (30, 32, 32), with B, K30 (30, 32, 32).

Foundation Row

With B, P4 (4, 6, 6), K6, P10, K4, P6, with A,

P6, K4, P10, K6, P4 (4, 6, 6).

Reg Main Pattern

Row 1 (RS): With A, K4 (4, 6, 6), P6, work Row 1 of Sleeve Cable 1 pattern, P4, work Row 1 of Sleeve Cable 2 pattern, with B, P4, work Row 1 of Sleeve Cable 1 pattern, P6, K4 (4, 6, 6).

Row 2: With B, P4 (4, 6, 6), K6, work Row 2 of Sleeve Cable 1 pattern, K4, work Row 2 of Sleeve Cable 2 pattern, with A, K4, work Row 2 of Sleeve Cable 1 pattern, K6, P4 (4, 6, 6). The last 2 rows set pattern. Cont in pattern as now est inc 1 st at each end of 5 rows and every 4th 5 (5, 5, 4) rows 1-8 (20, 20, 22) times, bringing inc sts into St st as they appear - 98 (102, 106, 110) sts. Work even in pattern until piece from CO meas 20", and with WSR BO in pattern.

FINISHING

Block pieces to finished measurements. Sew shoulder seams.

Collar

With RS facing and circular ndls, pick up and K100 (104, 108, 112) sts evenly around neck edge. PM at beg of rnd. Work in K2 P2 rib until collar meas 8". BO loosely in rib.

Assembly

Sew in sleeves. Sew side and sleeve seams.

Designed by Sandi Prosser exclusively for **Knit 'N Style**

4 Weekend in New England

Continued from page 36



SIZES

Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large)

KNITTED MEASUREMENTS

- Chest 33 (36, 41, 44, 49, 52)"
- Length 24½ (25, 25½, 26½, 27½, 28½)"
- Upper Arm 16 (16, 16½, 16½, 17, 17½)"

MATERIALS

- 5 (6, 6, 7, 8, 8) 100g (219 yd) skeins Universal Yarn (landscape 100% wool) color 120-01
- Size 7 US 16" circular needles (for neck)
- Size 7 US needles
- Size 8 US needles OR SIZE TO OBTAIN GAUGE

GAUGE

- 18 sts and 26 rows = 4" in Pattern St with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE



Shape Armholes

BO 4 (5, 8, 9, 10, 11) sts at beg of next 2 rows, then dec 1 st at each end of rnd every

RSR 4 (5, 8, 9, 10, 11) times - 59 (61, 61, 63, 71, 73) sts rem. Work even until piece meas 23½ (24, 24½, 25½, 26½, 27½)" from CO.

Shape Shoulders

Cont even in Pattern St, BO 5 (5, 5, 5, 6, 6) sts at beg of next 2 rows, then BO 5 (5, 5, 6, 6, 6) at beg of 1st 2 rows, then BO 6 (6, 6, 6, 6, 7) sts at beg of 1st 2 rows. BO rem 27 (29, 29, 29, 35, 35) sts for Back neck.

FRONT

Work as for Back until piece meas approx 22½ (23, 23½, 24, 25½, 25½)" from CO, end after a WSR.

Shape Neck

Next row (RS): Work even 21 (21, 21, 22, 24, 25) sts, join a new ball of yarn, BO center 17 (19, 19, 19, 23, 23) sts, work rem 21 (21, 21, 22, 24, 25) sts. Working both sides at once with separate balls of yarn, dec 1 st at neck edge every RSR 5 (5, 5, 5, 6, 6) times - 16 (16, 16, 17, 18, 19) sts rem in each shoulder. Work both sides even until front meas same as Back to shoulder shaping. Shape shoulders as for Back.

PATTERN STITCH (multiple of 6 + 3 sts)

Slap sts as if to knit, w/ft.

Rows 1 and 3 (RS): (K1, sl 1, X1, P3) to last 3 sts, K1, sl 1, K1.

Rows 2 and 4: (P3, K3) to last 3 sts, P3.


Rows 5 and 7: (K1, sl 1, K4) to last 3 sts, K1, sl 1, K1.

Rows 6 and 8: Purl.

Rep Rows 1-8 for Pattern St.

BACK

With smaller ndls CO 67 (73, 83, 89, 99, 105) sts. Work in K1 P1 rib for 25", end after RSR. Next row (WS): Work in 1x1 rib, inc 8 (8, 10, 10, 12, 12) sts evenly across row - 75 (81, 93, 99, 111, 117) sts. Change to larger ndls and beg Row 1 of Pattern St. Work even until piece meas 15½ (16, 16, 16½, 17, 17½)" from CO.



SLEEVES

With smaller nds, CO 31 (33, 33, 35, 41, 43) sts. Work in K1 P1 rib for 24", end after R5R.
Next row (WS): Work in 1x1 rib inc 5 sts evenly across = 38 (38, 38, 40, 46, 48) sts. Change to larger nds and beg Pattern St while at the same time beg sleeve shaping.

Shape Sleeve

Inc 1 st on each side every 4 rows 11 (7, 11, 8, 12, 8) times, then every 8 rows 7 (10, 8, 10, 8, 11) times, working sts into pattern as

they appear = 72 (72, 76, 76, 86, 88) sts. Work even until Sleeve meas 18" (18", 17", 16", 18, 18") from CO or desired length to underarm.

Shape Sleeve Cap

BO 4 (5, 6, 9, 10) sts at beg of next 2 rows. Dec 1 st at each side EOR 4 (5, 6, 9, 10) times. Dec 1 st at each side every row 14 (12, 8, 8, 8) times. Dec 1 st at each side EOR twice, then BO 3 sts at beg of next 4 rows. BO rem 12 (12, 12, 12, 14) sts.

FINISHING

Sew shoulder seams.

Neck Band

With circular nds, pick up and K7D (24, 24, 24, 24, 24, 24) sts around neck edge. Work in K1 P1 rib for 1". BO loosely in patt.

Assembly

Set in sleeves. Sew underarm and side seams. Weave in ends. Wash and dry flat to block.

5 Sherpa Cable Pullover

Continued from page 17



SIZES

- Pullover is sized to fit Women's Small (Medium, Large)

KNITTED MEASUREMENTS

- Chest 42 (46, 50)"
- Length 22 (23, 24)"
- Upper Arm 18 (19, 19 1/2)"

MATERIALS

- 3 (3, 4) 8 oz (153 yd) hanks **lanisone** Yarns Sherpa Wool (100% wool) color #777
- Size 13 US needles
- Size 15 US 16" circular needles (for neck)
- Size 15 US needles OR SIZE TO OBTAIN GAUGE

- Size 15 US needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- cable needle, 2 stitch holders

GAUGE

- 7 sts = 4" in St st with larger needles. TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Be sure to check gauge for accuracy. Front of sweater has more stitches than back in order to compensate for cable.
- Note, on the front of the sweater, the cable pattern runs from bottom hem of sweater to the top of the collar.
- For flatter seams, use a complementary color of thinner yarn to sew pieces together.

CABLE PATTERN (10 st panel)

Row 1, 5, 7 (RS): P2, K6, P2.

Row 2 (and all WSRs): K2, P6, K2.

Row 3: P2, 2 st sts to cn, hold in front, K1, K3 from cn, P2.

Repeat Rows 1-3 for Cable Pattern.

BACK

With smaller nds, CO 36 (40, 44) sts. Beg 1x1 rib on foll. *K1, P1, rep from * across. Rep this row 3 more times, inc 1 (1, 0) st at end of last row = 37 (41, 44) sts. At beg of next row (RS), change to larger nds and work St st until piece meas 13 (14, 14 1/2)" from CO, ending after a WSR.



Shape Armholes

At beg of next two rows, BO 3 sts = 30 (34, 38) sts. Work even until piece meas 9 (9 1/2, 10 1/2)" from armhole. At beg of next two rows, BO 10 (11, 12) sts = 20 (12, 14) sts. Place rem sts on holder for neck.

FRONT

With smaller nds, CO 40 (44, 48) sts. Next row (RS): *K1, P1, rep from * 7 (8, 9) times; K1. Work Row 1 of Cable Pattern, K1, *P1, K1: rep from * 7 (8, 9) times. Cont in patt, as est, for 3 more rows. Next row (RS): Change to larger nds and K15 (17, 19), work Row 5 of Cable Pattern, K15 (17, 19). Cont as est, working St st panels on either side of Cable Pattern,

CABLE PANEL

(10 st, 8 row repeat)



KEY

- = K1 on RS, P1 on WS
- ⊠ = P1 on WS, K1 on RS
- ▤ = 2 st sts to cn, hold in front, K1, K3 from cn

until piece meas 13 (14, 14 1/2)" from CO, ending after a WSR.

Shape Armholes


At beg of next two rows, BO 3 sts = 34 (38, 42) sts. Cont in patt as est until armhole meas 6 1/2 (7, 7 1/2)".

Shape Neck

Work across 13 (14, 15) sts in patt, place rem 8 (10, 12) sts on stitch holder for neck; and, joining a new ball of yarn, work rem 13 (14, 15) sts in patt. Working each side separately, dec 1 st at neck edge EOR 3 times = 10 (11, 12) sts rem. Work even until armhole meas 9 (9 1/2, 10 1/2)". BO rem sts.

SLEEVES

With smaller nds, CO 16 (18, 18) sts. Beg 1x1 rib as foll. *K1, P1, rep from * across. At



beg on next row (RS), changing to larger rnd and St st, knit 1 row, inc 1 st each end of rnd (2 sts inc'd). Work 4 rows even. Rep these 5 rows 7 more times - 32 (34, 34) sts. Work even until Sleeve meas 18 (18 1/2, 19") or desired length from CO. BO all sts.

FINISHING

Sew shoulders seams.

Collar

With 14" circular rdt, K10 (12, 14) sts from Back neck holder, pick up and K9 (8, 7) sts along right front neck edge, pick up and K8 (10, 12) sts from Front neck holder, and pick up and K9 (8, 7) sts along left front neck edge - 36 (38, 40) sts. Maintaining Cable Pat as est, work in St st until collar meas 3" from picked up sts. Maintaining Cable Pat as est,

work 2 rows in 1x1 rib. BO all sts loosely in pattern.

Assembly

Sew sleeves into armholes. Sew sleeve seams. Sew side seams. Weave in all ends.

Designed by Debbie Miller for *Bronstone Yarns*.

6 Cambio Unisex Fair Isle Pullover

Continued from page 38



SIZES

- Pullover is sized to fit Unisex Sizes Small (Medium, Large)

KNITTED MEASUREMENTS

- Chest 40 (45, 50")
- Length 27 (28, 30")
- Upper Arm 21 (23 1/2, 23 1/2")

MATERIALS

- 8 (9, 10) 50g (87 yd) skeins **Atelier Zitron** / **Skacel Collection Cambio** (50% baby alpaca, 50% merino) color #605 Brown (A)
- 6 (7, 8) 50g (87 yd) skeins **Atelier Zitron** / **Skacel Collection Cambio** (50% baby alpaca, 50% merino) color #604 Camel (B)
- 2, 50g (87 yd) skeins **Atelier Zitron** / **Skacel Collection Cambio** (50% baby alpaca, 50% merino) color #603 Ecru (C)
- Size 9 US needles OR SIZE TO OBTAIN GAUGE
- Size 9 US 16" circular needles (for neck) stitch holder

GAUGE

- 19 sts and 20 1/2 rows = 4" in St st and Vertical Stripe Pat.

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



times, then work Rows 1-2, replacing color B with color C, then rep Row 7 once. Rep from Row 1.

OPTIONAL EDGE STITCHES

- If desired, knit the first stitch of every row and for the last stitch of every row, hold yarn to front, and slip to the right hand needle. This will make it easier to sew the seams. These sts are not included in stitch counts.

BACK

Note: On Medium size, Fair Isle pattern will not match up when closing underarm side seams.

CO 96 (108, 120) sts (plus 2 optional edge sts, if desired) in color A and work 2 (4, 4) rows in Border Pattern. Change to St st and work Row 1 of Fair Isle Pat Chart, rep chart 4 (4 1/2, 5) times across row. After completing all 32 rows of Chart, change to Vertical Stripe Pattern and work until piece meas 16 1/2 (17, 18 1/4)" from CO.

Shape Armholes

BO 4 (6, 6) sts at each end once - 88 (96, 108) sts. Cont to work even in est pat until armholes meas 9 1/2 (10, 10 1/2)".

Shape Neck

Next row (RS): Work across 29 (31, 36) sts in est pat then slip these sts onto stitch holder for right Back shoulder, BO next 30 (34, 36) sts for neck and work rem 29 (31, 36) sts in est pat.

Left Back Shoulder: Work one row even Next (RS) and BOB, BO 2 sts at neck edge once, then BO 1 st at neck edge once. BO rem 26 (28, 33) sts.

Right Back Shoulder: With RS facing, rep in to right Back Shoulder. Work one row even Next (WS) and BOB, BO 2 sts at neck edge once, then BO 1 st at neck edge once. BO rem 26 (28, 33) sts.

FRONT

Work as for Back until armholes meas 7 1/2 (7 1/2, 8 1/2)", then beg neck shaping.

Shape Neck

Next row (RS): Work across 31 (34, 39) sts in est pat, then slip these sts to a stitch holder



for left front shoulder: RO next 26 (28, 30) sts, work across rem 33 (34, 39) st to end pat.

Right Front Shoulder

Work one row even. Next row (RS) and EOR, BO at neck edge 2 sts 2 times and 1 st 1 (2, 2) times. 26 (28, 33) sts. Work even until piece meas same as Back at shoulder. BO all sts.

Left Front Shoulder

With RS facing, rejoin yarn to left Front Shoulder. Work one row even. Next row (WS) and EOR, BO at neck edge 2 sts 2 times and 1 st 1 (2, 2) times. 26 (28, 33) sts. Work even until piece meas same as Back at shoulder. BO all sts.

SLEEVES

Special note: on Medium and Large size, Fair Isle part will not match up when closing underarm seams.

CO 48 (60, 66) sts in color A and work 2 rows in Border Pattern. Change to St st and beg Row 1 Fair Isle Patt Chart, rep chart 2 (2½, 2½) times across row. Work all 32 rows of Chart. Switch to Vertical Stripe patt, while at the same time, bring in new sts into the end pat for sleeve inc as foll. **Size Small:** Inc 1 st on each side EOR 26 times = 100 sts. **Size Medium:** Inc 1 st on each side on every 3 rows 23 times = 106 sts. **Size Large:** Inc 1 st EOR 16 times, then every 3 rows 10 times = 112 sts. Cont to work Sleeve until 8 (9, 10) rps of the Vertical Stripe patt are completed. Sleeve should meas approx 17½ (19, 20½)". K 1 row in color A and 2 rows in Vertical Stripe patt, replacing color B with color C, then work 1 row in color A. Cont with Rows 17 to 21 of Fair Isle Patt Chart, then BO all sts. BO all stitches with color A.

FAIR ISLE PATTERN

(28 st rep, 32 rows)



FINISHING

Block all pieces. Join shoulder seams, sew sleeves in position, easing to fit in armhole, then sew underarm and side seams.

Neck Band

With circular needle, pick up and K76 (84, 88) sts evenly spaced around neck. Join into

round. With color A, work in Border patt until band meas 1½". Change to color B and work 3 rounds in St st. BO all sts loosely.

Designed by Jutta Becker for Atelier Zibon Skacel Collection

7 Seacalín Coat

Continued from page 39

SPECIAL ABBREVIATIONS

M1 (Make 1): Make a backward loop and place on RH ndl.

W&T (Wrap & Turn): Bring yarn to front of work, st next st to RH ndl twice, take yarn to back of work, replace st to LH ndl, turn. On following row work wrap and main st tog.

RACK

With MC, CO 58 (64, 70, 76) sts. Knit 3 rows. Establish Pattern.

Next row (RS): K5 (8, 11, 14), [P6, K8] 3 times, P6, K5 (8, 11, 14). **Row 2:** P5, [K6, P8] 3 times, K6, P5 (8, 11, 14). Rep Rows 1 and 2 until Rack meas 17 (17, 18, 18)" from beg, end with WS.

Shape Armhole

RO 7 (9, 11, 12) sts at beg of next 2 rows. Work even until armhole meas 8 (8½, 9, 9½)"



SIZES

• Coat is sized to fit Women's Small (Medium, Large, X-Large).

KNITTED MEASUREMENTS

- Chest 40 (44, 48, 52)"
- Length 25 (25½, 27, 27½)"
- Upper Arm 16 (17, 18, 19)"

MATERIALS

- 19, (21, 23, 26) 100g (45-yd) hanks Blue Sky Alpaca Bully (50% alpaca, 50% wool) color #1005 Fawn (MC)
- 1, 100g (45-yd) hanks Blue Sky Alpaca Bully (50% alpaca, 50% wool) color #1006 Brown Bear (CC)
- Size 10 US needles OR SIZE TO OBTAIN GAUGE
- (4) toggle buttons, 12" soft leather lacing
- stitch holders, stitch markers

GAUGE

- 11½ sts and 16 rows = 4" in pat st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



above bound off underarm sts, end with WS. **Shape Shoulders and Neck:** BO 5 (5, 5, 4) sts at beg of next 2 rows, then 5 (5, 6, 7) sts at beg of foll 2 rows. Place rem 24 (26, 26, 26) sts on stitch holder.

RIGHT FRONT

With MC, CO 30 (34, 36, 40) sts. Slipping first st of every RSR, knit 3 rows.

Establish Pattern

Next row (RS): Referring to Right Front Chart, work Row 1, pm, K12 (16, 18, 22) Keeping 18 sts at Front edge in chart pat and rem in St st, work even until Front meas 17 (17, 18, 18)" from CO, end with RSR.

Shape Armhole and Beg Collar

Next row (WS): BO 7 (9, 11, 12), work to end of row, removing marker – 23 (25, 25, 28) sts. Row 2: Sl 1, P1, K1, P1, pm, work in est pat to end of row. Row 3 and all WSRs: Work even. Row 4: Sl 1, M1 (front inc), rib as est to marker, M1, sim, skk (collar widened), work to end of row. Keeping collar in rib pat and remainder in est pats, cont to M1 at Front edge every 4 (4, 6, 6) rows 5 times more, at the same time widen collar with (M1, sim, skk) every RSR 8 (10, 9, 10) times more – 19 (21, 20, 21) sts in rib for the collar, and 10 (10, 11, 13) body sts. Work even until armhole meas same as for Back above bound-off underarm sts, end with RSR.

Shape Shoulders

BO at arm edge 5 (5, 5, 6) sts once, then 5 (5, 6, 7) sts once. Place collar sts on stitch holder.

LEFT FRONT

With MC, CO 30 (34, 36, 40) sts. Slipping first st of every WSR, knit 3 rows.

Establish pattern

Next row (RS): Referring to Left Front Chart, K12 (16, 18, 22) pm, work Row 1 of chart. Keeping 18 sts at Front edge in chart pat and rem in St st, work even until Front meas 17 (17, 18, 18)" from CO, end with a WSR.

Shape Armhole and Beg Collar

Next row (RS): BO 7 (9, 11, 12), work to end of row, removing marker – 23 (25, 25, 28) sts. Row 2: Sl 1, K1, P1, K1, pm, work in est pat to end of row. Row 3: Work in est pat to 2 sts before marker, K2tog, sim, M1 (collar widened), work to last st, M1 (front inc), K1. Row 4 and all WSRs: Work even. Keeping collar in rib pat and remainder in est pats, cont to M1 at Front edge every 4 (4, 6, 6) rows 5 times more, while at the same time widen collar with (K2tog, sim, M1) every RSR 8 (10, 9, 10) times more – 19 (21, 20, 21) sts in rib for the collar and 10 (10, 11, 13) body sts. Work even until armhole meas same as for Back above bound-off underarm sts, end with WSR.

Shape Shoulders

BO at arm edge 5 (5, 5, 6) sts once, then 5 (5, 6, 7) sts once. Place collar sts on stitch holder.

SLEEVES

With MC, CO 26 (28, 28, 34) sts. Knit 5 rows.

Establish Pattern

Next row (RS): K3 (4, 4, 7), pm, work Row 1 of Sleeve Chart over next 20 sts, pm, K3 (4, 4, 7). Keeping sts between markers in chart pat and rem sts in St st, inc 1 st each end alternating every 4 rows, then every 6 rows 5 (6, 6, 6) times. Sizes Small and Large only: inc 1 st each end every 4 rows once more – 48 (52, 54, 58) sts. All sizes: Work even until sleeve meas 18 (18, 18, 19)" from CO, end with WSR.

Shape Sleeve Cap

Mark each end st for underarm. Work even for 8 (10, 12, 12) rows more. BO all sts in pat.

COLLAR

Sew shoulder seams. With RS facing, work est rib across 19 (21, 20, 21) sts of right collar, pm, knit across Back neck sts inc (dec, inc, inc) 1 (3, 1, 1) sts, pm, work in est rib across 19 (21, 20, 21) sts of left collar – 63 (65, 67, 69) sts.

Shape Collar Stand

Row 1: Rib to 1 st before right shoulder marker, W&T, rib to 1 st before left shoulder marker, W&T. Row 2: Rib to 2 sts beyond right shoulder marker, W&T, rib to 2 sts beyond left shoulder marker, W&T, rib to end of row. Work even in rib pat until collar meas 4" when measured at center back. Dec 1 st each end every row 4 times. BO rem 55 (57, 59, 61) sts.


FINISHING

Sew sleeves into armholes, matching underarm markers to first bound-off st of body. Sew side and sleeve seams. Referring to picture, weave a strand of CC horizontally across knit column from yo to yo. Weave CC in and out over small vertical bars, going over 2 sts, then under 1 st.

Toggle Loops

Cut floss into 2 equal lengths. Fold 1 length in half to form a loop. Sew loop to right front edge, just below beg of collar shaping. Sew second loop 3" below first. Sew one button over ends of each loop. Sew remaining buttons to left front.

Designed by Diane Zangl exclusively for Knit 'N Style.



RIGHT FRONT

(18 st, 16 row rep)



LEFT FRONT

(18 st, 16 row rep)



SLEEVE

(20 st, 16 row rep)



KEY

- K on RS, P on WS
- P on RS, K on WS
- yo
- Sl 1
- K2tog
- skk

8 WAYS TO MAKE A SCARF

Illustrated by [illegible]

FISHED MEASUREMENTS

- Hat (before felting) 13" W x 14" H
- Hat (after felting) 12" W x 9" H
- Hat Circumference (after felting) 24"
- Scarf (before felting) 7 1/2" W x 62 1/2" L
- Scarf (after felting) 5" W x 41" L

MATERIALS

- 1 250g (325 yds) hank Wool around the World Woolcoat 8-Ply (100% New Zealand wool) color #24 Celestine
- Optional flower embellishments, scraps of Wool around the World Woolcoat 8-Ply (100% New Zealand wool) color #35 Aubergine, #05 Pink, #12 Forest
- Size 9 US 24" circular needles OR SIZE TO OBTAIN GAUGE
- 1 set Size 10 US double pointed needles
- ADDITIONAL SUPPLIES**
- stitch holder, stitch markers, yarn needle
- 3/4 gauge felting needle and foam pad for optional flower embellishment

GAUGE

- 18 sts and 20 rows = 4" over St at before felting

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

APPLIED I-CORD

Plan I-cord is a tube knit on two dpns, while Applied I-cord is knitted onto a finished piece as an edging or border. CO 3 sts using the long tail cast on method. *Holding the rdl in your right hand and with the RS facing, pick up one st along the edge to be =cord finished. Transfer the rdl from the right to the left, and slide the st (without turning) to the opposite end of the rdl. Insert right rdl back into the first st, bring the working yarn across the back of the work and complete the first st. Pull the yarn a bit tighter than usual to close the I-cord. R1, K2tog tbl - 3 sts on the rdl. * Rep from * to * until desired effect is reached.

FELTING INSTRUCTIONS

Weave in all ends. Felt the hat and scarf together. Wool yarn felts differently so finished size and texture may vary. Place your projects in a zippered mesh bag or zippered pillow case protector. This will minimize lint in your washing machine. Add a pair of jeans or tennis ball to increase agitation and decrease felting time. Use the lowest water level with HOT water and a tsp. or so of laundry detergent. DO NOT LET THE WASHER SPIN AS THIS COULD CAUSE PERMANENT CREASES. Check regularly on progress for size and shape change every 3 to 5 minutes. If additional felting is needed, reset washer and agitate a few more minutes. If felt too long,



the pieces could be misshapen or terribly small. Once the desired size is achieved, rinse the pieces in cold water, wrap in a towel to remove excess water. The pieces are now ready to pull into shape. Plastic grocery bags can be used to stuff the hat so that the desired shape is maintained while air drying. Felting melts the yarn fibers together and once dry, produces a firm fabric.

OPTIONAL NEEDLE FELTING

Needle felting is achieved by placing selected pieces of wool yarn in a desired position and repeatedly using a barbed felting needle up and down through the design yarn and the finished felted item to meld the two together.

A beginning needle felting kit will give further instructions.

PROJECT 8A: HAT

With circular rdl, CO 129 sts. Join into a cr. rle, being careful not to twist the sts. Beg St 1 and cont even until piece meas 12"

Decrease for crown

PM to indicate beg of decrease rnds.

Rnd 1: *K3, K2tog, rep from * around - 100 sts.

Rnds 2, 4, 6, 8: Knit.

Rnd 3: *K1, K2tog, rep from * around - 96 sts.

Rnd 5: *K6, K2tog, rep from * around - 84 sts.

Rnd 7: *K3, K2tog, rep from * around - 72 sts.

Rnd 9: *K4, K2tog, rep from * around - 60 sts.

Rnd 10: *K1, K2tog, rep from * around - 48 sts.

Rnd 11: *K2, K2tog, rep from * around - 36 sts.

Rnd 12: Rep Rnd 11 - 27 sts.

Rnd 13: *K2tog, rep from * across to last st, K1 - 14 sts.

Cut yarn leaving enough to thread in tapestry needle to go through remaining stitches. Draw up tight. Weave in the loose end.

Edging

Work Applied I-cord on the bottom edge of the hat with dpns.

Assembly

Graft the I-cord tog when complete for a nice finished edge. Weave in loose ends.

Felt Hat

Once the hat is felted and pulled into the desired shape, fold up the edge to approximately 2 1/2" at the widest point at the front of the hat and gently allow to taper from both sides of the center front to the center back where the fold up will measure 1" - A

HAT AFTER FELTING



HAT FRONT




HAT BACK



SCARF BEFORE FELTING



SCARF AFTER FELTING



Styrofoam wing stand makes a great place for the finished hat to dry.

Embellishment

Add needle-felted embellishment when dry if desired.

PROJECT 88 SHAPED SCARF

With circular rndls, CO 32 sts. Work 4 rows in Garter st. Beg Pattern st as foll: **Row 1 (WS):** K2, P2R, K2. **Row 2 (RS):** K. Rep Rows 1-2 to est the Pattern st. Cont as est in Pattern st until piece meas 46" from CO, end after WSR.

Create Scarf Sit

K16, place next 16 sts on stitch holder. Cont in est Pattern st until piece meas 71", end after RSR. Place st on stitch holder and cut yarn, leaving an 8" tail. Move sts from stitch holder to rndl, join new yarn end and cont in Pattern st. Cont in est patt until piece meas 71" from split, end after WSR. Complete the row by P16 sts off stitch holder - 32 sts on rndl. Cont in est patt until piece meas 8" after

joining row. Work 4 rows in Garter st. BO all sts.

Felt Scarf

Felt the scarf and make sure that as it feels the width and the length of the split match at the end of the process. Once the felting is complete and the excess water has been removed by rolling carefully in towels, it is time to shape the scarf. The easiest way is to find the center of the scarf, fold approximately 1 1/2" down at the center and place around your neck as if dry and ready to wear. Let the neck edge roll naturally as it folds and develops into a shawl type collar. It will form into a "U" shape and the sides will be parallel. Once the shaping is close to complete, make sure that the neck edge fold is rounded and not a hard crease (see diagrams and photo). Once satisfied with the shape, try on and gently pull both sides of the scarf down to be sure that the neck shaping flares at the neck for a smooth fit and that the collar rolls and matches in the example.

Embellishment

Add needle-felted embellishment when dry if desired.

Designed by Rebekah Blankenship exclusively for Knit 'N Style



9 Cabled Raglan Pullover

Continued from page 81

DESIGNER NOTES

• This sweater is made using intarsia technique. Wind bobbins for each section of MC and CC.

STITCH ABBREVIATION

C4B Sl 4 sts to cn and hold in back, K4, K4 from cn

CABLE PATTERN

Row 1: With MC K8 (10, 13, 15, 8, 10, 12, 14, 16, 18), *with CC P1, K8, P1, with MC K8, rep from * across end with K8 (10, 13, 15, 8, 10, 12, 14, 16, 18) in MC.

Row 2: With MC P8 (10, 13, 15, 8, 10, 12, 14, 16, 18), *with CC K1, P8, K1, with MC P8, rep from * across ending with P8 (10, 13, 15, 8, 10, 12, 14, 16, 18) in MC.



SIZES

• Pullover is available in Child's Size 2 (4, 6, 8) and Adult 44 (46, 48, 50, 52, 54)".

KNITTED MEASUREMENTS

- Child's Chest 28 (30, 33, 35)"
- Adult's Chest 44 (46, 48, 50, 52, 54)"
- Child's Length 14 (15 1/2, 17, 19)"
- Adult's Length 26 (26 1/2, 27, 27 1/2, 28)"
- Child's Upper Arm 11 (11, 12, 14)"
- Adult's Upper Arm 20 1/2" all sizes

MATERIALS

• 1 (7, 2, 2, 3, 3, 3, 3, 3) 200g (447 yd) skeins Steinbach Wolle / Aurora Yarns Aurora® (80% acrylic, 20% wool) color #21 Burgundy (CC)

- 1, 200g (447 yd) skeins Steinbach Wolle / Aurora Yarns Aurora® (80% acrylic, 20% wool) color #21 Burgundy (CC)

- Size 7 US needles
- Size 9 US needles OR SIZE TO OBTAIN GAUGE
- Size 5 US 16" circular needles (child sizes - for neck)
- Size 5 US 24" circular needles (adult sizes - for neck)

ADDITIONAL SUPPLIES

- cable needle, bobbins, stitch holders, yarn needle

GAUGE

- 16 sts and 20 rows = 4" over cable pattern with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

Continued from page 62



SIZES

- Jacket is sized to fit Women's Small (Medium, Large)

KNITTED MEASUREMENTS

- Bust 38 (42, 46)"
- Length 23 (25, 27)"
- Upper Arm 17 1/2 (19, 20 1/2)"

MATERIALS

- 9 (10, 11) 100g (54-yd) slown Calinette / Unique Colors Point four (100% extra chunky wool) color #9 Copperbeach
- 1 100g (75-yd) slown Calinette / Unique Colors Firecracker (100% polyamide) color #67 Copperbeach
- Size 15 US 24" circular needles
- Size 17 US 24" circular needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- Stitch markers, 3 stitch holders, (2) 2" buttons, tapestry needle, Size C crochet hook

GAUGE

- 100 sts and 9 rows = 4" in pattern st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

DESIGNER NOTES

- Front and Back (Body) is worked as one piece

PATTERN STITCH (multiple of 6 sts + 3)

Row 1 (RS) K3, *P3, K3, rep from * to end

Row 2 (WS): P3, *K3, P3, rep from * to end

Rep Rows 1 - 2 for Patt st.

BODY

With larger nids, CO 99 (111, 123) sts. Working back and forth, beg Body patt as foll. K3, *P3, K3, rep from * to end. **Next row (WS):** P3, *K3, P3, rep from * to end. Rep these 2 rows until Body meas 5 (6, 7)" from CO, end after WSR.

Body Shaping

Row 1 (RS) K3, *P2tog,

P1, K3, rep from * to

end - 83 (93, 103) sts.

Row 2 P3, *K2, P3, rep

from * to end. Row 3:

K3, *P2tog, K3, rep

from * to end - 67 (75,

83) sts. Row 4: P3,

*K1, P3, rep from * to

end. Row 5 K3, *P1,

K3, rep from * to end.

Rep Rows 4 - 5 until

piece meas 8 (9, 10)"


from CO, end after

WSR. **Next row:** P3,

*K1, M1, P3, rep from *

to end - 83 (93, 103)

sts. **Next row:** K3, *P2,



K3, rep from * to end. **Next row (P3, *K1, M1, K1, rep from * to end - 99 (111, 123) sts.** Work even in Patt st until piece meas 12 (13, 14)" from CO, end after WSR. **Next row:** Cont in Patt st, pm after the 25th (26th, 27th) st and the 74th (83rd, 92nd) st.

Shape Neck and Armholes

Next row (RS) K1, sk, work to last 3 sts, K2tog, K1. Work 1 row even. Rep these two rows 1 (2, 2) more times. **Next row:** K1, sk, work in Patt st to 3 (4, 4) sts before 1st marker, BO 6 (7, 8) sts, work to 3 (3, 4) before next marker, BO 6 (7, 8) sts; work to last 3 sts, K2tog, K1 - 81 (89, 99) sts rem (19 (20, 23) sts for each Front and 43 (49, 53) sts for Back). Place sts for right Front and Back on stitch holders.

LEFT FRONT

Work 1 WSR in Patt st as est. **Next row:** K1, SSK, work to last 3 sts, K2tog, K1 - 2 sts dec'd. Work 1 WSR in patt as est. Rep these 2 rows 2 (3, 4) more times. **Next row (RS)** Work to last 3 sts in patt, K2tog, K1. Work 1 WSR. Rep these 2 rows 4 (3, 3) more times - 8 (8, 9)

sts rem. Work even until armhole meas 9 (9 1/2, 10)". Place rem sts on stitch holder.

RIGHT FRONT

Slide sts from Right Front holder to larger nids. With WS facing, repn yarn and work 1 WSR in patt. Work dec as for Left Front, rev all shaping.

BACK

Slide sts from Back holder to larger nids. With WS facing, repn yarn and work 1 WSR in patt. **Next row:** K1, sk, work to last 5 sts, K2tog, K1 - 2 sts dec'd. Work 1 WSR in patt. Rep these 2 rows 2 (3, 4) more times - 37 (41, 43) sts rem. Cont even in patt until armhole meas 9 (9 1/2, 10)" and after WSR. **Next row:** Work 8 (9, 9) sts in patt, BO 21 (23, 25) sts for Back neck and work rem 8 (9, 9) sts in patt. Place rem shoulder sts on separate stitch holder.

SLEEVES

With larger nids, CO 22 (24, 26) sts. Beg Body Pattern st and work 2 rows even.

Shape Sleeve

Cont an est patt, inc 1 st at each side every 2 rows 2 (3, 4) times, then every 4 rows 10 times. Work even as est until piece meas 17 1/2 (18 1/2, 19)", end after WSR.

Shape Sleeve Cap


At beg of next 2 rows, BO 3 (4, 5) sts. **Dec row (RS):** K1, SSK, work in patt to last 3 sts, K2tog, K1 - 2 sts dec'd. Work 1 WSR in patt. Rep these 2 rows two more times. Work Dec row, every row, for 2 more rows. At beg of next 4 rows, BO 3 sts. BO rem 18 (20, 22) sts.

FINISHING

Join Front to Back at shoulders using 3 needle bind off method. Sew sleeves to armholes. Sew underarm and side seams.

Shawl Collar

With WS facing, smaller nids, and Firecracker, beg at neck shaping, pick up and K24 (26, 28) sts up Left Front edge, pick up and K18 (19, 20) sts from Back neck, and pick up and K24 (26, 28) sts down Right Front edge to beg of neck shaping - 66 (71, 76) sts. Pur1 1



row (R1). Cast in Row 2 st, work short rows for Shawl Collar as foll: Row 1 (WS): Knit Row 2: Purl to last 4 sts. Turn. Row 3: Knit to last 4 sts. Turn. Row 4: Purl to last 4 sts. Turn. Row 5: Knit to last 4 sts. Turn. Row 6: Purl to last 4 sts. Turn. Row 7: Knit to last 8 sts. Cast in this manner etc. the number of rem sts at end of each row by a multiple of 2.

every row until 26 sts rem unworked at each end of collar. Next row (R5): Purl all sts. Work 4 more rows rev 1st st. Cast yarn and attach Point 5. BO all sts using Point 5 and longer rib, very loosely. Assembly Weave in ends. With Point 5 and Lapelsty needle, whipstitch bottom edge of collar to jacket.

et Attach buttons to left bang. With Point 5 and Crochet Hook, Crochet button loops opposite buttons.

Designed by Barbara Logan of Free Free Form Shop in Berkeley, CA for Collette/Uniqlo Kolors

11 Stripe Turtleneck

Continued from page 43



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large)
- KNITTED MEASUREMENTS**
- Bust 36 (39, 42", 45")
- Length 25 (26, 26", 27")
- Upper Arm 13 1/2 (14, 15", 16")

MATERIALS

- 3 (3, 3, 4) 50g (109 yd) balls S. R. Kertzer Perle (70% merino wool, 30% acrylic) color #001 Cream (A)
- 3 (3, 4, 4) 50g (109 yd) balls S. R. Kertzer Perle (70% merino wool, 30% acrylic) color #002 Camel (B)
- 4 (4, 4, 4) 50g (109 yd) balls S. R. Kertzer Perle (70% merino wool, 30% acrylic) color #003 Cocoa (C)
- 2 (2, 2, 3) 50g (109 yd) balls S. R. Kertzer Perle (70% merino wool, 30% acrylic) color #329 Cream (D)
- 2 (2, 3, 3) 50g (109 yd) balls S. R. Kertzer Perle (70% merino wool, 30% acrylic) color #001 Willow (E)
- Size 7 US needles OR SIZE TO OBTAIN GAUGE
- Size 7 US 16" circular needles (for neck) stitch holders

GAUGE

20 sts and 27 rows = 4" in K2, P2 rib (slightly stretched)

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



Shape Shoulder

BO 6 (7, 8, 9) sts at beg of next 2 rows, BO 7 (8, 8, 9) sts at beg of next 2 rows. Place rem 44 (46, 48, 50) sts on a stitch holder.

FRONT

Work as given for Back until armhole meas 41 (5, 5, 6)" end after WSR.

Shape Neck and Shoulder

Next row (R5). Work in ext 2x2 rib across 23 (25, 26, 28) sts, place center 24 (26, 28, 30) sts on a stitch holder, join new ball of yarn and cont as ext across. Working both sides at once, BO from each neck edge 3 sts once, 2 sts once, then dec 1 st each side EOR 5 times - 13 (15, 16, 18) sts. Cont in pattern until armhole meas 7 1/2 (8, 8 1/2, 9)" end after WSR. Work shoulder shapings as given for Back.

SLEEVES

With B, CO 54 (54, 54, 58) sts. Following Stripe Sequence, work in K2 P2 rib, inc 1 st at each end of 13 (13, 11, 11) rows and every foll 14 (12, 10, 10) rows 6 (8, 10, 10) times - 68 (72, 76, 80) sts. Work even in 2x2 rib until piece meas 18 (18 1/2, 19, 19 1/2)" end after WSR.

Shape Cap

BO 4 (4, 5, 6) sts at beg of next 2 rows, dec 1 st at each end of next and every row 4 times, then EOR 9 (11, 12, 13) times. BO 2 sts at beg of next 4 rows, then 3 sts at beg of next 2 rows. BO rem 18 sts.

FINISHING

Block pieces to measurements. Sew shoulder seams. Collar With circular nbl, A and B facing, pick up and

K18 sts down left front neck edge, K24 (26, 28, 30) sts from front neck stitch holder, pick up and K18 sts up right front neck edge. K44 (46, 48, 50) sts from back neck stitch holder 104 (108, 112, 116) sts. Pick at beg of round Working 14 rnds A, 4 rnds B, 4 rnds C, 4 rnds D, 4 rnds E, work in K2 P2 rib, rep from * to * until collar meas 7 1/2" from pick up row. BO loosely in rib.

Assembly

Sew side and sleeve seams. Set in sleeves. Weave in all ends.

Designed by Sarah Presser for S. R. Kertzer



12 Dazzling Diamonds

Continued from page 11

SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large, XXX-Large)

KNITTED MEASUREMENTS

- Bust: 36 (40, 44, 48, 52, 56)"
- Length: 21 1/2 (22, 23, 24, 26, 27 1/2)"
- Upper Arm: 17 1/2 (18 1/2, 19 1/2, 20 1/2, 21 1/2)"

MATERIALS

- 9 (10, 11, 12, 14, 16) 50g (90 yd) skeins The Alpaca Yarn Co Poco de Seda (80% alpaca, 20% silk) color 44820 Chandi
- Size 8 US needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- yarn needle, 3 stitch holder, wash maters GAUGE
- 16 sts and 24 rows = 4" in either Diamond Lace Pat

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- K1 selages have been incorporated into all RS rows
- All even numbered rows on chart are purled
- Pattern rep for Small [Large] Diamond is 18 (24) sts. Patt begins and ends at diff points in chart, however, each complete repeat will be worked over 18 (24) sts, with extra sts at beg and end of each row

BACK


CO 77 (85, 93, 101, 109, 117) Knt 1 row (RS) Work 3 more rows St st. **Next row:** K1; beg Row 1 of Large Diamond Lace Chart patt, work 1 repeat beg with st 18 (14, 23, 19, 15, 24), work st 1 - 26 (2, 3, 3, 3, 4) more times across row, and work 1 additional repeat ending after st 14 (18, 9, 13, 17, 8), K1. Purl 1 row. Cont in patt, always knitting the first and last st of every row, until piece meas 13 (13, 14, 14 1/2, 14, 17 1/2) from CO, end after WSR.

Shape Armhole

At beg of next 2 rows, BO 2 (2, 2, 3, 3, 3) sts Dec 1 st at beg of next 8 (10, 10, 12, 12, 14) rows - 65 (71, 79, 83, 91, 97) sts rem. Work patt as est until armhole meas 7 1/2 (8, 8, 8 1/2, 9, 9 1/2)", and after WSR.

Shape Neck

K1, work 22 (24, 26, 28, 30, 32) sts in patt, place next 19 (21, 25, 29, 31) sts on stitch holder, place rem 23 (25, 27, 29, 31, 33) sts on a second holder. **Dec rows (WS):** Working right shoulder only, dec 1 st at beg of row. Work 1 RS row even. Rep last two rows 2 more times. Place rem 20 (22, 24, 26, 28, 30) shoulder sts on stitch holder. **Attaching a new**



ball of yarn, work neck shaping for left shoulder, rev all shaping.

FRONT

Work as for Back until piece meas 13 (13, 14, 14 1/2, 14, 17 1/2)".

Shape Armhole

At beg of next 2 rows, BO 2 (2, 2, 3, 3, 3) sts Dec 1 st at beg of next 8 (10, 10, 12, 12, 14) rows. **AT THE SAME TIME**, when piece meas 13 1/2 (13 1/2, 14 1/2, 15, 16 1/2, 17 1/2)", set up for V-Neck Shaping as foll: at beg of next RSR, K1, work 34 (38, 42, 45, 49, 53) sts in patt, BO 1 st, work to end in patt - 70 (78, 86, 100, 108) sts rem. Place first 35 (39, 43, 46, 50, 54) sts on stitch holder for Left Front.

Shape Neck

Working sts for right Front and Left Front separately, cont dec for armhole as for back on each side, and maint patt st, work dec at neck edge as foll:

V Neck Shaping (Right Front)

Next row (WS): Purl to last 3 sts, pnt, K1, P1, K1. **Dec row (RS):** P1, K1, P1; 5SR, work in patt to end. Rep these 2 rows 1 (2, 4, 5, 7, 8) more times. Work 1 WSR in patt as est. **Next**

row (RS): Work 1 row even. Work 1 row St st. Rep last 6 rows 9 (9, 7, 8, 8, 8) more times. 20 (22, 24, 26, 28, 30) sts rem. **Work even** until Right Front meas same length as Back. Place rem 35 sts on stitch holder.

V Neck Shaping (Left Front)

After a row ball of yarn at neck edge, work WSR as foll: K1, P1, K1, pnt, purl to end. **Dec row (RS):** Work in patt to last 5 sts, K2tog, P1, K1, P1. Cont to work dec as for Right Front, rev all shapings to match. Place rem 35 sts on stitch holder.

SLEEVES

CO 35 (37, 37, 39, 41, 41) sts. Work 4 rows of St st. **Next row (RS):** K1, beg with Row 1 of Small Diamond Lace Chart, work 1 repeat beg with st 14 (13, 13, 12, 11, 11), work 2nd rep sts 1-18, and work 3rd repeat beg with st 1 and ending after st 10 (11, 11, 12, 13, 13), K1. Work even in patt for 3 rows. **1st row (RS):** Dec 1 st on both sides of Sleeve, cont in patt as est. Work 3 rows even. Rep these 4 rows 3 (5, 2, 3, 5, 9) more times, incorporating new sts into patt as charted when they become available. **Next row (RS):** Work inc row. Work 5 rows even. Rep last 6 rows 13 (12, 15, 15, 14, 12) more times. 71 (75, 75, 79, 83, 87) sts. Work even until Sleeve meas 17 1/2 (18, 19, 19 1/2, 20, 20 1/2) from CO, and alter WSR.

Shape Sleeve Cap


At beg of next 2 rows, BO 2 (2, 2, 3, 3, 3) sts. At beg of next 8 (8, 10, 10, 10, 12) rows, BO 2 (7, 6, 6, 6, 6) sts. BO off rem 11 (15, 11, 13, 17, 9) sts.

FINISHING

Join Front to Back at shoulders using 3-Needle Bind off technique.

Back Neck Edge

Beg at Right Shoulder Seam, with RS facing, pick up and K5 sts working from seam to Back Neck, K19 (21, 25, 29, 31) sts from Back Neck stitch holder, and pick up and K5 sts up Left Back Neck to Left Shoulder seam - 29 (31, 35, 39, 41) sts. Break yarn. Attach ball at beg of row and work 1-Cond edge as foll. CO



3 sts onto LH roll. *K2, R2tog (working 3rd st tog with 1 st from Back Neck), sl 1 st back to LH roll, rep from * until all sts have been worked. BO as foll: K1 R2tog. Sl 2 sts back to LH roll. R2tog. Fasten off. Weave in ends.


Assembly

Block pieces to measurements. Sew side seams and underarm seams. Pin sleeve into arm opening and sew in place. Weave in all loose ends. Wash in cold water with a mild

soap on hair shampoo and rinse with a mild fabricer. Let dry on a flat surface.

Designed by Beth Lutz for The Alpaca Yarn Co.

SLEEVE DIAMOND LACE CHART




KEY

- knit
- 2tog
- p
- K on RS, P on WS

Note: Sleeve sts are not incl in chart

BODY DIAMOND LACE CHART



13 Falling Flowers

Continued from page 43



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large)

KNITTED MEASUREMENTS

- Bust 36 (40, 44, 48)"
- Length 24 (25½, 27, 28)"
- Upper Arm 14½ (15½, 17½, 19½)"

MATERIALS

- 10 (11, 13, 14) 50g (110 yd) skeins **Plymouth Yarn Co. Sun Mino** (55% Sun alpaca, 45% merino) color #687 Dk Green (MC)
- 2, 50g (110 yd) skeins **Plymouth Yarn Co. Sun Mino** (55% Sun alpaca, 45% merino) color #3430 Eggplant (A)
- 1 (1, 1, 2) 50g (110 yd) skeins **Plymouth Yarn Co. Sun Mino** (55% Sun alpaca, 45% merino) color #799 Lt Green (B)
- 1 (1, 1, 2) 50g (110 yd) skeins **Plymouth Yarn Co. Sun Mino** (55% Sun alpaca, 45% merino) color #3730 Pink (C)
- Size 6 US 2½" circular needles **OR SIZE TO OBTAIN GAUGE**
- Size 6 US 16" circular needles **OR SIZE TO OBTAIN GAUGE**
- Size 6 US double pointed needles **OR SIZE TO OBTAIN GAUGE**
- Size 7 US 29" circular needles
- Size 7 US 16" circular needles (for neck)
- stitch holders, stitch markers

GAUGE

- 21 sts and 26 rows = 4" in St st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.**

STITCH ABBREVIATIONS

SL2K1P2 sl 2 sts to waste, K1, pass 2 sl sts over knit st. Center st will be on top.

FAIR ISLE PATTERN

See Chart.

DESIGNER NOTES

- Sweater is made on circular needles in 3 sections – body and 2 sleeves – which are then assembled for the yoke.
- For a totally seamless sweater, put underarm stitches on stitch holders or threads and use Kitchener Stitch to weave together to finish sweater. Otherwise, BO underarm stitches as directed.
- When working sleeves, change from dpns to 16" circular ntl when there are about 55 sts on ntl.
- When working yoke, change to 16" circular ntl when stitches no longer fit comfortably on 29" ndl.

BODY

Using smaller 29" circular ntl and MC, CO



YARIK1T CHART



20 st repeat

188 (210, 232, 252) sts. PM at beg of rnd and join, being careful not to twist. Work K2, P2 rib for 2". Change to St st (k every rnd) and work until Body meas 14 (15, 16, 17)", or desired length to underarm. BO 18 (20, 22, 24) sts for left underarm, work 76 (85, 94, 102) sts across front, BO 18 (20, 22, 24) sts for right underarm, work 76 (85, 94, 102) sts across back and set aside.

LEFT SLEEVE

Using dpns and MC, CO 40 (44, 48, 52) sts, evenly divided on 3 ndls. PM at beg of rnd and join, being careful not to twist. Work K2, P2 rib for 3", inc 5 (5, 5, 9) sts evenly spaced on last rnd of ribbing – 45 (49, 53, 61) sts. Change to St st and inc 1 st before and 1 st after beg of rnd marker every 4 rnds 16 (17, 19, 20) times – 77 (83, 91, 101) sts. Work until sleeve meas 17 (17½, 18, 18½)" or desired length to underarm. BO 18 (20, 22, 24) sts for underarm. Break yarn.

KEY

- ☐ = no longer a stitch
- ▣ = k2tog with Color C
- ◻ = stsk with Color C
- ◻ = SL2K1P2 with Color A
- ▣ = k2tog with Color A
- ▣ = stsk with Color A
- ▣ = Color C
- ▣ = Color B
- ▣ = Color A
- ▣ = Color MC



JOHN SLEEVE TO BODY

Pick up body, leaving bag of end marker on rail. Work 59 (63, 69, 77) sts of sleeve onto circular needle, work across 76 (83, 94, 102) sts of front yoke and set aside.

RIGHT SLEEVE

Work left sleeve as for right sleeve. Pick up body and left sleeve, and under right sleeve in same manner as left. Two markers in needed. Work across 76 (83, 94, 102) sts of back yoke - 270 (296, 326, 358) sts.

YOKE

Work in MC until yoke meas 2 (2, 3, 3) above underarms. On last rnd, dec 10 (6, 4 dec 6, inc 2) sts evenly spaced. 260 (300, 320, 360) sts. Change to larger 29" circular rnd. Beg Row 1 of Fast-File Chart. When Chart is complete and 104 (120, 128, 144) sts rem, change to smaller 16" circular rnd and work in MC. Round 1: rnd plain, inc 4 (0, 4) sts in next rnd, knit 1 rnd plain. Work dec rnd as last. *K1, K2tog, rep from * 72 (80,

88, 96) sts. Work K2, P2 ribbing for BO on ribbing.

FINISHING

Sew underarm seams. Weave in all ends. Block by pinning out to correct measures, rinsing and mangle with water. Let air dry.

Designed by Lori S Young exclusively for Knit 'N Style

14 Retro Wrap Sweater

Continued from page 46



SIZES

- Sweater is sized to fit Women's Small (Medium, Large).

KNITTED MEASUREMENTS

- Bust 33 (35.4, 38.5)
- Length 19 (20, 20.5)
- Upper Arm 14 (16, 16.5)

MATERIALS

- 4 (5, 5) 50g (125 yd) skeins South West Trading Co Inspiration (50% SOYSEK, 50% alpaca) color #394 (MC)
- 2 (2, 3) 50g (125 yd) skeins South West Trading Co Inspiration (50% SOYSEK, 50% alpaca) color #392 (CC)
- Size F US needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- Size F crocheted hook, yarn needle, (1) 1/4" buttons, 1 small hook & eye

GAUGE

- 22 sts and 28 rows = 4" in ribbing, slightly stretched

TO SAVE TIME, TAKE TIME TO CHECK GAUGE

DESIGNER NOTES

- When working gauge swatch, pay careful attention to your row gauge, as it will affect where decreases end on left and right fronts.
- Left sleeve is worked in MC, right sleeve is worked in CC.

BACK


With MC, CO 90 (96, 106) sts. Row 1 (RS):



K2, *P2, K2, rep from * to end. Row 2: P2, K2, P2, rep from * to end. Rep Rows 1 - 2 until piece meas 10 (10.5, 11) from CO, end after WSR.

Shape Armholes

At beg of next 2 rows, BO 4 (4, 5) sts. Dec row (RS): K1, skt, work in patt to last 3 sts, K2tog, K1 - 2 sts dec'd. Work 1 WSR in patt. Rep these two rows 3 more times - 74 (82, 88) sts rem. Work even in patt until piece meas 18 (18, 19.5) from CO, end after WSR.



Shape Shoulders


Next row: K10 (13, 16) sts, join new yarn, end, BO 14 (16, 16) sts, K to end. Working sts for left shoulder only: pur1 to 2 sts before neck opening, P2tog tbl. Turn. Row 1 (RS): skt, knit to end. Row 2: BO 6 (7, 8) sts, pur1 to end. Rep these two rows 2 more times. BO rem 8 sts. Rep for right shoulder, rev shape mgs.

LEFT FRONT

With MC, CO 82 (90, 98) sts. Row 1 (RS): K2, *P2, K2, rep from * to end. Row 2: P2, K2, P2, rep from * to end. Rep Rows 1 - 2 until piece meas 1" from CO, end after WSR. Dec row (RS): work in patt as est to last 4 sts, K2tog, K2 - 1 st dec'd. Next row: K3, work to end in patt as est. Rep these 2 dec 1 st at end of every RSR, until piece meas 10 (10, 11), end after WSR.

Shape Armholes

Next row (RS): BO 4 (4, 5) sts, work to last 4 sts in patt, K2tog, K2. Next row (WSR): K1, work to end in patt. Dec row (RS): K1, SKt, work to last 4 sts in patt, K2tog, K2. Next row (WSR): K3, work to end in patt. Rep last 2 rows 3 more times. Next row: Work in patt to last 4 sts; K2tog, K2. Work 1 WSR in patt. Rep last two rows, until piece meas 13.5 (15, 16.5) from CO - 26 (29, 32) sts rem. Work even in patt until piece meas 18 (18, 19.5) from CO, end after WSR.



Shape Shoulder

Next row (RS): BO 6(7, 8) sts; knit to end.
Purl 1 WSR. Rep these 2 rows 2 more times.
BO rem 8 sts.

RIGHT FRONT

With CC, CO 82 (90, 98 sts). Row 1 (RS): K2, P2, K2, rep from * to end. Row 2: P2, K2, P2, rep from * to end. Rep Rows 1 - 2 until piece meas 1" from CO, and after WSR. Dec row (RS): K2, SSK, work to end in patt - 1 st dec'd. Next row: work to last 3 sts in patt; K3. Cont as for left front, rev all shapings.

PUFF SLEEVE

CO 74 (74, 78) sts. Work rib as for Back for two rows. 1st row (RS): K1, M1, work in patt to last st, M1, K1 - 2 sts inc'd. Work 3 rows even. Rep these 4 rows 6 more times - 88 (88, 92) sts. Work even until piece meas 4 (4,

4) 1/2" from CO, and after WSR.

Shape Sleeve Cap

At beg of next two rows, BO 4 (4, 5) sts. Dec row (RS): K1, SSK (twice), work in patt to last 5 sts, K2tog, (twice), K1 - 4 sts dec'd. Work 1 WSR in patt. Rep these 2 rows once more - 72 (72, 76) sts. Next row: K1, stk, work in patt to last 3 sts, K2tog, K1 - 2 sts dec'd. Work 1 WSR in patt. Rep last 2 rows 15 more times - 40 (40, 44) sts rem. Work 4 rows even. BO all sts.

FINISHING

Gather Sleeve

Find center of sleeve cap and fold two 1/4" pleats on each side of center. Tack in place.

Assembly

Sew shoulder seams, set in sleeves, and sew sleeve and side seams.

Edging & Buttonholes

Measure and mark along left front neck edge for buttonhole placement 2", 4", and 6" from bottom edge. With crocheted hook and MC, beg at shoulder seam, work st from seam to bottom edge along front opening. Next row: st to first button hole marker; *work st, ch 5, st in next st, work to next button hole marker, rep from * 2 times more; st to end. Fasten off.

Fasteners

Weave in ends. Attach buttons to Right front opposite buttonholes. Sew hook and eye to lower edge of right front (to taken right front to underside of left front).

Designed by Amy Polcyn for South West Trading Co.

15 Anne Slanting Lace Scarf

Continued from page 17



FINISHED MEASUREMENTS

- approx 8" x 72"

MATERIALS

- 1, 4oz (140 yd) skein The Schaefer Yarn Co Anne (80% merino wool superwash, 25% mohair, 15% nylon)

- Size 7 US needles

- yarn needle

GAUGE

- not critical



SCARF

CO 4 sts.

Beg Increase Shaping

Rows 1 and 3 (RS): Knit. Rows 2, 4, 6: M1sb. P to last st, M1sb. Row 5: K1, *yo, K2tog, rep from * to last st, end K1. Rep Rows 1-6 10 times - 64 sts.

Scarf Body

Work on these 64 sts as foll until scarf reaches desired length, and after working Row 6.

Rows 1 and 3 (RS): Knit. Rows 2, 4, 6: K2tog, P to last st, M1sb. Row 5: K1, *yo, K2tog, rep from * to last st, end K1.

Beg Decrease Shaping

Rows 1 and 3 (RS): Knit. Rows 2, 4, 6: K2tog, P to last 2 sts, K2tog. Row 5: K1, *yo, K2tog, rep from * to last st, end K1. Rep Rows 1-6 10 times - 4 sts.

BO all sts.

Designed by Rebecca Hatcher for The Schaefer Yarn Co.

16 Glen Fraser

Continued from page 18

BACK

CO 82 (90, 100, 108) sts. Row 1 (WS): *K2, P2, rep from * to end. K2 (2, 0, 0). Row 2: P2 (2, 0, 0), *K2, P2, rep from * to end. Rep last 2 rows until piece meas 3" from CO, and after WSR. Next row: Beg St st and work even until piece meas 15" (16, 16, 17 1/2)" from CO, and after WSR.

Shape Armholes

At beg of next 4 rows, BO 4 (4, 5, 6) sts. Dec 1 st each end of ndl, BOR 3 (3, 3, 4) times - 58 (68, 74, 76) sts. Cont in St st until piece



SIZES

- Pullover is sized to fit Unisex Small (Medium, Large, X-Large)

KNITTED MEASUREMENTS

- Chest 38" (42, 47, 51")
- Length 25 1/2 (26 1/2, 27 1/2, 29 1/2)"
- Upper Arm 17 1/2 (19, 21, 22 1/2)"

meas 24" (25 1/2, 27, 29 1/2)" from CO, and after WSR.

Shape Shoulders and Neck

Next row (RS): BO 6 (7, 8, 8) sts, knit to end.

Next row (WS): BO 6 (7, 8, 8) sts, P16 (18,

MATERIALS

- 6 (6, 7, 8) 100g (197 yd) skeins Universal Yarn Classic Worsted Superwash (80% acrylic, 20% wool) color #7004

- Size 7 US 16" circular needles (for neck)

- Size 7 US needles OR SIZE TO OBTAIN GAUGE

- Stitch marker

GAUGE

- 17 sts and 22 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

20, 20) sts, BO 28 (30, 34, 34) sts for Back neck, attach new ball of yarn and purl to end - 9 (12, 12, 13) sts rem each shoulder. Next row (RS): Working left shoulder only, BO 4 (6, 6, 6) sts. Next row: P1, P2tog tbl, purl to



endl BO rem 4 (5, 5, 6) sts. Rep for right shoulder, rev shapings.

FRONT

Work as for Back, incl all shapings, until piece meas 22½ (22½, 24, 24½) from CO, end after WSR.

Shape Neck

Next row K21 (26, 28, 29) sts, attach new ball of yarn and BO 14 (16, 18, 18) sts for front neck, kni to end - 21 (26, 28, 29) sts rem each side of neck. Next row (WS): Working left shoulder only, P1, P2tog, Purl to end - 1 st dec'd. Kni 1 row. Rep last 2 rows 5 (6, 7, 7) more times - 15 (19, 20, 21) sts rem. Cont in St st until piece meas 24½ (25½, 27, 29½) from CO, end after WSR. Work shoulder shapings as for Back, and rep neck and shoulder shapings, rev all shapings.

SLEEVES

CO 40 (42, 48, 52) sts. Row 1 (WS): *K2, P2, CO 40 (42, 48, 52) sts. Row 2: P0 (2, 0, 0), rep from *, end KO (2, 0, 0). Row 3: P0 (2, 0, 0), *K2, P2: rep from * to end. Rep last 2 rows until piece meas 3" from CO, end after WSR.

Shape Sleeve

Inc row (RS) K1, M1, kni to last st, M1, K1. Work 3 rows in St st, beg with a purl row. Rep last 4 rows, cont St st patt. b3 (16, 17, 21) more times. Work 1 inc row. Work 5 rows in St st. Rep last 6 rows 3 (2, 2, 0) more times - 76 (82, 90, 96) sts. Work even until piece meas 18¼ (19½, 20½, 21½) from CO, end after WSR.

Shape Sleeve Cap

At beg of next 2 rows, BO 3 (3, 4, 5) sts. Dec row (RS): K1, SSK, kni to last 3 sts, K2tog, K1. Purl 1 row. Rep last 2 rows 1 (1, 2, 3)

more times. Work 1 Dec row. Work 1 row. Rep last 2 rows 17 (21, 22, 23) more times. Work Dec row. Purl 1 row. Rep last 2 rows 1 (0, 0, 2) more times. At beg of next 2 rows, BO 3 (3, 3, 4) sts. BO rem 14 (14, 16, 16) sts.

FINISHING


Sew shoulder seams.

Neck Band

With shorter circular nrl, pick up and knit (64, 72, 72) sts around neck edge. Purl and join for working in the round. Knit 1 row, P2: rep from * to end. Rep this row until sts loosely in pattern.

Assembly

Sew sleeves into armholes. Sew sleeve and side seams. Weave in all ends.



17 Cable Tunic

Continued from page 19

DESIGNER NOTES

- The right sleeve is a modified drop shoulder. The left sleeve is raglan.

SPECIAL ABBREVIATIONS


CB Sl 2 sts to cn, hold in back, K2, K2 from cn
CF Sl 2 sts to cn, hold in front, K2, K2 from cn
CBP Sl 1 st to cn, hold in back, K2, P1 from cn
CFP Sl 2 sts to cn, hold in front, P1, K2 from cn
CSB Sl 3 sts to cn, hold in back, K2, return last st on cn back to LH nrl and purl it, K2 from cn
CSF Sl 3 sts to cn, hold in front, K2, return last st on cn back to LH nrl and purl it, K2 from cn

CABLE PATTERN (1/3 st panel)

Row 1: K1, P2, K2, P2, K1, P2, K2, P2, K1.

Row 2: P1, K2, P2, CSF, P2, K2, P1.

Row 3 and all odd rows: Knit the knits and purl the purls.



SIZES

- Tunic is sized to fit Women's X-Small (Small, Medium, Large, X-Large, XX-Large).

KNITTED MEASUREMENTS

- Bust 32 (36, 40, 44½, 49, 53½)
- Waist 27½ (31, 35, 39, 44, 48½)
- Hip 35 (38, 42, 46, 50½, 54½)
- Length 27 (28, 28½, 29, 29½, 30½)

MATERIALS

- 3 (3, 3, 4, 4), 250g (370 yd) hank Wool Around the World Wool Felt 14ly (100% pure New Zealand Wool) color Goldstone
- Size 10 US needle OR SIZE TO OBTAIN GAUGE
- Size 10 US 16" circular needle OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- stitch markers, stitch holders, yarn needle
- GAUGE
- 14 sts and 19 rows = 4" in St st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE

Row 4 P1, C1P, C2P, P1, C1P, C2P, P1.
Row 5 P2, C2B, P3, C2, P2.
Row 6 P1, C2B, C1P, C2P, C1P, C2P, P1.
Row 10 P1, K2, P2, C1B, R2, K2, P1.
Row 12 P1, C1P, C2P, P1, C1P, C2P, P1.
Row 14 P2, C2, P1, C2, P2.
Row 16 P1, C1P, C2P, P1, C1P, C2P, P1.
Rep Rows 1-16 for Cable Pattern.

BELT LOOP FACING (make 2)

CO 9 sts. Work 3 rows in St st, end after working a RSR. Place on stitch holder.

BACK

CO 68 (74, 81, 88, 95, 102) sts. **Row 1 (WS)** K44 (47, 51, 55, 59, 64), pm, work Row 1 of Cable Pattern over next 15 sts, pm, K9 (12, 15, 18, 21, 23). **Row 2-5:** Cont in Center st (first every row), work progressive rows of Cable Pattern between markers. Change to St st, cont Cable Pattern between markers. When work meas 2x (4x, 4x, 5x, 5x, 6x), dec 1 st each side of next RSR then every foll 4 rows 6 (6, 6, 6, 5, 5) times = 54 (60, 67, 74, 83, 90) sts. Work even until piece meas 9 (10, 10, 10, 11, 10x) or desired length to belt loop placement, end after working a RSR.

Belt Loop

Row 1 (WS): P to marker, place 15 sts of Cable Pattern on a stitch holder (make note of Cable Pattern row number), pm, P across 9 sts of belt loop facing, pm, P to end of row. **Row 2-5:** Work in St st, end after working a WSR. **Row 6 (RS):** K to marker, BO 9 sts between markers, K to end. Set aside. Using 16" circular rnd and separate ball of yarn, return 15 sts of Cable Pattern to work ready for 4 WSR. Work next 6 rows of Cable Pattern, end after working a RSR. Cut yarn.

Resuming with Back, P to bound off sts, pm, work 15 sts of Cable Pattern into the space, pm, P to end of row = 54 (60, 67, 74, 83, 90) sts. Work 2 rows (or until piece meas 10x (11x, 11x, 12x, 12x, 12x) as est, inc 1 st each side of next RSR then every foll 6 rows 3 (4, 4, 4, 4, 4) times = 62 (70, 77, 84, 93, 100) sts. Work even until piece meas 18x (19x, 19x, 19x, 19x) or desired length to underarm, end after working a WSR.

Shape Armhole

BO 3 (4, 4, 4, 4, 6, 6) sts at beg of next RSR and 3 (3, 3, 4, 4, 5) sts at beg of foll WSR. Dec 1 st at the end only of RSs every 4 rows 6 (3, 1, 0, 0, 0) times, then every 2nd row 7 (14, 19, 22, 20, 21) times then every row 0 (0, 0, 0, 0, 6) times. Work even on rem 41 (44, 48, 52, 55, 60) sts until armhole meas 8x (9x, 9x, 9x, 10, 10x). BO 20 (23, 26, 29, 31, 33) sts at beg of next RSR. Place rem 21 (21, 22, 23, 24, 27) sts on stitch holder for Back neck.

FRONT

CO 68 (74, 81, 88, 95, 102) sts. **Row 1 (WS):** K9 (12, 15, 18, 21, 23), pm, work Row 1 of Cable Pattern over next 15 sts, pm, K44 (47, 51, 55, 59, 64). Work as for Back from *

Shape Armhole

BO 3 (3, 3, 4, 4, 5) sts at beg of next RSR and 3 (4, 4, 4, 4, 6) sts at beg of foll WSR. Dec 1 st at the beg only of RSs every 4 rows 6 (3, 1, 0, 0, 0) times then every 2nd row 7 (14, 19, 22, 20, 21) times then every row 0 (0, 0, 0, 0, 6) times. At THE SAME TIME when armhole meas 5 (5x, 6, 7x, 7x, 7x) beg neck shaping on a WSR as foll: work 25 (28, 31, 34, 36, 39) sts as est, place next 11 (11, 12, 13, 14, 15) sts on stitch holder for Front neck, place rem sts on separate stitch holder for left shoulder (make note of place in raglan dec). Cont work on right shoulder, dec 1 st at neck edge every RSR 5 (5, 5, 5, 5, 6) times. Work even until armhole meas 8x (9, 9x, 9x, 10, 10x). BO rem 20 (23, 26, 29, 31, 33) sts. Place sts of left shoulder on rnd ready for a WSR. Attach 4 new ball of yarn, cont with raglan dec and AT THE SAME TIME dec 1 st at neck edge every RSR 5 (5, 5, 5, 5, 6) times. Work even at neck edge, cont raglan dec until 2 sts rem. BO.

RIGHT SLEEVE (drop shoulder)

Cuff Band

CO 17 sts. Keep 1 edge at on each side in St st, work Cable Pattern over center 15 sts for 8 (9, 9x, 10, 10x). BO.

Sleeve

Pick up and K30 (34, 34, 36, 37, 38) sts along one side edge of cuff band. Work in St st, end 1 st each side of every 4 rows 11 (11, 13, 13, 17, 17) times then every 6 rows 3 (3, 2, 3, 0, 0) times = 58 (62, 64, 68, 71, 72) sts. Work even until sleeve meas 16x (17, 17, 18, 17x, 17x) or desired length to underarm seam. Place marker at side edges. Work an additional 4 (4, 4, 4, 4, 4x). BO.

CABLE PATTERN CHART
(15 st, 16 row repeat)



LEFT SLEEVE (raglan)

CO 35 (39, 39, 41, 43, 43) sts. **Row 1 (WS):** K10 (12, 12, 13, 14, 14), pm, work Row 1 of Cable Pattern over next 15 sts, pm, K10 (12, 12, 13, 14, 14) sts. **Row 2-5:** Cont in Center st, work progressive rows of Cable Pattern between markers. Change to St st, cont



Cable Pattern between markers, inc 1 st at each end of every 6 rows: 3 (1, 0, 4, 4, 10) times then every 8 rows: 4 (3, 2, 6, 4, 2) times - 49 (51, 55, 61, 63, 67) sts. Work even until piece meas: 16 $\frac{1}{2}$ (17, 17, 17 $\frac{1}{2}$, 17 $\frac{1}{2}$, 18) $\frac{1}{2}$ or desired length to underarm seam.

Shape raglan

BO 3 (3, 1, 4, 4, 3) sts at beg of next 2 rows. Dec 1 st at each end of every 2nd row 1R (1R, 21, 22, 23, 24) times. Place rem 7 (7, 7, 9, 9, 9) sts on a stitch holder.

FINISHING

Block pieces to measurements. Join right shoulder and raglan seams.

Neck Band

Using 16" circular nrl, beg at right shoulder, pick up and K20 (62, 64, 66, 68, 70) sts evenly around neck shaping, including sts on stitch holders. PM 1st beg of end. Beg 3rd st (and every rnd) until neck band measures 2 1/2" from pick up row. BO loosely and allow to roll.

Assembly

Sew in right sleeve, sewing edge of sleeve above markers along bound off sts of underarm. Sew side and sleeve seams. Sew down upper and lower edges of belt loop facings. Weave in all ends.

Designed by George Drum exclusively for Knit 'N Style.

18 Seashell Shawl

Continued from page 31



FINISHED MEASUREMENTS

* 72" (wide) x 36" (neck to hem)

MATERIALS

- 2, 100g (410 yd) hanks Wagtail Yarns 4 Ply (100% kid mohair) color Light Salmon
- Size 9 US 29" circular needles OR SIZE TO OBTAIN GAUGE
- stitch markers

GAUGE

* 14 sts and 16 rows = 4" in blocked Garter st TO SAVE TIME, TAKE TIME TO CHECK GAUGE

STITCH ABBREVIATIONS

s2kp st 2 sts kntst, K1, pass 2 sts over

DESIGNER NOTES:

- * The shawl is knitted from the bottom outside hem edge to the neck.

RUFFLE

CO 410 sts. Work 14 rows in Garter st. Work 1 dec row, K2tog across - 315 sts.

SHAWL

Note: maintain first and last 8 sts of each row in Garter st.

Row 1: 3, 5, 7: K8, pm, (K1, yo, R9, s2kp, K9, yo, K1, pm) 13 times, K8 - 315 sts.

Row 2 (and all even numbered rows): K8, purf across to last 8 sts: K8.

Row 3: K8, sm, (K1, yo, K7, sk, s2kp, K2tog, K7, yo, K1, sm) 13 times, K8 - 289 sts.

Row 11, 13, 15, 17: K8, sm, (K1, yo, K8, s2kp, K8, yo, K1) 13 times, K8 - 289 sts.

Row 19: K8, sm, (K1, yo, K6, sk, s2kp, K2tog, K6, yo, K1) 13 times, K8 - 263 sts.


Row 21, 23, 25, 27: K8, sm, (K1, yo, K7, s2kp, K7, yo, K1) 13 times, K8 - 237 sts.

Row 29: K8, sm, (K1, yo, K5, sk, s2kp, K2tog, K5, yo, K1) 13 times, K8 - 213 sts.

Row 31, 33, 35, 37: K8, sm, (K1, yo, K6, s2kp, K6, yo, K1) 13 times, K8 - 237 sts.

Row 39: K8, sm, (K1, yo, K4, sk, s2kp, K2tog, K4, yo, K1) 13 times, K8 - 211 sts.

Row 41, 43, 45, 47: K8, sm, (K1, yo, K5, s2kp, K5, yo, K1) 13 times, K8 - 211 sts.



Row 49: K8, sm, (K1, yo, K3, sk, s2kp, K2tog, K3, yo, K1) 13 times, K8 - 185 sts.

Row 51, 53, 55, 57: K8, sm, (K1, yo, K4, s2kp, K4, yo, K1) 13 times, K8 - 185 sts.

Row 59: K8, sm, (K1, yo, K2, sk, s2kp, K2tog, K2, yo, K1) 13 times, K8 - 159 sts.

Row 61, 63, 65, 67: K8, sm, (K1, yo, K3, s2kp, K3, yo, K1) 13 times, K8 - 159 sts.

Row 69: K8, sm, (K1, yo, K1, sk, s2kp, K2tog, K1, yo, K1) 13 times, K8 - 133 sts.

Row 71, 73, 75, 77: K8, sm, (K1, yo, K2, s2kp, K2, yo, K1) 13 times, K8 - 133 sts.

Row 79: K8, sm, (K1, yo, K1, s2kp, K2tog, yo, K1) 13 times, K8 - 107 sts.

Row 81, 83, 85, 87: K8, sm, (K1, yo, K1,

SHAWL CHART



s2kp, K1, yo, K1) 13 times, K8 - 107 sts.

Row 89: K8, sm, (K1, yo, K1, s2kp, yo, K1) 13 times, K8 - 81 sts.

Row 91, 93, 95, 97: K8, sm, (K1, yo, s2kp, yo, K1) 13 times, K8 - 81 sts.

Row 99: K8, sm, (K1, s2kp, K1) 13 times, K8 - 55 sts.

Row 101, 103, 105, 107: Knt across.

Row 109: K8, sm, s2kp 13 times, sm, K8 - 29 sts.

Garter Stitch Border

Row 110, K7, K2tog, turn.

Row 111: K8.


Rep Rows 110 and 111 twelve more times.

When there are the first 8 sts on one rnd and the last 8 sts on the other rnd, with no rem center sts, BO all sts with using the 3 needle bind off method.

FINISHING

Fasten off. Weave in loose ends. Block to desired measurements.

Designed by Kristin Osnick for Wagtail Yarns



KEY	
	at 2 sts tog kntst K1 s2kp
	sk
	K2tog
	yo
	K2tog
	pattern repeat

19 Cables & Ribs Jacket

Continued from page 52



SIZES

- Jacket is sized to fit Women's Small (Medium, Large, X, Large).

KNITTED MEASUREMENTS

- Bust 38 (42, 46, 50)
- Length 22" (23, 23½, 24)
- Upper Arm 13" (14, 15, 16½)

MATERIALS


- 7 (8, 9, 10) 100g (215 yd) skeins Bernese Ultra Alpaca (50% super fine alpaca, 50% Peruvian wool) color #6785
- Size 6 US needles
- Size 7 US needles OR SIZE TO OBTAIN GAUGE

- cable needle, 2 stitch holders
- 22 (22, 24, 24½) separating zipper

GAUGE

- 21 r sts and 26 rows = 4" in Rib pat with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



Shape Armholes

Keeping in est patt, BO 8 (10, 12, 13) sts beg next 2 rows, then dec 1 st each end of next and EOR 8 (9, 11, 13) times in total - 70 (74, 78, 82) sts. Work even in patt until armhole meas 8" (9, 9½, 10½), end after WSR.

Shape Shoulders

BO 8 (9, 10, 11) sts beg next 2 rows, then 9 (10, 10, 11) sts beg fol 2 rows. BO rem 36 (36, 38, 38) sts.

POCKET LININGS (make 2)

With larger ndls, CO 30 sts and work 3" in St st ending with a purl row and inc 2 sts evenly across last row - 32 sts. Place sts on stitch holder.

LEFT FRONT

With larger ndls, CO on S1 (56, 62, 67) sts.

Est Rib Pattern

Row 1 (RS): P1 (0, 0, 0), K4 (4, 4, 3), *P2, K4, rep from * to last 4 sts, P2, K2. Row 2: P2, K2, *P4, K2; rep from * to last 5 (4, 4, 3) sts, P4 (4, 4, 3), K1 (0, 0, 0). These 2 rows form Rib patt. Cont in Rib patt until work from CO meas 3½", end after WSR.

Place Pocket

Next row (RS): Cont in est patt across 7 (12, 16, 19) sts, st next 32 sts onto stitch holder, work across 32 sts from pocket lining, work across last 12 (12, 14, 16) sts. Work even in est patt until work from CO meas 14", end after WSR.

Shape Armhole

Keeping in est patt, BO 8 (10, 12, 13) sts beg next row. Work 1 row even, then dec 1 st at beg of next and EOR 8 (9, 11, 13) times in total - 35 (37, 39, 41) sts. Cont even in est patt until armhole meas 5½" (6, 6½, 7½), end after RSR.

Shape Neck

Next row (WS): BO 9 (9, 10, 10) sts, work even to end. Dec 1 st at neck edge on next 6 rows, then EOR 3 times more - 17 (19, 20, 22) sts. Cont even in patt until armhole meas

same length as back to beg of shoulder shaping, end after WSR.

Shape Shoulder

BO 8 (9, 10, 11) sts beg next row, work 1 row even, then BO rem 9 (10, 10, 11) sts.

RIGHT FRONT

With larger ndls, CO S1 (56, 62, 67) sts. Row 1 (RS): K2, *P2, K4, rep from * to last 1 (0, 0, 3) st(s), P1 (0, 0, 2), K0 (0, 0, 3). Row 2: K1 (0, 0, 0), P4 (4, 4, 3), *K2, P4, rep from * to last 4 sts, K2, P2. These 2 rows form Rib patt. Cont in Rib patt until work from CO meas 3½", end after WSR.

Place Pocket

Next row (RS): Work in est patt across 12 (12, 14, 16) sts, st next 32 sts onto stitch holder, work across 32 sts from pocket lining, work across last 7 (12, 16, 19) sts. Work even in patt until work from CO meas 14", end after RSR.

Shape Armhole

Keeping in est patt, BO 8 (10, 12, 13) sts beg next row. Dec 1 st at end of next and



STITCH GLOSSARY

C4B st 2 sts to cn, hold to back, K2, K2 from cn, C4F st 2 sts to cn, hold in front, K2, K2 from cn, T4F st 2 sts to cn, hold in front, P2, K2 from cn, T4B st 2 sts to cn, hold to back, K2, P2 from cn.

CABLE PANEL (12 sts)

Row 1 (RS): K2, P2, K4, P2, K2.

Row 2: P2, K2, P4, K2, P2.

Row 3: K2, P2, C4B, P2, K2.

Row 4: Rep Row 2.

Rows 5, 6: Rep Rows 1, 2.

Row 7: T4F, C4B, T4B.

Row 8: K2, P6, K2.

Row 9: P2, T4B, T4F, P2.

Row 10: K2, P2, K4, P2, K2.

Row 11: T4B, P4, T4F.

Row 12: P2, K6, P2.

Row 13: K2, P6, K2.

Row 14: Rep Row 12.

Row 15: T4F, P4, T4B.

Row 16: Rep Row 10.

Row 17: P2, C4F, C4B, P2.

Row 18: Rep Row 8.

Row 19: T4B, C4B, T4F.

Row 20: Rep Row 2.

Rep Rows 1-20 to est the Cable Panel.

BACK

With larger ndls, CO 102 (112, 124, 134) sts.

Est Rib Pattern

Row 1 (RS): P1 (0, 0, 0), K4 (4, 4, 3), *P2, K4; rep from * to last 1 (0, 0, 3) st(s), P1 (0, 0, 2), K0 (0, 0, 3). Row 2: K1 (0, 0, 0), P4 (4, 4, 3), *K2, P4, rep from * to last 1 (0, 0, 3) st(s), K1 (0, 0, 2), P0 (0, 0, 3). These 2 rows form Rib patt. Cont in Rib patt until work from CO meas 14", end after WSR.

BOB 8 (R, 11, 13) times in total - 33 (57, 94-41) sts. Cont even in patt until armhole meas 54 in; 64, 77" and after WSR.

Shape Neck

Next row (RS) BO 9 (R, 10, 10) sts, work to end. Dec 1 at each neck edge on next 8 rows, then BO 3 times more: 17 (19, 20, 22) sts. Cont even in patt until armhole meas same length as Back to beg of shoulder shaping, end after RSR.

Shape Shoulder

BO 8 (R, 10, 11) sts beg next row, work 1 row even, then BO rem 9 (10, 10, 11) sts.

SLEEVES

Beg at cuff with larger ndls, CO 19 sts. **Row 1** (RS): P4, work Row 1 of Cable Panel across next 12 sts, P1. **R2**: Row 2 of Cable Panel across next 12 sts, P1. **R3**: Row 2 of Cable Panel across next 12 sts, P1. **R4**: Last 2 rows form patt. Cable Panel is now in position. Cont in patt as set until cuff meas approx 10 1/2" and on Row 8 of Cable Panel BO in patt. With WS of cuff facing (cuff will turn back onto sleeve) and larger ndls, pick up and K34 sts across edge of cuff without Garter st. **Row 1** (WS of sleeve): P2, *K2, P4 rep from * to last 4 sts, K2, P2. **Row 2**: K2,

*P2, K4, rep from * to last 4 sts, P2, K2. These 2 rows form rib patt. Cont in rib patt until work from pick up edge meas 21" and after WSR. Keeping cont of patt, inc 1 at each end of meat and last 10 (10, 8, 6) rows until there are 72 (76, 80, 86) sts, taking increased sts into rib patt. Cont even in patt until work from pick up edge meas 18" and after WSR.

Shape Sleeve Cap

BO 4 (5, 6, 7) sts beg next 2 rows. Dec 1 at each side on next and EOR until there are 30 (30, 30, 34) sts, then every row until there are 12 sts. BO in patt.

FINISHING

Collar Edging

With larger ndls, CO 17 sts. **Row 1** (RS) P2, work Row 1 of Cable Panel across next 12 sts, P1, K2. **Row 2**: K3, work Row 2 of Cable Panel across next 12 sts, K2. Last 2 rows form patt. Cable Panel is now in position. Cont in patt until edging meas approx 20 1/2" and on Row 8 of Cable Panel BO in patt.

Collar

Sew shoulder seams. With RS facing and larger ndls, pick up and K96 (96, 100, 100) sts evenly around neck edge. Beg with a purl row,

work 4" in St st, end with a purl row. BO (collar will fold to RS) to reveal reverse to Sew Cable Edging in position. Fold collar in half to RS and finish side edges through all thicknesses.

Zipper Edging

With RS facing and smaller ndls, beg at lower CO edge, pick up and K95 (97, 99, 101) sts along front edge, then 18 sts along collar edge (working through all thickness) - 113 (115, 117, 119) sts. BO knitwise (WS) Beg on opposite front edge.

Pocket Edging

With RS facing and smaller ndls, work K1 P1 rib across 32 sts on pocket st holder. Work 1 more row in 1x1 rib. BO in rib.

Assembly

Sew sides of pocket edging in position. Sew pocket linings in place on WS. Sew side and sleeve seams, reversing seam for cuff turn-back. Set in sleeves. Sew in zipper under edgings.

Designed by Gayle Burn exclusively for *Knit 'N Style*

20 Winter Pastels

Continued from page 57



SIZES

Vest is sized to fit Women's Small (Medium, Large).

KNITTED MEASUREMENTS

- Bust 35 (39, 43)"
- Length 22 (23, 24)"

MATERIALS

- 8 (R, 100) 50g (93 yd) skeins Endia Yarns Ayle (71% polyester, 15% wool, 13% acrylic) color #29 (46)
- 1, 100 g (197 yd) skein Endia Yarns Luster (25% wool, 79% acrylic) color #4030 Black (R)
- Size 11 US needles OR SIZE TO OBTAIN GAUGE
- Size 8 US 24" circular needles
- Size 8 US 36" circular needles (for collar)

ADDITIONAL SUPPLIES

- Size F crochet hook, yarn needle, 3 buttons, 2 stitch markers

GAUGE

- 14 sts and 20 rows = 4" in St st with larger needles and Ayle

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- Vest is knitted sideways in one piece, starting at right front.
- Rev St st is the RS on the body.
- Front band is knitted in one piece by picking up sts all around the edges, starting at the



center of back. To form the rounded corner, increases are made before and after markers.

BODY

With larger ndls and A, CO 51 (54, 58) sts. Purl 1 row (RS). CO 2 sts using backwards loop method, to create rounded corner. **Knit 1 row**. Rep these 2 rows 5 more times - 63 (66, 70) sts. Work on rev St st until piece meas 33 (4, 5)" from CO, end after WSR. **Next row (RS)** - BO 35 (38, 42) sts - 28 (28, 28) sts rem. Cont in patt as set until piece meas 33 (7, 8)" from CO, end after RSR. **Next row (WS)**: K2R, CO 35 (38, 42) sts - 63 (66, 70) sts. Cont in rev St st until piece meas 9 (11, 13)" from CO, end after WSR. **Next row (RS)**: BO 8

(12, 12) sts - 55 (54, 58) sts. Cont in rev St st until piece meas 18 (20, 22)". **End after RSR**. **Next row** (RS) 55 (54, 58) sts and then CO 8 (12, 12) sts - 63 (66, 70) sts. Cont in rev St st until piece meas 21 (23, 27)" from CO, end after WSR. **Next row (RS)**: BO 35 (38, 42) sts - 28 (28, 28) sts rem. Cont in rev St st until piece meas 23 (26, 30)", end after RSR. **Next row (WS)**: K2R (28, 28) sts and then CO 35 (38, 42) sts - 63 (66, 70) sts. Cont in rev St st until piece meas 24 (27, 32)" from CO, end after RSR. **Next row (WS)**: BO 2 sts. Purl 1 row. Rep these 2 rows 5 more times. BO rem 51 (54, 68) sts.

FINISHING

Sew shoulder seams.

Collar

With smaller 36" circular ndl, R, and WS facing, beg at center of back of neck, pick up and K10 sts to right front edge, pick up and K68 (70, 72) sts down right front edge, pm, pick up and K108 (120, 132) sts around bottom edge, pm, pick up and K68 (70, 72) sts up left front edge and pick up and K10 sts across back of neck to start - 264 (280, 296) sts. **Knit 1 row (WS)**. **Next row (RS)**: Purl to 1 st before first marker, M1, P2, M1, purl to end. Change to A and purl 1 row. Working full stipe sequence, cont to inc 1 at each side of each marker every RSR, 3 more rows with A in St st, 2 rows with B in Garter st, 4 rows with A in St st, 2 rows with A in rev St st, 2 rows with B in Garter st, 2 rows with A in rev St st, and 4 rows with B in Garter st. BO all sts.

Edging

With B and crochet hook, work 1 row st around front band. **Next row**: work 1 row

crab st. 1 turn off.

Button Loops

Sew buttons evenly spaced to left side of vest. With crochet hook and B, work 3 ch loops just inside band to match button holes.


Armhole Band

With smaller 24" circular npl. B, and R5 facing, beg at shoulder seam, pick up and R64 (72, 78) sts around armhole. Pst and join for working in the round. Knit 2 rows with B knit 2 rows with A. Rep these 4 rows twice more. 80 all sts.

Assembly

Sew back of collar closed. Weave in ends.

Designed by Jutta Zukago for Erdal Yarns



21 Something Fishy

Continued from page 34



SIZES

- Pullover is sized to fit Child's 18 men (2T, 4T, 6)

KNITTED MEASUREMENTS

- Chest 23 (25½, 27½, 30½)
- Length 12 (13, 14, 15½)
- Upper Arm 10 (11, 11½, 12½)

MATERIALS

- 4 (5, 6, 6) 50g (88 yd) ball Knit One, Crochet Too P's (100% polyester) color #690 Royal (A)
 - 1, 50g (88 yd) ball Knit One, Crochet Too P's (100% polyester) color #566 Kiddy Pool (B)
 - Size 10 US needles OR SIZE TO OBTAIN GAUGE
 - stitch holders, stitch markers
- GAUGE**
- 15 sts and 23 = 4" in St st
 - TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- When working fish, do not carry color A at back of work, but instead, use a separate ball of color A to work sections on each side of fish.
- When changing colors, pick up new color from under previous color, crossing strands, to prevent holes.

BACK

Using R, CO 43 (47, 51, 55) sts. Row 1 (RS): K1, * P1, K1; rep from * across. Rep Row 1 to end. Seed st for 2 more rows, inc 1 st in last row = 44 (48, 52, 56) sts. Using color A, beg St st and work even until piece meas 6½ (7½, 8, 8½)" from CO.

FISH COLOR CHART



COLOR KEY

Color A

Color B

Mark Armhole

PM each side of work for underarm. Cont even until armhole meas 3½ (5½, 6, 6½)" from CO, end after WSR. Place first and last 14 (15, 17, 18) sts on stitch holder for shoulders, place center 16 (16, 18, 20) sts on stitch holder for back of neck.

FRONT

Work as for Back until 2 (2½, 3, 3½)" above Seed st band, end after WSR. Beg working Chart as foll: Using color A, work across 7 (9, 11, 13) sts, work Chart on center 10 sts, using color A, work across 7 (9, 11, 13) sts. Cont as est until Chart is complete. Cont next of Front using color A and pm each side of work for armholes when piece meas 6½ (7½, 8, 8½)" from CO. Work even until armhole meas 3½



(12, 4, 49) from markers, end after R1R

Shape Neck

Next row (WS) Work across first 17 (18, 20, 21) sts, turn, leaving rem sts unworked. Dec 1 st at neck edge on next row, then ROR 2 more times - 14 (15, 17, 18) sts rem. Work even until armhole is same length as for Sleeve. Place sts on holder. Place center 10 (12, 12, 14) sts on stitch holder for front of neck. Return to sts unworked and work to match other shoulder.

SLEEVES

Using color B, CO 27 (29, 31, 33) sts. Work in Seed st for 4 rows, inc 1 st in last row - 28 (30, 32, 34) sts. Using color A, cont in St st, inc 1 st each side every 12" (5, 6, 6, 7) times - 34 (42, 44, 48) sts. Work even until Sleeve meas 9" (10, 11, 12) from CO, end after WSR. BO all sts.

FINISHING

Join right shoulder seam using 3-needle Bind Off method.

Neck Band

Using color B, and K1 facing, evenly pick up and K11 sts on left Front neck edge, work across 10 (12, 12, 14) sts from Front neck holder, pick up and K11 sts on right Front side of neck, knit across 16 (18, 18, 20) sts on Back neck holder. 48 (52, 52, 56) sts. Work in Seed st until band meas 1" BO all sts in Seed st.

Assembly

Sew side of neckband and join left shoulder seam. Set in Sleeves at armhole edge between markers. Sew underarms and side seams.

Designed By Helene Rush for **Knit One Crochet Too**



22 Round Collar Cardigan

Continued from page 55



SIZES

- Cardigan is sized to fit Women's Small (Medium, Large, X-Large, XX-Large).

KNITTED MEASUREMENTS

- Bust 34 (38, 42, 46, 50)"
- Length 18 1/2 (19, 20, 21, 22)"
- Upper Arm 14 (16, 17, 18, 19)"

MATERIALS

- 4 (5, 5, 6, 7) 14lb (280 yd) skeins **TLC / Coats & Clark** Heathers (100% acrylic) color #2475 Blue Moon
- Size 8 US needles OR SIZE TO OBTAIN GAUGE
- Size 8 US 16" circular needles (for sleeve)
- Size 8 US 24" circular needles (for collar)
- Size 8 US 36" circular needles (for edging)
- yarn needle, stitch markers, stitch holder, (1) 1" button

GAUGE

- 16 sts and 22 rows = 4" in St st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY

CH4 [K1, move st back to LH mt] 3 times, R1

DESIGNER NOTES

- All slipped stitches are to be slipped knitwise.

BACK

CO 62 (70, 78, 86, 94) sts. Beg with K row, work in St st until piece meas 3" (4, 4, 4,



4 1/2" from CO. **Next row (RS)** inc 1 st each side every 14 rows 3 times - 68 (76, 84, 92, 100) sts. Work even until piece meas 10 1/2 (11, 11 1/2, 12, 12 1/2) from CO.

Shape Armhole

Work 18 (20, 21, 23, 25) sts, join new yarn ball, BO next 16 (20, 24, 28, 30) sts, work to end. Working both sides at once with separate balls of yarn, BO 1 st at neck edge 3 (4, 4, 5, 6) times - 15 (16, 17, 18, 19) sts rem for each shoulder. BO all sts.

Shape Neck

Work 18 (20, 21, 23, 25) sts, join new yarn ball, BO next 16 (20, 24, 28, 30) sts, work to end. Working both sides at once with separate balls of yarn, BO 1 st at neck edge 3 (4, 4, 5, 6) times - 15 (16, 17, 18, 19) sts rem for each shoulder. BO all sts.

RIGHT FRONT

CO 6 (10, 14, 18, 22) sts. Beg with P row and work 3 rows in St st. **Next row (RS)** CO 5 sts - 11 (15, 19, 23, 27) sts. At the beg of the next 9 (9, 10, 11, 12) RSRs, add sts as foll on the first RSR, CO 4 sts; on the next RSR CO 3 sts, then CO 2 sts twice, and finally CO 1 st 5 (5, 6, 7, 8) times. At the same time, when piece meas 3 3/4 (4, 4 1/2, 4 1/2, 4 1/2) from CO, inc 1 st at side edge every 14 rows 3 times - 30 (34, 39, 44, 49) sts. Work even until piece meas 10 1/2 (11, 11 1/2, 12, 12 1/2) from CO, end after RSR.

Shape Armhole, Neck and Collar

Group 1 (all sizes)

Row 1 (WS): BO 3, P to end - 27 (31, 36, 41, 46) sts.

Row 2: P1 (for collar), pm, K1, st1, K1, psso, K to end - 26 (30, 35, 40, 45) sts.

Row 3 & 5: BO 1, P to marker, slm, M1, K to end.

Row 4: P to marker, slm, K to end.

Row 6: P to marker, slm, K1, st1, K1, psso, K to end.

Work Rows 3 - 6 a total of 2 (2, 3, 3) times - 5 (5, 7, 7, 7) sts on collar side of marker and 19 (23, 25, 30, 35) on shoulder side.

Group 2 (only Sizes S & M & XXL)

Row 1: BO 1, P to marker, slm, M1, K to end.

Row 2: P to marker, slm, K to end.

Row 3: P to marker, slm, M1, K to end.

Row 4: P to marker, slm, K1, st1, K1, psso, K to end.

Work Rows 1 - 4 a total of 1 (1, 0, 0, 1) times - 7 (7, 7, 7, 9) sts on collar side of marker and 17 (21, 25, 30, 33) on shoulder side.

Group 3 (all sizes)

Row 1 & 3: P to marker, slm, M1, K to end.

Row 2: P to marker, slm, K to end.

Row 4: P to marker, slm, K1, st1, K1, psso, K to end.

Work Rows 1 - 4 a total of 2 (5, 6, 3, 1) times - 11 (17, 19, 13, 11) sts on collar side of marker and 15 (16, 19, 27, 32) on shoulder side.

Group 4 (only sizes L, XL, XXL)

Row 1: P to marker, slm, M1, K to end.

Row 2: P to marker, slm, K1, sl, K1, pssn, K to end.

Work Rows 1 - 2 a total of 0 (0, 2, 8, 11) times - 11 (17, 21, 21, 22) sts on collar side of marker and 15 (16, 17, 19, 21) sts on shoulder side.

Group 5 (only sizes XL & XXL)

Row 1: P to marker, slm, K to end.

Row 2: P to marker, slm, K1, sl, K1, pssn, K to end.

Work Rows 1 - 2 a total of 0 (0, 0, 1, 2) times - 11 (17, 21, 21, 22) sts on collar side of marker and 15 (16, 17, 18, 19) sts on shoulder side.

Group 6 (only sizes S & M)

Row 1: P to marker, slm, M1, K to end.

Row 2: P to marker, slm, P1, P2tog, P to end.

Work Rows 1 - 2 a total of 9 (3, 0, 0, 0) times - 20 (20, 21, 21, 22) sts on collar side of marker and 15 (16, 17, 18, 19) sts on shoulder side.

All Sizes

Work even until piece meas same as Back, end after R58. BO 15 (16, 17, 18, 19) shoulder sts at beg of next row, then work the rem 20 (20, 21, 22) sts as foll for the collar.

Note: To prevent holes in garment, the slipped st is wrapped.

Row 1 (WS): P14 (14, 14, 14, 15), sl wyf, turn. **Row 2 & 4:** Bring yarn to front, sl first st, then bring yarn between ndls to back (wrapping the sl st), K to end. **Row 3:** P12 (12, 12, 12, 13), sl wyf, turn. **Row 5-6:** Work across all 20 (20, 21, 21, 22) sts. Rep these 6 rows 11 (11, 12, 12, 13) more times.

Work next 4 (6, 8, 10, 12) rows even. Move sts onto stitch holder.

LEFT FRONT

CO 6 (10, 14, 18, 22) sts. Beg with a K row and work next 3 rows in St st. At the beg of next row (WS), CO 5 sts - 11 (15, 19, 23, 27) sts. At the beg of the next 9 (9, 10, 11, 12) WS rows, on the first WS row, CO 4 sts on the next WS row, CO 3 sts; then CO 2 sts twice, and finally CO 1 st 5 (5, 6, 7, 8) times. At the same time, when piece meas 31 (4, 4, 4, 4) 1/2" from CO, inc 1 st at side edge every 14 rows 3 times - 30 (34, 39, 44, 49) sts. Work even until piece meas 10 1/2 (11, 11 1/2, 12, 12 1/2)" from CO, end after W58.

Shape Armhole, Neck and Collar

Group 1 (all sizes)

Row 1 (RS): BO 3, K to end - 27 (31, 36, 41, 46) sts.

Row 2: K1 (for collar), pssn, P1, P2tog, P to end - 26 (30, 35, 40, 45) sts.

Row 3: BO 1, K to marker, slm, M1, K to end.

Row 4: K to marker, slm, P to end.

Row 5: BO 1, K to marker, slm, M1, K to end.

Row 6: K to marker, slm, P1, P2tog, P to end.

Work Rows 3 - 6 a total of 2 (2, 3, 3, 3) times - 5 (5, 7, 7, 7) sts on collar side of marker and 19 (23, 25, 30, 35) on shoulder side.

Group 2 (only sizes S, M, XXL)

Row 1: BO 1, K to marker, slm, M1, K to end.

Row 2: K to marker, slm, P to end.

Row 3: K to marker, slm, M1, K to end.

Row 4: K to marker, slm, P1, P2tog, P to end.

Work Rows 1 - 4 a total of 1 (1, 0, 0, 1) times - 7 (7, 7, 7, 9) sts on collar side of marker and 17 (21, 25, 30, 35) on shoulder side.

Group 3 (all sizes)

Row 1 & 3: K to marker, slm, M1, K to end.

Row 2 & 4: K to marker, slm, P to end.

Row 4: K to marker, slm, P1, P2tog, P to end.

Work Rows 1 - 4 a total of 2 (5, 6, 3, 3) times - 11 (17, 19, 13, 11) sts on collar side of marker and 15 (16, 19, 27, 32) on shoulder side.

Group 4 (only sizes L, XL, XXL)

Row 1: K to marker, slm, M1, K to end.

Row 2: K to marker, slm, P1, P2tog, P to end.

Work Rows 1 - 2 a total of 0 (0, 2, 8, 11) times - 11 (17, 21, 21, 22) sts on collar side of marker and 15 (16, 17, 19, 21) sts on shoulder side.

Group 5 (only sizes XL, XXL)

Row 1: K to marker, slm, K to end.

Row 2: K to marker, slm, P1, P2tog, P to end.

Work Rows 1 - 2 a total of 9 (0, 0, 1, 2) times - 11 (17, 21, 21, 22) sts on collar side of marker and 15 (16, 17, 18, 19) sts on shoulder side.

Group 6 (only sizes S, M)

Row 1: K to marker, slm, M1, K to end.

Row 2: K to marker, slm, P to end.

Work Rows 1 - 2 a total of 9 (3, 0, 0, 0) times - 20 (20, 21, 21, 22) sts on collar side of marker and 15 (16, 17, 18, 19) sts on shoulder side.

All Sizes

Work even until piece meas same as Back, end after W58. BO 15 (16, 17, 18, 19) shoulder sts, then work the rem 20 (20, 21, 21, 22) sts as foll for the collar.

Row 1 (RS): K14 (14, 14, 14, 15), sl wyf, turn. **Row 2 & 4:** Bring yarn to front, sl first st, then bring yarn between ndls to back (wrapping the sl st), P to end. **Row 3:** K12 (12, 12, 12, 13), sl wyf, turn. **Row 5-6:** Work across all 20 (20, 21, 21, 22) sts. Rep these 6 rows 11 (11, 12, 12, 13) more times.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Work next 4 (6, 8, 10, 12) rows even.

Graft the two collar pieces tog using Kitchener Stitch.

SLEEVES

CO 18 (40, 42, 44, 46) sts. Work in St st.

When piece meas 4" from CO, inc 1 st each side every 10 (10, 9, 9, 9) rows 6 (6, 7, 7, 8) times - 30 (32, 36, 38, 42) sts. Work even until piece meas 17 1/2 (18, 18, 18 1/2, 18 1/2)" from CO.

Shape Sleeve Cap

BO 2 sts at the beg of the next 2 rows - 46 (48, 52, 54, 58) sts. BO 1 st at the beg of the next 24 (24, 26, 28, 30) rows - 22 (24, 26, 26, 28) sts rem. BO all sts.

FINISHING

Sew shoulder seams. With RS facing, sew collar to neckline. Set in sleeves. Sew underarm and side seams.

Front/Back Edging

Row 1: With RS facing and 3/4" cnc ndl, starting at left Front neck, pick up and K&1 (65, 69, 73, 77) sts down the Front edge to the side seam, pick up and K&2 (66, 70, 74, 78) sts across Back, pick up and K&1 (65, 69, 73, 77) from right side seam up to right Front neck - 184 (196, 208, 220, 232) sts. **Row 2:** R. Do not break yarn. **Row 3:** *CH1, sl 2 st, K1, pssn 2 st st over, move 2 st back to LH ndl, K2tog 1st, move last st back to LH ndl, rep from * across.

Collar Edging

With collar RS facing and 24" cnc ndl, pick up and K196 (208, 204, 208, 212) sts around collar. Work Rows 2-3 of Front/Back Edging.


Sleeve Edging

With RS facing and 3/4" cnc ndl, pick up and K36 (36, 38, 40, 42) sts around sleeve cuff. Work Rows 2-3 of Front/Back Edging.

Assembly

Weave in all ends. Sew button on left Front. Use right front chain loop for button loop.

Designed by Lisa Gentry for Coats & Clark.



23 Colorado Lynne

Continued from page 15



SIZES

- Pullover is sized to fit Women's Small (Medium, Large)

KNITTED MEASUREMENTS

- Bust 38 (41, 44)''
- Length 28''
- Upper Arm 13 (13, 13)''

MATERIALS

- 3 (4, 5) B oz (295 yd) skeins The Great Adirondack Yarn Co Silk Rowing (60% wool, 20% silk) color Buckskin
- Size 10U US needles
- Size 10U US 16'' circular needles (for neck)
- Size 13 US needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- (3) 1'' buttons, cable needle, 3 stitch holders, stitch markers

GAUGE

- 32 sts and 13 rows = 4'' in Seed St with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

SEED STITCH (even number of sts)

Row 1: *K1, P1, rep from * to end.
Row 2: *P1, K1, rep from * to end.
Rep Rows 1-2 to end the Seed St patt.

1x1 RIB PATTERN (even number of sts)

Row 1: *K1, P1, rep from * to end.
Rep Row 1 to end the Rib patt.

CABLE PATTERN (9 st, 8 row repeat)

See Chart.

STITCH GLOSSARY

LC (left cable) sl 3 sts to cn, hold in front, K3, K3 from cn, K3.

RC (right cable) K3, sl 3 sts to cn, hold in back, K3, K3 from cn.

BACK

With smaller ndls, CO 52 (57, 62) sts. Beg 1x1 rib as foll: Row 1: *K1, P1, rep from *, end K0 (1, 0). Row 2: P0 (1, 0); *K1, P1, rep from * to end. Rep Rows 1-2 until piece meas 3'' from CO, end after R5R. Next row: Cont in patt, inc 9 (10, 9) sts evenly across row - 61 (67, 71) sts. Next row (R5): Change to larger ndls and work Row 1 of Seed St patt over 26 (28, 30) sts. K0 (1, 1), pm, work Row 1 of Cable Patt over 9 sts, pm; work Row 1 of Seed St patt over 26 (28, 30) sts; K0 (1, 1). Row 2: K0 (1, 1); work Row 2 of Seed St patt over 26 (28, 30) sts, slrc; work Row 2 of Cable Pattern over 9 sts, slrc; K0 (1, 1); work Row 2 of Seed St patt over rem 26 (28, 30) sts. Cont in patt as set until piece meas 14½'' from CO, end after R5R. Dec row: K0 (1, 1); 1st, work as set to last 2 (3, 3) sts, P2tog, K0 (1, 1) - 2 sts dec'd. Work next row as set. Work Dec Row once more - 57 (63, 67) sts rem. Work even until piece meas 17'' from CO, end after WSR.

Shape Armhole

Marked patt as est, BO 3 sts at beg of next 2 rows. Dec 1 st at each end EOR 2 (2, 3) times - 47 (53, 55) sts rem. Work even until armhole meas 9''.



Shape Shoulders

At beg of next 6 rows, mark patt as est, BO 3 sts. At beg of foll 2 rows, BO 2 (4, 5) sts. Place rem 25 (27, 27) sts on stitch holder.

FRONT

With smaller ndls, CO 52 (57, 62) sts. Beg 1x1 rib as foll: Row 1: *K1, P1, rep from *, end K0 (1, 0). Row 2: P0 (1, 0); *K1, P1, rep from * to end. Rep Rows 1-2 until piece meas 3'' from CO, end after R5R. Next row: Cont in patt, inc 9 (10, 9) sts evenly across row - 61 (67, 71) sts. Next row (R5): Change to larger ndls and work Row 1 of Seed St patt over 26 (28, 30) sts. K0 (1, 1), pm, work Row 1 of Cable Patt over 9 sts, pm; work Row 1 of Seed St patt over 26 (28, 30) sts; K0 (1, 1). Row 2: K0 (1, 1); work Row 2 of Seed St patt over 26 (28, 30) sts, slrc; work Row 2 of Cable Pattern over 9 sts, slrc; K0 (1, 1); work Row 2 of Seed St patt over rem 26 (28, 30) sts. Cont in patt as set until piece meas 14½'' from CO, end after R5R. Dec row: K0 (1, 1); 1st, work as set to last 2 (3, 3) sts, P2tog, K0 (1, 1) - 2 sts dec'd. Work next row as set. Work Dec Row once more - 57 (63, 67) sts rem. Work even until piece meas 15'' from CO, end after WSR. Divide for Left and Right Front. Work Row 1 of Seed St patt over 26 (31, 33)

CABLE PATTERN

(9 st, 8 row repeat)



KEY



= 2 st, 8 row repeat

SEED STITCH

= 32 st, 13 row repeat, K0 (1, 0); K0 (1, 0)

1x1 RIB

= 32 st, 13 row repeat, K0 (1, 0); K0 (1, 0)

sts, CO 6 sts for Button Band and turn. Remove markers and place rem 29 (32, 34) sts for right front on stitch holder. Next row: Ending Cable Pattern repeat, work Row 1 of 1x1 rib over next 6 sts, pm, and work rem sts in Seed St patt as set. Cont as est until piece meas 17'' from CO, ending after WSR.

Shape Armhole


At beg of next row, BO 3 sts, work to end in patt. Work 1 WSR even. Dec 1 st at beg of next R5R 2 (2, 3) times - 23 (26, 27) sts rem. Cont in patt as est until piece meas 24'' from CO, end after WSR. Next row, work 23 (26, 27) sts in Seed St patt and place rem sts for Button Band on stitch holder - 17 (20, 21) sts rem.

Shape Neck

At beg of next row (WS), BO 3 sts, work to end in patt as est. Work 1 row even. Rep these 2 rows once more. At beg of next row (WS), BO 0 (1, 1) st - 11 (13, 14) sts rem.

Shape Shoulders

At beg of next row (RS), BO 3 sts. Work 1



WSR even. Rep these 2 rows twice more. BO row 2 (4, 5) sts.

Right Front

St 29 (32, 34) sts from stitch holder for right front into larger ndls. With R5 facing, repn yank and work next row as foll: K2tog, P1, work 1x1 rib over next 4 sts, pm, and work Seed St patt as set to end of row. 28 (31, 33) sts rem. Cont in patt as set, work as for left front, rev all shaping. At THE SAME TIME, work buttonholes as foll: **Row 1** (RS) K1, P1, BO 2 sts, K1, P1, work to end in patt as set. **Row 2** work Seed St patt to marker, K1, P1, CO 2 sts, K1, P1. Cont in patt as set for 2" Rep from * twice more, ending last rep working P4St as set for 3".

SLEEVES

With smaller ndls, CO 27 (29, 31) sts. Work Row 1 of 1x1 Rib as foll: **Row 1** *K1, P1, rep

from *, end R1. **Row 2** (WS) P1, *K1, P1, rep from * to end. Rep Rows 1-2 until piece meas 3" from CO, end after R5R. Next row: Cont in patt as set, inc 6 sts evenly across row. 33 (35, 37) sts. Changing to larger ndls, work next row as foll: work Row 1 of Seed St patt over 12 (12, 14) sts, BO (1, 0), pm, work Row 1 of Cable Pattern over 9 sts, pm, work Row 1 of Seed St patt over 12 (12, 14) sts, BO (1, 0). **Row 2**, BO (1, 0), work Row 2 of Seed St patt over 12 (12, 14) sts, slm, work Row 2 of Cable Pattern over 9 sts, slm, BO (1, 0), work Row 2 of Seed St patt over 12 (12, 14) sts. Cont in patt as set and AT THE SAME TIME, inc 1 st each end of rndl every 8 rows 10 (8, 8) times = 43 (43, 45) sts. Cont in patt as set until piece meas 17" from CO, end after WSR.

Shape Sleeve Cap

BO 3 sts at beg of next 4 rows. Dec 1 st at each end of rndl FOR 10 (10, 11) times. BO rem 11 sts.

FINISHING

Sew shoulder seams.

Collar

With 16" circular ndl, work 6 sts in 1x1 Rib from Button Band stitch holder, pick up and K10 (11, 11) sts along Front neck edge, pick up and K25 (27, 27) sts from Back holder, pick up and K10 (11, 11) sts along Back neck edge, and work 6 sts in 1x1 Rib from Buttonhole Band stitch holder. WS (60, 60) sts. Work in 1x1 Rib until collar meas 4" from pick-up row. BO all sts loosely in patt.

Assembly

Ease sleeves into armholes. Sew underarm and side seams. Sew left front placket to right front. Weave in all ends. Sew on buttons opposite buttonholes.

Designed by Brigitte Rysdams for The Great Adirondack Yarn Co.

24 Marching Cables

Continued from page 22



SIZES

- Pullover is sized to fit Men's Small (Medium, Large, X-Large, XX-Large)

KNITTED MEASUREMENTS

- Chest 41 (44, 48, 52, 56")
- Length 24 1/2 (26, 27, 28, 29 1/2")
- Upper Arm 16 1/2 (18 1/2, 18 1/2, 18 1/2")

MATERIALS

- 9 (8, 10, 11, 12) 100g (205 yd) balls Dark Horse Yarn Fantasy (50% nylon, 50% acrylic) color #25 Military Blue
- Size 7 US 36" circular needles OR SIZE TO OBTAIN GAUGE
- Size 7 US 16" circular needles (for neck) stitch holder, stitch marker

- GAUGE
- 24 sts and 30 rows = 4" in Cable Pattern

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

STITCH GLOSSARY

C6B 3 sts to cn, hold in back, K1, K3 from cn.

2 x 2 RIB (multiple of 4 + 2)

Row 1 (RS): K1, *K2, P2, rep from *, end P1. Rep Row 1 for patt st.

MARCHING CABLE PATTERN (multiple of 11 sts + 2)

Row 1: K1, *K6, (K1, P1) twice, K1, rep from * across, end K1.

Rows 2, 4, 6, 8, 10, 12, 14: P1, *(K1, P1) twice, K1, P6, rep from * across, end P1.

Row 3: K1, *C6B, (K1, P1) twice, K1, rep from * across, end K1.

Rows 5, 7, 9, 11: K1, *K6, (K1, P1) twice, K1, rep from * across, end K1.



Row 13: K1, *C6B, (K1, P1) twice, K1, rep from * across, end K1.

Row 15: K1, *(K1, P1) twice, K2, rep from * across, end K1.

Rows 16, 18, 20, 22, 24, 26, 28: P1, * P6, (K1, P1) twice, K1, rep from * across, end P1.

Rows 17: K1, *(K1, P1) twice, K1, C6B, rep from * across, end K1.

Rows 19, 21, 23, 25: K1, *(K1, P1) twice, K2, rep from * across, end K1.

Row 27: K1, *(K1, P1) twice, K1, C6B, rep from * across, end K1.

Rep Rows 1 - 28 to patt st.

BACK

CO 122 (130, 146, 154, 170) **Row 1** (RS): K1, *K2, P2, rep from *, end P1. Rep this row until piece meas 2" from CO, end after R5R.

Next row For Size S: K1, M1, *K2, P2, rep from * to end, P1 (1 st inc'd). For Size M: cont in patt as set, inc 4 sts evenly spaced across row (4 sts inc'd). For Size L: K1, *K2,

P2, rep from * and last rep K2, P2tog, P1 (1 st dec'd). For Size XL: K1, M1, *K2, P2, rep from * to end, M1, P1 (2 sts inc'd). For size XXL: dec 3 sts evenly spaced across row (3 sts dec'd)-123 (134, 145, 156, 167) sts.

Est Pattern

Rep Row 1 of Marching Cables Pattern in foll: K1, *K6, (K1, P1) twice, K1, rep from * across, end K1. Cont in patt as set until piece meas 15 1/2 (16, 16 1/2, 17, 17 1/2)" from CO, end after WSR.

Shape Armholes

Mark patt as set, BO 6 (7, 9, 12, 14) sts at beg of next 2 rows. BO 3 (4, 5, 6, 7) sts at beg of foll 2 rows. Dec 1 st at beg and end of every R1R 3 (4, 4, 4, 5) times - 99 (104, 109, 112, 115) sts rem. Work even until piece meas 24 1/2 (26, 27, 28, 29 1/2)" from CO, end after WSR.

Shape Shoulders

BO 31 (32, 34, 35, 36) sts. Place next 37 (40, 41, 42, 43) sts on stitch holder. Join second ball of yarn and BO rem 31 (32, 34, 35, 36) sts.

FRONT

Work as for Back until piece meas 22 1/2 (22 1/2, 23 1/2, 24 1/2)" from CO, end after WSR.

Shape Neckline

Work 43 (45, 47, 48, 49) sts, join new ball of yarn, BO 13 (14, 15, 16, 17) sts, and work to end of row - 43 (45, 47, 48, 49) sts rem for each shoulder. Working each side of neck at the same time, using separate balls, work 1 WSR. BO 3 sts at each neck edge. Next R5 row: Knit to last 3 sts on left shoulder, K2tog, K1, K1, slk, knit to end on right shoulder. Work 1 WSR. Rep these two rows 8 (9, 9, 9, 9) more times - 31 (32, 34, 35, 36) sts each side. Work even in patt until piece meas 24 1/2 (26, 27, 28, 29 1/2)" from CO, end after WSR. BO all sts.

SLEEVES

CO 46 (50, 54, 58, 58) sts. **Row 1** (RS): K1, *K2, P2, rep from *, end P1. Rep this row

until piece meas 2" from CO, and after R18.
Next row: For Sizes M (L), inc 7 (3) sts evenly spaced across. **Sizes XL, XXL:** Dec 1 st at beg of row - 46 (57, 57, 57, 57) sts. Beg Row 1 of Matching Cables patt, as for Back, and work even for 1", and after WSR. **Next row:** K1, M1, work in patt to last 2 sts, M1, K1. Work 1 WSR. Rep these 2 rows 26 more times. **Next row:** K1, M1 (B, 1, 1, 1) work to end in patt - 108 (111, 112, 112, 112) sts. Cont even in patt until piece meas 18 (18½, 19½, 20, 20½) from CO, and after WSR.

Shape Armhole


At beg of next 2 rows, BO 6 (7, 9, 12, 14) sts. At beg of foll 2 rows, BO 3 (4, 5, 6, 7) sts. **Next row (RS):** K1, sk, work to last 3 sts, K2tog, K1. Work 1 WSR. Rep these 2 rows until piece meas 22½ (22½, 22½, 23½, 23½) from CO, and after WSR. **Next row (RS):** K1, sk, work to last 3 sts, K2tog, K1. **Next row (WS):** P1, P2tog, work to last 3 sts, P2tog, P1. Rep these 2 rows until piece meas 24½ (25, 26, 26½, 27) from CO. BO all sts.

FINISHING

Sew shoulder seams.

Neck Band

With R5 facing and 16" circular nfd, beg at lower left front neck edge, pick up and K13 (14, 15, 16, 17) sts from front neck, pick up



and K7 (13, 13, 15, 18) sts up right front neck edge, K across 17 (40, 41, 42, 43) sts from Back neck holder, and pick up and K7 (13, 14, 15, 18) sts down left front neck edge - 64 (80, 84, 88, 96) sts. PM and join for working in the round. **Rnd 1:** *K2, P2, rep from * to end. Rep Rnd 1 until piece meas 1" from pick up row. BO all sts in rnd.

Assembly

Sew in sleeves. Sew side and underarm seams. Weave in ends. Block, if necessary by placing sweater on a padded surface, and covering it with wet cloths. Leave garment to dry thoroughly.

Designed by Jane Schwartz for Dark Horse Yarn

25 Bobble Tote

Continued from page 58



FINISHED MEASUREMENTS

- After Felting: approx 8" wide x 19" long x 3" deep

MATERIALS

- 7, 50 (93 yd) balls Caron International Felv'n (100% wool) color #0002 Neon
- Size 11 US needles OR SIZE TO OBTAIN GAUGE
- 1 set Size 11 US double pointed needles (for strap)

ADDITIONAL MATERIALS

- 13½" x 22½" sheet plastic canvas, yarn needle, magnetic purse closure
- stitch markers, 2 of one color for corners (optional) - a yard of matching fabric (for lining bag), sewing needle and thread to assemble fabric lining

GAUGE

- not critical for this project
- 13 sts and 16 rows = 4" in St st (before felting)
- 17 sts and 29 rows = 4" in St st (after felting)

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



MAKE BOBBLE (M8)

- Row 1 (RS):** [K1, P1, K1] in same st to make 3 sts in 1, turn.
- Row 2:** K1, turn.
- Row 3:** P1, turn.
- Row 4:** K1, turn.
- Row 5:** Sk2p (slip 1, K2tog, pass slipped over last st), making 1 st from 3.

DESIGNER NOTES

- Tote is worked in separate sections, with mitered corners on the front and back.
- Cursets and Strap worked separately.
- Bobbles are worked on the front only, every 8 rows, with the Bobbles off set every other Bobble row (over the center st of the

Stockinette section of the previous Bobble row).

- Tote is assembled, then felted.
- Plastic canvas liner is added after felting, to give the Tote shape.
- The last few rows of front and back will result in a slightly pointed end, it will be folded to the inside, after felting, and magnetic closure will be sewn to it.
- On the last Bobble row, place a marker (different color than the corner markers) before the third stitch of each RS between Bobbles, on the next Bobble row, the Bobbles will be worked on the st after the marker (corner st of the RS). Once Bobble pattern is established, discontinue these markers, if desired.

BACK

CO 35 sts for side edge, pm for corner; CO 70 sts for center section, pm for corner; CO 35 sts for side edge - 140 sts. **Next row (WS):** Beg St st; purl 1 row.

Miter Corners

Dec Row: Corn in St st, K across to 2 st before first marker, sk (1 st dec'd), slm, K2tog (1 st dec'd), K across to 2 st before second marker, sk, slm, K2tog, K to end - 136 sts rem. 1 st dec'd at each side, 2 st dec'd in center section. Cont in this manner, working Dec Row EOR, until 4 sts rem (1 st at each side and 2 sts between markers), and after WSR. **Next Row:** Sk, K2tog - 2 sts rem. 90 sts.

FRONT

Row 1 (WS) - 7: Work in St st, mitering

corners row: 4 sts FOR all for Back - 128 sts
 rem. **Row 6 (RS) Bubble Row:** K4, [MB, K5
 (see Designer Note)] 4 times, MB, K1 (set-
 ting 2 sts before corner marker), minor corner
 as for Back, K3, [MB, K5] 9 times, MB, K2
 (setting 2 sts before corner marker), major cor-
 ner, K1, MB [K5, MB] 4 times, end K4 -
 124 sts rem. **Rows 6 - 15:** Work in St st,
 missing corners as for Back - 112 sts rem.
Row 16 - Bubble row: K7, (read st a center
 st between first 2 Bubbles of Row 16), [MB, K5]
 5 times, MB, (end 2 sts before corner marker);
 major corner, corr in this manner, all setting
 Bubbles and missing second corner - 108 sts
 rem. **Rows 17 - 23:** Work in St st, missing
 corners as for Back - 96 sts rem. **Row 24 -**
Bubble row: Corr as set, all setting Bubbles
 and missing corner - 92 sts rem. **Rows 25 -**
40: Work as for Rows 17 - 26 in pattern as
 est, missing corners - 44 sts rem after Row
 48 (last Bubble Row). **Complete Front** as for
 Back, binding off last 2 sts.

SIDE GUSSETS (make 2)

CO 35 sts. Next row (WS): Beg 2nd st; work even until piece meas 5" from CO. BO all sts.

BOTTOM

CO 70 sts. Beg Garter st; work even until piece meas 5" from CO. BO all sts.

SHOULDER STRAP

Note: Strap may be worked in-the-round, using dpns, or worked flat, then seamed. Indications for RS and WS are if strap is being worked flat; in-the-round, all rows are worked with RS facing.

In-the-Round

CO with dpns: join, pm for beg of rnd. Work in St st (knit every round), working Bobbles as indicated.

Next

CO and work in St. 14 (last on #5, part on W5).

working Bobbies as indicated.

Bug Strap

CO 13 sts. Beg 2d st, work even for 9 rows, (if working flat, end after WSR) * Row 10 (RS) = Bobble Row: K6, MB, K6. Work even for 9 rows, (end after WSR). Rep from * 12 times. Work Bobble Row once more. Work even for 10 rows. BO all sts. If worked flat, with WS facing each other, sew center back seam.

FINAL SAYING

Acknowledgments

Sew Side Gussets to Bottom Gusset. Sew Gussets to Front and Back, aligning Gusset seams with mitered corners. With Bobbins facing toward the RS, sew one end of Strap to one corner of the Front (begin at seam joining Gusset to Front and attach toward center of Fore - Gusset will be folded under the Strap and pinned, after teting), and the other end to the opposite corner of the Back in the same manner. (see photo).

Definition

Place assembled Tote in a mesh sweater bag or pillowcase and close. Using hottest possible water and approximately 1 tablespoon liquid hand soap, fill washer *K full*. Place Tote in washer with an old pair of jeans (for agitation). Agitate for 5 minutes. After 5 minutes, remove Tote and check the felting progress every minute, depending on your washer, it will take 5 - 8 minutes of agitation to felt the desired amount. When you are pleased with the amount of felting, remove the Tote and drain water from machine; gently squeeze water from the Tote. Fill washer to the same water level with cold water. Place Tote into washer and rinse/agitate for another minute - the cold water will make the Tote felt just a bit more. Set machine to drain, then run spin cycle for approximately 30 seconds - creases caused by over spinning are difficult to remove from the knitted piece. Remove Tote.

gently stretching into shape. Insert the Plastic Canvas bow (see below) into the Tote, shaping to fit, and leave it in place while the Tote dries. Drying process may take up to 2 days, depending on humidity in the air.

Plastic Canvas Liner

NOTE: Linen will serve as a loom to help shape Tote and to hold it open while it dries.

Measure the overall dimensions of the Front, Bottom Gusset and Back of the Tote, cut the plastic canvas lengthwise to this measurement, allowing approximately 1" less than the total length so that linen will fit approximately 1" down from the top edge, Back and Front (it will not extend all the way to each side - Tote is wider than the plastic canvas). Mark the center of the linen piece (this is the center of the Bottom Gusset); measure out from this line one-half the width of the Bottom Gusset on each side of center mark, then trace across the width where you made the marks on either side of the center, this will enable the canvas to be folded up for the Front and Back.

When Tote has completely dried, fold the pointed ends at center Front and Back to the inside and bustle in place, making the edge of the Tote straight. Fold the upper edge of each side Gusset to the inside of the Tote, placing it evenly Back and Front and pin in place. Sew upper edges of Front and Back together under each end of Strap, beginning at seam, and across upper edge for approximately 4", clenching upper edges of Gusset into seam.

Closure:

Attack 1

Over-cast edges of liner neatly to inside of Tote.

Total Linings

Optional: If desired, use Post-it® with Address

Designed by Carl Clement for Caren International

26 Over The Speed Limit

Continued from page 59

DESIGNER NOTES

- Body is knit in one piece up to the underarms, then divided for armholes
- Shoulders are joined, then set-in sleeves are knit from the top down using short rows to form cap

BOGV

Using CC and longer ndts, CO 66 (76, 86, 96, 106) sts. Pm1 for "side seam" and after 16 (19, 21, 24, 26) sts and after 34 (38, 44, 48, 54) Back sts. Knit 1 or 2 rows (depending on which cast on method was used) to make 1 ridge on RS and ready to work a RSR. Change to MC and work in St st for 2", end after WS! Knit 2 rows using CC. Cont with MC working



4128 • J. Neurosci., September 24, 2008 • 28(39):4123–4130

- Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large)

KNITTED MEASUREMENTS

- Bust 32 (36, 40, 44, 48)
- Length 17 (18, 19, 20, 22)
- Upper Arm 12 (13, 14, 15, 17)

MATERIALS

- S (6, 7, 8, 9) 100g (56 yd) skeins Omaghi Filati / Aurora Yarns Colorado (97% merino wool, 3% polyamide) (MC) color #252

St st and inc 1 st alternately before and after the marker every 4 rows 5 times. Work even on 76 (84, 96, 106, 116) sts until Body meas 90 (100, 110, 120, and after WSB

Shape Armhole and Neck

Divide for armholes and begin shaping V-neck
K17 (18, 20, 21, 23) sts for right front, BO 4
(6, 8, 10, 12) armhole sts, K34 (38, 40, 44,

- 1 (1, 1, 2) 100g (66 yd) skein **Omni** **Wool** / **Alpaca Yarns Alpaca** (97% merino wool, 3% polyamide) [CC] color #401
 - Size 11 US 16" circular needle **OR** SIZE TO OBTAIN GAUGE
 - Size 11 US 29" circular needle **OR** SIZE TO OBTAIN GAUGE
 - 1 set Size 11 US double pointed needles
 - (3) buttons, stitch holders
- GAUGE**
- 10 sts and 14 rows = 4" in St st
 - TO SAVE TIME, SKIP ROWS TO CHECK GAUGE

46) sts for Back, BO 4 (6, 8, 10, 12) armhole sts, K17 (18, 20, 21, 23) sts for left front. Turn and purl across ONLY left front sts.

LEFT RIGHT

Working just on the left Front sts, dec 1 st at armhole edge every RSR 1 (2, 2, 4, 4) times and 1 st at neck edge RSR until 12 neck decs.



are worked. Work even on 4 (4, 6, 5, 7) sts until left Front armhole meas 26 (28, 30, 9, 10)". Place sts on stitch holder for shoulder.

RIGHT FRONT

Join new yarn end and with WS facing, purll

across ONLY right Front sts. Work armhole and neckline shaping as for left Front.

BACK

Join new yarn end, with WS facing and work 1 WSR (purll).

Shape Armholes

Next row (RS): Dec 1 st at each edge every 8th (2, 2, 4, 4) times. Work even on 32 (34, 36, 36, 38) sts until Back meas same as Front to shoulders. Place all sts on stitch holder.

Join each Front to Back at shoulders (RS tog) using the 3 Needle Bind Off method.

SLEEVES

Using shorter ndls and MC, pick up and K12 (13, 35, 38, 42) around armhole opening, beg at underarm, pm at shoulder seam and at underarm. Note: this will seem like too few sts, but it is correct. Knit around to 3 sts past shoulder marker. Turn work and purll to 1 st past previous turning. Turn and purll to 1 st past previous turning. Repeat from * until 4 (6, 8, 10, 12) sts rem at underarm, then begin to knit in the round. Change to dpns when necessary. Remove shoulder marker. Dec 1 st

on each side of underarm marker every 6 rnds 6 (5, 5, 6, 8) times. Work even on 20 (22, 25, 26, 26) sts until sleeve meas 14 1/2 (15, 11 1/2, 15 1/2)" from underarm or 2" shorter than desired sleeve length. Change to CC, knit 1 rnd, purll 1 rnd. Change to MC, knit 6 rnds. Change to CC. Knit 1 rnd, purll 1 rnd. BO all sts.

FINISHING


Edging

With CC and using longer ndls, beg at hem at lower right Front edge. Pick up and K42 (45, 48, 50, 55) sts along right Front edge, K21 (26, 24, 26, 24) sts from Back neck stitch holder, pick up and K42 (45, 48, 50, 55) sts along left Front edge to hem. Turn and knit 1 row. Change to MC and work 2 rows to st. Buttonhole Row: K2, yo, K2tog, K9 (9, 10, 10, 11), yo, K2tog, K9 (9, 10, 10, 11), yo, K2tog, knit to end of row. Work 3 more rows in St st. Change to CC and knit 2 rows. BO all sts.

Assembly

Sew buttons to correspond with buttonholes. Weave in all ends.

Designed by Lorna Moore for Aurora Yarns.



Note: 2" will be added to Body circumference when Front Bands are added.

27 Anya

Continued from page 60

BACK

CO R3 (95, 106, 115, 127) sts. Knit 1 row (WS). Beg with a knit row, work St st until piece meas 4 (5, 5, 5-1/2, 5-1/2)" from CO, end after WSR.

Shape Body

Next row: K3, K2tog, knit to last 5 sts, yk, K3 - 2 sts dec'd. Work 5 rows even. Rep these 6 rows 4 (5, 5, 6, 7) more times - 73



SIZES

Pullover is sized to fit Women's X-Small, (Small, Medium, Large, X-Large).

KNITTED MEASUREMENTS

- Bust 30 (34)", 38, 42, 46"
- Length 21 (25)", 26", 28", 31"
- Upper Arm 11 1/2 (13)", 15, 16", 17 1/2"

MATERIALS

- 10 (13, 15, 18, 20) 1.75 oz (98 yd) ball Bernco Koko (48% nylon, 25% cotton, 27% rayon) color #9203
- Size 8 US needles OR SIZE TO OBTAIN GAUGE
- Size 8 US 16" circular needles (for neck)
- 2 stitch holders, 1/4 inch marker
- GAUGE
- 22 St and 30 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



(13, 41, 49, 45) sts rem. Place rem sts on stitch holder for Back neck.

FRONT

Work as for Back.

SLEEVES

CO 36 (40, 46, 50, 56) sts. Knit 1 row (WS). Inc row: k1, M1, knit to last st, M1, k1. 2 sts inc'd. Work 5 rows even in St st. Rep these 6 rows 7 (10, 11, 12, 12) more times. Next row: Work inc row. Work 9 rows even. Rep these 10 rows 4 (5, 5, 6, 6) more times. 62 (74, 82, 90, 96) sts. Work even until sleeve meas 15" (18, 19", 20", 21")", end after WS.

Shape Cap

At beg of next 2 rows, BO 6 (8, 6, 7, 7) sts. Next row (dec row): k1, k2tog, k to last 5 sts, sk, k3. 2 sts dec'd. Pull 1 row. Rep these 2 rows 2 (10, 11, 12, 9) more times. Work 1 Dec row.

Work 1 row even. Rep these 6 rows 4 (4, 4, 4) more times. 28 (32, 34, 40, 46) sts. 46 (50, 52, 54, 56) sts. BO 1 (1, 1, 1, 1) st. 1 (1, 1, 1, 1) st. BO 1 (1, 1, 1, 1) st.

FINISHING

Join shoulder seams.

Collar

Wsp 16" circular rdl, rows even and k across 28 (32, 41, 41, 45) sts from Back stitch holder and 28 (31, 41, 41, 45) from front stitch holder. 58 (66, 82, 82, 90) sts. PM and join for seaming in the round. Work in St st until piece meas 6" from rectline. BO all sts.

FINISHING

Sew sleeves into armholes. Sew underarms and side seams. Weave in all ends.


(85, 93, 101, 111) sts. Work even until piece meas 9" (12", 12", 15", 14")" from CO, end after WS. Next row: K3, M1, knit to last 5 sts, M1, K5. 2 sts inc'd. Work 5 rows even. Rep these 6 rows 4 (5, 5, 6, 7) more times. 83 (95, 105, 115, 127) sts. Work even until piece meas 15" (17", 17", 19, 20")" from CO end after WS.

Shape Armholes

At beg of next two rows, BO 3 (3, 3, 4, 4) sts. 77 (87, 99, 107, 121) sts rem. Next row (RS): k1, k2tog, k to last 5 sts, sk, k3. 2 sts dec'd. Pull 1 row. Rep these two rows 7 (7, 9, 10, 12) more times. 61 (71, 79, 85, 95) sts. Work even until armhole meas 6" (7", 8", 9, 9")", end after WS.

Shape Shoulders

At beg of next 2 rows, BO 6 (7, 7, 8, 9) sts. At beg of foll 4 rows, BO 5 (6, 6, 7, 8) sts. 29



28 Shawl Collar Pullover

Continued from page 61

3 x 3 RIB (multiple of 6 sts)

Row 1 (RS): *K5, P3, rep from * to end

Rep Row 1 for 3x3 Rib

BODY

With longer circular rdl, CO 138 (150, 162, 180) sts. PM and join for working in the rnd, being careful not to twist sts. Beg 3x3 rib as foll: *K3, P3, rep from * to end. Rep this row until piece meas 3 1/2" from CO. Knit 1 row, inc 14 (18, 22, 26) sts evenly spaced across row. 152 (168, 184, 200) sts. Cont in St st until piece meas 14 (14 1/4, 14 1/2, 14 3/4)". Next row: K5, sliding these 5 sts onto waste yarn, k66 (74, 82, 90), k10, sliding these 10 sts onto waste yarn, k66 (74, 82, 90), K5, sliding these 5 sts onto waste yarn. 66 (74, 82, 90) sts each for Front and Back. Set body aside.



SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large, XX-Large)

KNITTED MEASUREMENTS

- Chest 38 (42, 46, 50")
- Length 22" (24, 26", 27 1/2")
- Upper Arm 17 (18 1/2, 21, 22 1/2")

MATERIALS

- 4 (6, 7, 8) 100g (174 yd) skeins Berroco Peruvia (100% Peruvian Highland wool) color #440
- Size 9 US 16" circular needles (for neck)
- Size 9 US 24" circular needles OR SIZE TO OBTAIN GAUGE
- 1 set, Size 9 US double pointed needles

ADDITIONAL SUPPLIES

- Tapstry needle, stitch markers, stitch holder, 4 (4, 4, 7) leather buttons, waste yarn

GAUGE

- 18 sts and 21 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE



SLEEVES

With dpns, CO 38 (40, 42, 44) sts. PM and join for working in the rnd, bring careful not to twist sts. Work in 3x3 Rib as for Body until piece meas 12" from CO.

Shape Sleeves

Inc row: K1, M1, knit to last two sts, M1, K1 (2 sts inc'd). Knit 7 (7, 7, 8) rows even. Rep these 8 (8, 8, 9) rows 8 (9, 10, 13) more times, switching to shorter circular rnd when dpns become unusable - 56 (60, 64, 72) sts. Work even until piece meas 12" (18", 19", 20") from CO.

Next row: K to 5 sts before marker, slide these 5 sts and next 5 sts onto waste yarn - 46 (50, 54, 62) sts rem. Place sts on stitch holder and make second sleeve to match, leaving second sleeve on ndls. Do not break yarn.

Join Sleeves to Body

Working with sts of second sleeve, K across 46 (50, 54, 62) sleeve sts, pm, work across 33 (37, 41, 45) sts for left front, pm, work across 33 (37, 41, 45) sts for right front, pm, K across 46 (50, 64, 62) sts of second sleeve, pm, K66 (74, 82, 90) sts for back, pm - 224 (244, 272, 304) sts. Knit 1 round even. **Dec rnd:** *sk, knit to two before next marker, K2tog, rep from * 3 more times to end. Work 1 rnd even. Rep these two rnds 21 (23, 26, 29) more times - 48 (52, 56, 64) sts rem. **At THE SAME TIME**, when piece meas 3" from underarm, work to 3 sts before marker for center front, and BO 6 sts, work to end. **Next row:** Knit to 80 sts and CO 6 steak sts, and cont working in the rnd. Work even until piece meas 8" (9", 10", 11") from underarm. BO all sts.

FINISHING

Secure center steak sts with sewing machine or single crochet. Cut open steak sts.

Right Button Band

With WS facing, beg at collar edge, pick up and K1B (24, 24, 30) sts. Beg 3x3 Rib as for *K1, P1, rep from * to end. Rep this row until piece meas 12". BO all sts.

Left Buttonhole Band

With RS facing, beg at placket edge, pick up and K1B (24, 24, 30) sts. Beg 3x3 Rib as for right button band and work until band meas 1" from pick up. **Next row:** K2, *yo (twice), 3" from pick up. **Next row:** K2, rep from * 4 (4, 4, 4) times, end P0 (2, 2, 0). **Next row:** K0 (2, 2, 0), *work 4 sts in rib patt as est, K1 (dropping second yarn over off needle, rep from *; end P2. Cont in rib patt until piece meas 13". BO all sts.

Collar


With RS facing, beg at top of right button

band, pick up and K12 (14, 14, 15) sts, pm, pick up and K24 (26, 26, 30) sts, pick up and K12 (14, 14, 15) sts. 48 (54, 54, 60) sts. Work 2 rows in 3x3 Rib. **Next row:** cont in rib, work to second marker. Wrap next st and turn. Work back to first marker. Wrap next st and turn. Work to wrapped stich after second marker, knitting the wrapped st tog with its wrap. Wrap next st and turn. Work to wrapped stich after first marker, knitting the wrapped st tog with its wrap. Wrap next st and turn. Cont in this manner until all collar sts are worked. BO all sts.

Assembly

Craft undersarms closed. Weave in ends. Sew buttons on right button band. Sew button bands to each other, and then to bottom of henley opening. Secure steak stitches to inside of sweater.

Designed by Michael del Vecchio exclusively for Knit 'N Style



29 Funky Lumpy Bumpy Sweater

Continued from page 62

DESIGNER NOTES

* These yarns are hand-dyed and by nature, each skein is unique and beautiful. There is no such thing as dye lot. Variations vary and depend on the location of each skein of yarn in the dye pot. Typically, skeins at the bottom of the pot are deep and rich in color, and skeins at the top of the pot have more subtle, somewhat pastel shades of color. If you want the variegation of color to be evenly distributed throughout your work, you might consider alternating skeins by working a few rows from one skein, then working a few more with another skein. Now is the time to play with color and plan out your knitting.

* Garment is worked seamlessly from the neck down to the hem.

SIZES

- Pullover is sized to fit Women's Small (Medium, Large, X-Large)

KNITTED MEASUREMENTS

- Chest 35 (40, 45, 50)"
- Length 19" (21", 23", 25)"
- Upper Arm 15" (16", 18", 20)"

MATERIALS

- 6 (6, 7, 8) 4 oz (150 yd) skeins Farmhouse Yarns Lumpy Bumpy Yarn by Charlene (99% merino wool, 1% nylon) color Fall Flowers
- Size 10 US 32" circular needle OR SIZE TO OBTAIN GAUGE
- Size 10 US 14" circular needle
- 1 set Size US 10 double pointed needles
- Additional Supplies
- yarn needle, 5 st markers, cable needle, 1 button for embellishment

GAUGE

- 12 sts / 24 rows = 4" in St st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE



UPPER BODY

With longer rnd, CO 44 sts. Working back and forth in rows on the circular rnds, beg as foll:

Row 1: K5 (4, 4, 3), pm, K6, pm, K22 (24, 24, 26), pm, K6, pm, K5 (4, 4, 3). **Row 2:** 4, 6, Purl.

Row 3: *K to 1 st before marker, inc 1 (slk1st), st, inc 1, rep from * until the end of the row. **Row 5, 7:** K1, M1 by picking up the yarn from the top of your work between your rnds, *K to 1 st before the next marker, inc 1, st, inc 1, rep from * until the last st, M1, K1. **Rep Rows 3-8** 2 (3, 3, 4) more times - 128 (156, 156, 184) sts join for V-Neck.

Rnd 1: With RS facing and taking care not to twist work, pm (center front) and join in the round. **Rnd 10** end of rnd. **Rnd 2:** *K to 1 st before the next marker, inc 1, st, inc 1, rep from * until end of rnd. Do not inc in the last st before the end of the rnd. **Rnd 3:** K1st. **Rep Rnds 2-3** 5 (5, 6, 8) more times - 176 (204, 228, 256) sts.

Divide for Sleeves

K to 1st marker. Remove marker and place the next 36 (42, 48, 54) sts onto st holder. Remove next marker and K to next marker, remove the marker and place the next 36 (42, 48, 54) sts onto stich holder. K to end of rnd.

BODY

Cont knitting in the rnd until work meas 12 (13, 14, 15)" from underarm (or desired length less 2"). Work 2" in 2x2 rib. BO loosely in ribbing and weave in ends.

SLEEVES

Move one set of sleeve sts from the stich

holder to the shorter circular rnd. Join yarn, pick up and K5 (4, 4, 4) sts along the under arm gap, pm, and pick up and K5 (4, 4, 4) more sts - 46 (50, 56, 62) sts. **Rnd 1** 5 (3, 2, 1) even. **Dec end:** K2tog, K to 2 sts from end, st. Follow dec rnd by working 1 (2, 2, 2) rnds even. **Rep** the above set of rnds until sleeve meas desired length less 2" or until 32 (32, 36, 38) sts rem. When you have too few sts to fit comfortably on your circular rnd, switch to spns. If you still have more than the required number of sts on your rnds when you reach your desired length, knit one more rnd and dec the appropriate number of sts evenly around to achieve 32 (32, 36, 38) sts. Work in 2x2 rib for 2". BO loosely in rib. **Rep** for second sleeve.

FINISHING

Neck Band

With longer circular rnd, and RS facing, beg at the right side of the "V", at the center front,

pick up and K26 (84, 92, 100) sts along the neck edge, rnd at the left side of the "V" at the center front. **Row 1:** Work in Seed st (K1 P1) across row. **Row 2:** Inc 1 st (1st st) in first st. Cont in Seed st across row by knitting the purl sts and purling the knit sts from the prev row. When 1 st is left on the 1st rnd, inc 1 st (1st st). **Rep Rows 1-2** until collar meas 4" from the pick up row. Note: The collar as written has a downwards flare. If a more square shape is preferred, omit the increases in the first and last sts.

Assembly


Attach button at the point of the V neck, if desired. Weave in all ends and block to desired shaping.

Designed by Carol Martin for Farmhouse Yarns.



30 Fair Isle

Continued from page 63



SIZES

- Tunic is sized to fit Women's Small (Medium, Large).

KNITTED MEASUREMENTS

- Tunic Bust 36 (38, 40)"
- Tunic Length 29 (30, 31)"
- Waistlets 10" diameter x 13" long

MATERIALS

- 1, 170g (315 yd) skein Caron International Simply Soft (100% acrylic) color #9742 Heather Grey (MC)
- 1, 170g (315 yd) skein Caron International Simply Soft (100% acrylic) color #9727 Black (A)

PROJECT 30A- TUNIC

BACK

Using MC, CO 84 (88, 92) sts. Work in 1x1 rib for 1". Change to St st and work until piece meas 20 (21, 23)" from CO, end after WSR. **Shape Armholes**
Cont in St st and inc 1 st each edge every 4

- 1, 170g (315 yd) skein Caron International Simply Soft (100% acrylic) color #9738 Violet (B)
- 1, 170g (315 yd) skein Caron International Simply Soft (100% acrylic) color #9611 Rose Violet (C)
- Size 8 US needles OR SIZE TO OBTAIN GAUGE

ADDITIONAL SUPPLIES

- lapetstry needle, stitch holders, bobbins

GAUGE

- 18 sts and 24 rows = 4" in St st

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

rows 9 times. **AT SAME TIME**, when armhole meas 13" beg Row 1 of Fair Isle Pattern Chart, centering it, keeping beg and end sts in St st. Follow Chart until completed, then change to MC and St st. Cont even until armhole meas 6 (6, 6)", end after WSR.

Shape Neck

Next row (RS): Work 35 (37, 39) sts, place

center 32 sts on a stitch holder, join a new ball of yarn and work to end. Working both sides with separate balls of yarn at the same time, dec 1 st at each neck edge every row 13 (14, 14) times = 22 (23, 23) sts each side.

Shape Shoulders
BO 8 st at each armhole edge EOR 2 times, then BO mm 6 (7, 9) sts.

FRONT

Work front as for Back.

FINISHING

Block pieces to measurements.

Neck Band

Sew left shoulder seam. With RS facing, using MC, pick up and K1B (19, 19) sts from right

Back neck edge, pick up and K32 sts from Back neck holder, pick up and K1B (19, 19) sts from left Back neck edge, pick up and K1B (19, 19) sts from left front neck edge, pick up and K32 sts from front neck holder, pick up and K1B (19, 19) sts from right front neck edge = 136 (140, 140) sts. Work 1x1 rib for 1". BO all sts in rib.

Armhole Bands

With RS facing, using MC, pick up and K82 (82, 84) sts along armhole edge. Work 1x1 rib for 1". BO all sts in rib.

Assembly

Sew remaining shoulder seam and neckband. Sew side seams. Weave in ends.

PROJECT 308 WRISTLETS

Using MC, CO 47 sts. Work in 1x1 rib for 1". Change to St st and work 2 rows even. Beg Row 1 of Fair Isle Pattern Chart, centering it, keeping beg and end sts in St st. Complete all Chart rows. Change to MC and St st and work until piece meas 12" from CO. Work 1x1 rib for 1". BO all sts loosely in rib.

FINISHING

Block pieces to measurements. Sew side seams. Weave in ends.

Designed by Kathy Perry for Caron International

FAIR ISLE PATTERN CHART



31 Lerwick Raglan Pullover

Continued from page 64

DESIGNER NOTES

Work raglan decs as foll:

Body

Row 1 (RS): Sk1, work to last 2 sts, K2tog.

Row 2: Purl.

Rep these 2 rows as directed.

Sleeves

Row 1 (RS): K1, sk1, work ext pat to last 3 sts, K2tog, K1.

Row 2: P2, work ext pat to last 2 sts, P2.

Rep these 2 rows as directed.

2x2 Rib

Row 1 (WS): P2, *K2, P2; rep from * across.

Row 2: K2, *P2, K2; rep from * across.

Rep these 2 rows for 2x2 Rib.



SIZES

• Pullover is sized to fit Women's Small (Medium, Large, X-Large).

KNITTED MEASUREMENTS

- Bust 36 (41, 43 1/2, 48 1/2)
- Length 21 1/2 (22, 23 1/2, 24 1/2)
- Upper Arm 13 (14, 15, 16 1/2)

MATERIALS

- 4 (5, 5, 6) skeins 100g (245 yd) skein Harrisville Designs Flax & Wool (80% wool, 20% flax) color #222 Spike (MC)
- 1 (1, 2, 2) skeins 100g (245 yd) skein Harrisville Designs Flax & Wool (80% wool, 20% flax) color #220 Lichen (A)
- 1 skein 100g (245 yd) skein Harrisville Designs Flax & Wool (80% wool, 20% flax) color #225 Birch (B)

- 1 skein 100g (245 yd) skein Harrisville Designs Flax & Wool (80% wool, 20% flax) color #221 Moss (C)
- Size 4 US 16" circular needles (for neck)
- Size 4 US 29" circular needles
- Size 6 US 29" circular needles OR SIZE TO OBTAIN GAUGE
- stitch markers, stitch holders

GAUGE

- 20 sts and 21 rows = 4" in Color pat with larger needles
- 22 sts and 21 rows = 4" in Rib pat with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



BODY

With MC and smaller 29" circular nrl, CO 180 (204, 216, 240) sts. Join without twisting, pm between first and last st.

Ribbing Rnd

*K2, P2, rep from * until 2x2 Rib meas 12" from CO. Change to larger nrls. Beg Row 1 Pattern Chart and making sure to center pat, work even in color pat until Body meas 132" (136, 140, 144)" from CO, ending 8 (10, 10, 12) sts before end of rnd marker on last rnd.

Divide for Front and Back

BO 16 (20, 20, 24) sts, work across 74 (82, 88, 96) sts and place on stitch holder for Front, BO 16 (20, 20, 24) sts and work to end of rnd.

BACK

Work back and forth in rows from this point.

Shape Raglan

Cont in color pat, dec 1 st each end every R8R 21 (22, 24, 25) times - 52 (58, 60, 66) sts. Place sts on stitch holder.

FRONT

Sl sts from holder to nrl. With WS facing, join yarn at underarm. Pull 1 row. Work as for Back until 42 (48, 50, 56) sts rem, end after WSR.

Shape Neck

Place center 22 (28, 30, 36) sts on stitch holder for Front neck. Working on both sides of neck with separate balls of yarn, dec 1 st at each neck edge every R8R 4 times, while at the same time, CONT with raglan decs as est. Fasten off final st.

SLEEVES

With MC and larger nrl, CO 42 (50, 54, 58) sts. Work even in 2x2 Rib for 1.4".

Shape Sleeve

Next row (R5): Inc 1 st each end of this R5R and every 4th row 8 times, then every 6 rows 7 (6, 7, 8) times, working added sts into pat - 72 (78, 84, 90) sts. Work even until sleeve meas 18 (18, 18, 19)" from CO, end after WSR.

Shape Raglan

BO 8 (10, 10, 12) sts at beg of next 2 rows. Dec 1 st each end every R8R 21 (22, 24, 25) times.

Place rem 14 (14, 16, 16) sts on stitch holder.

TURTLE NECK COLLAR

Sew sleeves to Front and Back along raglan lines. With RS facing, using MC and smaller 16" circular nrl, knit across sts of Back neck dec 4 (2, 4, 2) sts evenly, work across left Sleeve dec 2 sts, pick up and K6 sts along left neck edge, knit across Front neck dec 2 (4, 2, 4) sts evenly, pick up and K6 sts along right neck edge, work across right sleeve dec 2 sts - 84 (96, 104, 116) sts. PM between first and

last st. Work 2x2 Rib in the rnd as for Body until collar meas 6". BO all sts loosely in rlp.

FINISHING

Weave in all ends.

Designed by Diane Zangl exclusively for Knit 'N Style

PATTERN CHART

(12 st rep)



KEY

- = Main Color
- = Color A
- = Color B
- = Color C



33 Knitted Cable Tunic

Continued from page 66



SIZES

- Tunic is sized to fit Women's X-Small/Small (Medium/Large, X-Large/XL-Large)

KNITTED MEASUREMENTS

- Bust 47 (53, 59½)
- Length 20 (21½, 22½) (unstretched)
- Length 23½ (27, 28½) (stretched)
- Upper Arm 19 (21½, 24½)

MATERIALS

- 5 (5, 6) 140g (256 yd) skeins Red Heart / Coats & Clark Soft Yarn (100% acrylic) color #0275 Paprika
- Size 8 US 36" circular needles Size OR SIZE TO OBTAIN GAUGE

ADDITIONAL MATERIALS

- cable needle, yarn needle, 2 large stitch holders.

GAUGE:

- 17 sts and 23 rows = 4" in St st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE



BODY

Right Sleeve

CO 97 (106, 115) sts. Row 1 (WS): K1, P1, *K2, P4, K2, P1, rep from *, end K1. Cont in Cable 4 front patt st as est for 19 rows. Next row (WS): K3, P1, *K2, M1, P4, M1, K2, P1 rep from *, end K3 - 117 (128, 139) sts. Next row (RS): P3, K1, *P3, K4, P3, K1, rep from *, end P3. Work in patt as est for 8 more rows. Next row (WS): K3, P1, *K1, M1, P4, M1, K3, P1, rep from *, end K3 - 137 (150, 163) sts.

FRONT/BACK

Next row (RS): P3, K1, *P4, K4, P4, K1, rep from *, end P3. CO 67 sts. Next row (WS): K10, *K4, P4, K1, P4, rep from *, end K3. CO 67 sts - 271 (284, 297) sts. Next row (RS): K10, *K4, P4, K1, P4, rep from * to last 14, K4, K10. Next row (WS): K10, *P4, K4, P1, K4, rep from *, end K4, K10. Rep last 2 rows, cont patt from Right Sleeve and crossing sts every 4 rows, for 26 (34, 42) more rows.

NECKLINE FRONT

Next row (RS): Work 134 (142, 149) sts in patt as est. St rem st in stitch holder for back. Work 1 WSR. At beg of next row (RS), BO 3 sts. Work 1 row even. At the beg of the next 6 RSs, BO 1 st - 127 (133, 140) sts. Work even in patt for 37 rows. At beg of next 6 RSs, CO 1 st and work to end in patt. At beg of next RS, CO 3 sts - 136 (142, 149) sts. Work 2 rows even in patt as est. St rem st in stitch holder.

NECKLINE BACK

St sts held for Back to rnds. Attach new ball of yarn and work 1 RS. At beg of next 4 WSRs, BO 1 st - 131 (138, 144) sts. Work 47 rows in patt as est. At beg of next 4 WSRs, CO 1 st - 135 (142, 148) sts. Work 1 RS.

FRONT/BACK

St sts held for front to rnds - 271 (284, 297) sts. Beg with a WSR, cont in patt as est for 29 (37, 45) rows.

LEFT SLEEVE

At beg of next row (RS), BO 67 sts; work across next 137 (150, 163) sts in patt, and BO rem 67 sts - 137 (150, 163) sts. Work 2 rows even. Next row (WS): K1, P1, *K2, K2tog, P4, K2tog, K2, rep from *, end K3. Work 8 rows in patt as est. Next row (WS): K3, P1, *K1, K2tog, P4, K2tog, K3, rep from *, end K3 - 97 (106, 115) sts. Cont as set for 19 more rows. BO all sts.

COLLAR

With WS facing, beg at left shoulder, pick up and K1-40 (145, 150) sts around neckline. P1 and join for working in the round. Beg rnd as foll: *K4, P1, rep from * to end. Cont in patt as est until collar meas 8". BO all sts.

FINISHING

Sew sleeve and side seams. Weave in ends. Fold collar in half.

Designed by Lisa Gentry for Coats & Clark

PATTERN STITCH

Cable 4 front (multiple of 9 (11, 13) sts + 7)

Row 1 (WS): K3, P1, *K2 (3, 4), P4 (3, 4), K2, P1; rep from *; end K3.

Row 2: P3, K1, *P2 (3, 4), K4, P2 (3, 4), K1; rep from *; end P3.

Row 3: K3, P1, *K2 (3, 4), P4, K2 (3, 4), P1; rep from *; end K3.

Row 4: P3, K1, *P2 (3, 4), Sl 2 sts to cn, hold in front, K2, K2 from cn, P2 (3, 4), K1, and P3.

Row 5: K3, P1, *K2 (3, 4), P4, K2 (3, 4), P1; rep from *; end K3.

Row 6: P3, K1, *P2 (3, 4), K4, P2 (3, 4), K1; rep from *; end P3.


Row 7: K3, P1, *K2 (3, 4), P4, K2 (3, 4), P1; rep from *; end K3.

Row 8: P3, K1, *P2 (3, 4), K4, P2 (3, 4), K1; rep from *; end P3.

Rep Rows 1-8 for Cable 4 front patt st. (see below for note on numbers in parenthesis).

DESIGNER NOTES

- Garment is worked from side to side, beginning at right sleeve, working through body, and to left sleeve. Stitches are picked up after body is complete for Collar.
- In patt st, the numbers in parenthesis DO NOT refer to the difference in sizes, but DO refer to the changes in the patt reflected in the body, sleeve, and upper arm patts. Throughout the garment, sts are crossed every fourth row as above.
- Row gauge is critical as this will determine the finished chest measurement.



34 Crochet Cable Tunic

Continued from page 87



SIZES

- Tunic is sized to fit Women's 3. Small/Small (Medium/Large, 3. Large XX-Large)

FINISHED MEASUREMENTS

- Bust 36 (40, 44)
- Length 26 (27 1/2, 29)
- Upper Arm 16 (18, 20)

MATERIALS

- 7 (8, 9) 140g (250 yd) skeins Red Heart / Coats & Clark Soft Tarn (100% acrylic) color #0275 Paprika
- Size H US crochet hook OR SIZE TO OBTAIN GAUGE
- Yarn needle, stitch marker

GAUGE

- 15 sts and 10 rows = 4"

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

SPECIAL STITCHES

1st Row: front post treble crochet

2nd Row: back post treble crochet

C4F: Skip 2 sts, 1st in next 2 sts, 1st around first and then around 2nd skipped st.

DESIGNER NOTES

- Tunic is worked from right sleeve, across body, then left sleeve

RIGHT SLEEVE

1st Row: Beg ch 2 or ch 3 counts always as first st. Ch 80 (88, 96) **Row 1 (RS):** Sc in second ch and each st across row - 79 (87, 97) st. **Row 2:** Ch 3, dc in each st across row. **Row 3:** Ch 3, 2 (6, 2) dc, [1st, 2 dc, C4F, 2 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc. **Row 4:** 6- Ch 3, 2 (6, 2) dc, [1st, 2 dc, 4 bptr, 2 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc. **Row 5:** Ch 3, 2 (6, 2) dc, [1st, 2 dc, 4 bptr, 2 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc. **Row 7 (1st):** Ch 3, 2 (6, 2) dc, [1st, 1 dc, 2 dc in next dc, 4 bptr, 2 dc in next dc, 1 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc - 95 (103, 117) sts. **Row 8, 10, 12:** Ch 3, 2 (6, 2) dc, [1st, 3 dc, 4 bptr, 3 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc. **Row 9:** Ch 3, 2 (6, 2) dc, [1st, 3 dc, 4 bptr, 3 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc. **Row 11:** Ch 3, 2 (6, 2) dc, [1st, 3 dc, 4 bptr, 3 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc. **Row 12:** Cut yarn after Row 12. **Row 13:** Chain 57, 3 (7, 3) dc, [1st, 3 dc, 4 bptr, 3 dc] 8 (8, 10) times, 1st, 3 (7, 3) dc, ch 59, turn.

RIGHT BACK & FRONT

1st Row: Always work first and last 10 hdc sts in back loop.

Row 1: Hdc in 3rd ch from hook and in next 8 ch, 51 (55, 51) dc, [1st, 3 dc, 4 bptr, 3 dc] 7 (7, 9) times, 1st, 51 (55, 51) dc, hdc in last 10 sts - 200 (208, 222) sts. **Row 2:** Ch 2, 9



hdc in back loops, 0 (4, 0) dc, [C4F, 3 dc, 1 1st, 3 dc] 16 (16, 18) times, C4F 0 (4, 0) dc, 10 hdc in back loops. **Row 3:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 16 (16, 18) times, 4 bptr, 0 (4, 0) dc, 10 hdc. **Row 4:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 16 (16, 18) times, 4 bptr, 0 (4, 0) dc, 10 hdc in back loops only. **Row 6-11 (6-15, 6-19):** Rep last 4 rows 1 (2, 3) times and Rows 2-3 1 more time.


FRONT NECKLINE

Row 1 (RS): Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 3 dc, 1 1st, 1 dc, dc2tog, turn - 97 (101, 106) sts. **Row 2:** Ch 3, dc2tog, 3 dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 0 (4, 0) dc, 10 hdc - 96 (100, 107) sts. **Row 3:** Ch 2, 9 hdc, 0 (4, 0) dc, [C4F, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, C4F, 2 dc, dc2tog, turn - 94 (98, 103) sts. **Row 4:** Ch 3, 1 dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 0 (4, 0) dc.

10 hdc. 93 (97, 104) sts. **Row 5:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 2 dc - 91 (97, 104) sts. **Row 6:** 6- Ch 3, 1 dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 0 (4, 0) dc, [C4F, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, C4F, 1 dc, 12 dc in next st, 2 times - 94 (100, 107) sts. **Row 20:** Ch 3, 2 dc in next st, 3 dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 0 (4, 0) dc, 10 hdc. **Row 19:** Ch 2, 9 hdc, 0 (4, 0) dc, [C4F, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, C4F, 1 dc, 12 dc in next st, 2 times - 94 (100, 107) sts. **Row 21:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 3 dc, 1 1st, 2 dc in next st, 3 dc in last st - 100 (104, 111) sts. Cut yarn.

BACK NECKLINE

Row 1: With RS facing, join yarn in center st, ch 3, dc2tog, 2 dc, 1 1st, 3 dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 0 (4, 0) dc, 10 hdc - 99 (103, 110) sts. **Row 2:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 3 dc, 1 1st, 2 dc, dc2tog - 98 (102, 109) sts. **Row 3:** Ch 3, 2 dc, 1 1st, 3 dc, [C4F, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, C4F, 0 (4, 0) dc, 10 hdc - 98 (102, 109) sts. **Row 4:** 6- Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 3 dc, 1 1st, 3 dc. **Row 5:** Ch 3, 2 dc, 1 1st, 3 dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 0 (4, 0) dc, 10 hdc. **Row 7-10:** rep last 4 rows 3 times. **Row 19:** rep Row 3. **Row 20:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bptr, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, 4 bptr, 3 dc, 1 1st, 2 dc, 2 dc in last st - 99 (103, 110) sts. **Row 21:** Ch 3, 2 dc in next dc, 2 dc, 1 1st, 3 dc, [C4F, 3 dc, 1 1st, 3 dc] 7 (7, 8) times, C4F, 0 (4, 0) dc, 10 hdc - 100 (104, 111) sts.



LEFT FRONT & BACK

Row 1 (WS): Ch 2, 9 hdc, 0 (4, 0) dc, [4 bpr, 1 dc, 1 bpr, 3 dc] 16 (16, 18) times, 4 bpr, 0 (4, 0) dc, 10 hdc - 200 (208, 222) sts. **Row 2:** Ch 2, 9 hdc, 0 (4, 0) dc, [C4F, 1 dc, 1 bpr, 3 dc] 16 (16, 18) times, C4F, 0 (4, 0) dc, 10 hdc. **Row 3:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bpr, 1 dc, 1 bpr, 3 dc] 16 (16, 18) times, 4 bpr, 0 (4, 0) dc, 10 hdc. **Row 4:** Ch 2, 9 hdc, 0 (4, 0) dc, [4 bpr, 1 dc, 1 bpr, 3 dc] 16 (16, 18) times, 4 bpr, 0 (4, 0) dc, 10 hdc. **Row 5-11 (5-15, 5-19):** rep last 4 Rows. Cut yarn.

LEFT SLEEVE

With RS facing, join yarn with sl st in 59th (63rd, 20th) st from beg.

Row 1: 5 Ch 3, 2 (6, 2) dc, [bpr, 1 dc, 4 bpr, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc - 93 (103, 117) sts. **Row 2:** 4 Ch 3, 2 (6, 2) dc, [bpr, 1 dc, 4 bpr, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 3:** Ch 3, 2 (6, 2) dc, [bpr, 1 dc, C4F, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 4:** Ch 3, 2 (6, 2) dc, [bpr, 1 dc, dc2tog, C4F, dc2tog, 1 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 5:** 79 (87, 97) sts. **Row 6:** 10, 12 Ch 3, 2 (6, 2) dc, [bpr, 1 dc, 4 bpr, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 7:** Ch 3, 2 (6, 2) dc, [bpr, 1 dc, 4 bpr, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 8:** 10, 12 Ch 3, 2 (6, 2) dc, [bpr, 1 dc, 4 bpr, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 9:** Ch 3, 2 (6, 2) dc, [bpr, 1 dc, 4 bpr, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 10:** 11, Ch 3, 2 (6, 2) dc, [bpr, 1 dc, 4 bpr, 3 dc] 8 (8, 10) times, bpr, 1 (7, 3) dc. **Row 11:** Ch 1, work sc across row. Fasten off.

COLLAR

Row 1: With WS facing, join yarn, ch 3, work 94 (94, 99) dc across neckline, connect with sl st on top of beg ch 3 - 95 (95, 100) sts. **Row 2:** Ch 3, 1 dc, bpr around neck sc, [4 dc, 1 bpr] 18 (18, 19) times, connect with sl st on top of beg ch 3. Rep Row 2 until girth meas 8" from collar beg. Fasten off.

FINISHING

Sew sleeve and side seams. Weave in ends...

Designed by Lisa Grunley for Cables & Cloth

35 Knit Col Socks

Continued from page 68



SIZES

- Socks are sized to fit Baby (Toddler, Child 2-4, Child 6-8, Women, Men)

MATERIALS

- 1 (1, 2, 2, 2, 2) 50g (137 yd) balls Adrenal / Plymouth Yarn Co. Knit Col (100% super wash wool) color #43

- 1 set, size 5 US double pointed needles OR SIZE TO OBTAIN GAUGE

- yarn needle

GAUGE

- 24 sts = 4" in St st
- TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

DESIGNER NOTES

- When slipping stitches, always slip as if to purl, except for the SKP

STITCH ABBREVIATION

SKP sl 1 st back, sl next st pwise, kn2 the 2 sts tog.

SOCK CUFF

Cast 24 (28, 32, 40, 48, 52) sts onto 1 ndl. Divide sts evenly onto 3 ndls. Being careful not to twist the sts, join and work in the rnd as foll: [K2, P2], rep norm * around. Work in 2x2 rnds for 3 (3, 3, 4, 5, 6)*. Work 3 (3, 3, 4, 5, 5) rnds of knitting (St st). At beg of next round divide sts for heel.

DIVIDE FOR HEEL

Transfer sts around so that there are 12 (14, 16, 20, 24, 26) sts on the first ndl, and 6 (7, 8, 10, 12, 13) sts on each of the other two ndls. Work back and forth across the first ndl ONLY as foll: **Row 1:** (*Sl 1, K1) rep from * across. **Row 2:** Sl the first st, PURL ACROSS ALL THE REMAINING STS. Rep last 2 rows for 12 (14, 16, 20, 24, 26) rows total, then work Row 1 once more. The heel will be 13 (15, 17, 21, 25, 27) rows long.



TURN HEEL

Row 1: Sl 1, P6 (8, 9, 11, 13, 14), P2tog, P1, TURN. **Row 2:** Sl 1, K3 (5, 5, 5, 5), K2tog, K1, TURN. **Row 3:** Sl 1, purl to 1 st before the last turn (you'll see a small gap where the last turn was), P2tog, P1, TURN. **Row 4:** Sl 1, knit to 1 st before the last turn (look for the gap), K2tog, K1, TURN. **Note:** Baby sock heel turn is complete at this point. Rep Rows 3-4 until all sts at the ends are used up, and after RSR. On the very last 2 rows the final P1, and K1 may be missing - 8 (10, 10, 12, 14, 16) sts rem.

GUSSET

Cont working with the same ndl, pick up and K7 (8, 9, 11, 13, 15) sts along the side of the heel (ndl 1). Using a new ndl, knit across the sts on the next 2 ndls (ndl 2). Using a new ndl, pick up and K7 (8, 9, 11, 13, 15) sts along the other side of the heel, and continue knitting to the center of the heel sts 4 (5, 5, 6, 7, 8) sts (ndl 3). Ndl 1 & 3 = 11 (13, 14, 17, 20, 23) sts. Ndl 2 = 12 (14, 16, 20, 24, 26) sts. The center of the heel is the beg of the rnd, ndl 2 contains the mslp sts. Begin dec as foll: **Rnd 1:** K. **Rnd 2:** K to within 3 sts of the end of the first ndl, K2tog, K1. K across second ndl. On third ndl, K1, SKP, K to end. Rep Rnds 1-2 until there are 6 (7, 8, 10, 12, 13) sts

left on both ndls 1 & 3. On ndl 2 12 (14, 16, 20, 24, 26) sts rem (no decs). Total sts = 24 (28, 32, 40, 48, 52). Beg to work even until length from back of heel is 1 (1, 1, 1, 2, 2)* less than desired length of finished sock. **Children: Sizes Only.** Total length from back of heel will be 24 (31, 35, 40). **Adult: Sizes Only.** Please slip on to check length. Work even until only toe nails stick out.

TOE SHAPING

Rearrange the sts on ndls, if necessary. Ndl 1 & 3 = 6 (7, 8, 10, 12, 13) sts. Ndl 2 = 12 (14, 16, 20, 24, 28) sts. Beg of rnd is still at the center back of heel. Beg dec as foll: **Rnd 1:** Ndl 1 - K to last 3 sts, K2tog, K1; Ndl 2 - K1, SKP, K to last 3 sts, K2tog, K1; Ndl 3 - K1, SKP, K to end (center of heel). **Rnd 2:** K. Rep Rnds 1-2 until 8 (12, 16, 20, 24, 28) sts left - 2 (3, 4, 5, 6, 7) sts on ndls 1 & 3, and 4 (6, 8, 10, 12, 14) sts on ndl 2.

JOINING TOE

Cont to work even with ndl 3, K to the end of ndl 1. There are now only 2 ndls in use - 4 (6, 8, 10, 12, 14) sts on each ndl. Cut the yarn, leaving 18" tail. Thread tail onto a yarn ntl. Seam the toe using Kitchener Stitch.

Kitchener Stitch

Hold the 2 ndls parallel, so that you have a front ndl and a back ndl. Always keep the yarn beneath the ndl as you work.

Step 1: Place yarn ntl into the first st on the front dpn as if to K, pull the st off the front dpn.

Step 2: Place yarn ntl into the second st on the front dpn as if to P, leave st on the dpn.

Step 3: Place yarn ntl into the first st on the back dpn as if to P, pull the st off the dpn.

Step 4: Place yarn ntl into the second st on the back dpn as if to K, leave the st on the dpn.

Now you have 4 new sts to work with. Rep Steps 1-4 until all sts are woven. Anchor on inside, weave in ends.

Make a second sock, counting rows to make sure it is the same length.

Designed by JoAnne Furcotte for Plymouth Yarn Co.

36 Stripes for Baby

Continued from page 103

36

SIZES

- Cardigan is sized to fit chest 16 (18, 20, 22)

FINISHED MEASUREMENTS

- Chest 16 (20, 22, 24")
- Length 18 (11, 12½, 14")
- Upper Arm 8½ (8, 9, 9½")

MATERIALS

- 2 (3, 3, 4) 50g (137 yd) balls **Adriatik** / **Plymouth Yarn Co** *First Col* (100% super wash wool) color 444

- Size 3 US needles

- Size 6 US needles, OR SIZE TO OBTAIN GAUGE

- 35 buttons

GAUGE

- 22 sts and 26 rows = 4" in St st with larger needles

TO SAVE TIME, TAKE TIME TO CHECK GAUGE.



A

edge 10R 4 times - 16 (18, 20, 22) sts. Cont even in St st until piece meas 10 (11, 12½, 14)", same as Back, end after WSR. BO all sts loosely.

SLEEVES

With smaller ndls, CO on 31 (31, 33, 33) sts. Work 8 rows in 1x1 rib, inc 4 (4, 6, 6) sts evenly across the last row - 35 (35, 39, 39) sts. Change to larger ndls and St st, inc 1 st at each end of the roll of 5th and every following 4 rows until there are 45 (47, 49, 53) sts. Cont even until piece meas 5 (6, 7, 8)", end after WSR. BO all sts loosely.

FINISHING

Sew shoulders together. Sew in sleeves, beginning at sleeve cuff to point of last color change on body. Sew sleeves seams and side seams.

NECK BAND

With smaller ndls and RS facing, pick up and K22 (22, 24, 24) sts up the right Front neck shaping, pick up and K19 (19, 21, 21) sts across the Back, pick up and K22 (22, 24, 24) sts down the left Front neck shaping - 63 (63, 69, 69) sts. Work in 1x1 rib for 7 rows. BO all sts loosely in ribbing.

GIRL'S BUTTON BAND

With smaller ndls and RS facing, pick up and K49 (53, 59, 65) sts along left Front edge. Beg with a WSR, work in 1x1 rib for 7 rows. BO neatly in ribbing.

GIRL'S BUTTONHOLE BAND

With smaller ndls and RS facing, pick up and K49 (53, 59, 65) sts along right Front edge. Beg with a WSR, work in 1x1 rib for 3 rows. **Buttonhole row:** Rib 4 (4, 5, 4) sts, yo, K2tog, [rib 8 (9, 10, 12) sts, yo, K2tog] 4 times, rib 3 (3, 4, 3) sts. Work in 1x1 rib for 3 more rows. BO neatly in ribbing. Sew on buttons to correspond to buttonholes. Weave in all ends.

BOY'S BUTTON BAND

With smaller ndls, and RS facing, pick up and K49 (53, 59, 65) sts along right Front edge. Beg with a WSR, work in 1x1 rib for 7 rows. BO neatly in ribbing.

BOY'S BUTTONHOLE BAND

With smaller ndls, and RS facing, pick up and



B

K49 (53, 59, 65) sts along left Front edge. Beg with a WSR, work in 1x1 rib for 3 rows. **Buttonhole row:** Rib 4 (4, 5, 4) sts, yo, K2tog, [rib 8 (9, 10, 12) sts, yo, K2tog] 4 times, rib 3 (3, 4, 3) sts. Work in 1x1 rib for 3 more rows. BO neatly in ribbing. Sew on button to correspond to buttonholes. Weave in all ends.

PROJECT 36B: SOCKS

See Project 35, page 109 — Socks for Baby are the smallest size as pictured above to match cardigan.

Designed by Jeanne Farcotte for **Plymouth Yarn Co.**

PROJECT 36A: CARDIGAN

BACK

With smaller ndls, CO 51 (53, 61, 65) sts. Work 8 (8, 10, 10) rows in 1x1 rib, inc 0 (1, 0, 1) st on the last row of ribbing - 51 (56, 61, 66) sts. **Next row (RS):** Change to larger ndls and St st. Work even until piece meas length is 10 (11, 12½, 14)", end after WSR. BO all sts loosely.

RIGHT FRONT

With smaller ndls, CO 27 (29, 31, 33) sts. Work 8 (8, 10, 10) rows in 1x1 rib. Change to larger ndls and St st. Work even until piece meas 8 (9, 10½, 12)", end after WSR.

SHAPE NECK

Next row (RS): BO 7 sts, K to end of row. Work 1 WSR. **Next row (RS):** Dec 1 st at neck edge 10R 4 times - 16 (18, 20, 22) sts. Cont even in St st until piece meas 10 (11, 12½, 14)", same as Back, end after WSR. BO all sts loosely.

LEFT FRONT

With smaller ndls, CO 27 (29, 31, 33) sts. Work 8 (8, 10, 10) rows in 1x1 rib. Change to larger ndls and St st. Work even until piece meas 8 (9, 10½, 12)", end after WSR.

SHAPE NECK

Next row (WSR): BO 7 sts, P to end of row. Work 1 RSR. **Next row (RS):** Dec 1 st at neck

Master List of Knitting & Crochet Abbreviations

adj	adjoin	lft(s)	left(s)	slip	slip, slip, knit three 1 stitches together (2 stitch decrease)
alt	alternate	m	make 1	slip 1	slip 1
approx	approximately	M1	make 1 knit stitch (1 stitch increase)	slip 2	slip 2
beg	beginning	M1 P	make 1 purl stitch (1 stitch increase)	slip 3	slip 3
bet	between	mc	main color	tbl	tbl
BL	back loop(s)	mc2	main color 2	tbl	tbl
bo	booble	mtr	marker	tbl	tbl
BO	bind off	nd(s)	needle(s)	tbl	tbl
BP	back post	o(s)	open(s)	tbl	tbl
BPdc	back post double crochet	o(s)	open(s)	tbl	tbl
BPdc	back post single crochet	o(s)	open(s)	tbl	tbl
BPtr	back post treble crochet	o(s)	open(s)	tbl	tbl
CC	contrasting color	o(s)	open(s)	tbl	tbl
ch	chain	o(s)	open(s)	tbl	tbl
	refers to chain or space prev made, e.g., ch 1	o(s)	open(s)	tbl	tbl
ch sp	chain space	o(s)	open(s)	tbl	tbl
CL	cluster	o(s)	open(s)	tbl	tbl
CO	cable needle	o(s)	open(s)	tbl	tbl
cont	continue	o(s)	open(s)	tbl	tbl
dc	double crochet	o(s)	open(s)	tbl	tbl
dc2tog	double crochet 2 together	o(s)	open(s)	tbl	tbl
dec	decrease	o(s)	open(s)	tbl	tbl
dpc	double pointed needles	o(s)	open(s)	tbl	tbl
dtr	double crochet 2 together every other row	o(s)	open(s)	tbl	tbl
EDC	established front loop(s)	o(s)	open(s)	tbl	tbl
end	end of row	o(s)	open(s)	tbl	tbl
fl or FL	following	o(s)	open(s)	tbl	tbl
fp	front post	o(s)	open(s)	tbl	tbl
FPdc	front post double crochet	o(s)	open(s)	tbl	tbl
FPdc	front post single crochet	o(s)	open(s)	tbl	tbl
FPtr	front post treble crochet	o(s)	open(s)	tbl	tbl
g	garn	o(s)	open(s)	tbl	tbl
hdc	half double crochet	o(s)	open(s)	tbl	tbl
inc	increase	o(s)	open(s)	tbl	tbl
k or K	knit	o(s)	open(s)	tbl	tbl
k2tog	knit 2 together	o(s)	open(s)	tbl	tbl
k2tbl	knit into the front and back of the same stitch	o(s)	open(s)	tbl	tbl
knit	knitwise	o(s)	open(s)	tbl	tbl
LM	left hand	o(s)	open(s)	tbl	tbl

BASIC KNITTING INSTRUCTIONS

Cable Stitch: Knit every row. If working in the round, knit one round, then purl one round.

Stockinette Stitch: Knit (K) rows and purl (P) rows. 1 working in the round, knit all rounds.

Reverse Stockinette Stitch: Purl (P) rows and knit (K) rows. 1 working in the round, purl all rounds.

3-Net BO = 3 needle bind off: Place 3 knit stitches on separate needles, purl 2nd and 3rd stitches in the same direction. Hold these with work (K) by "insert a third needle (the same size) into the first stitch from the front and the first stitch from the back (K). Slip 1st stitch from the front and the second stitch from the back. Fasten off.

Standard Yarn Weight System

Categories of yarn, gauge ranges, and recommended needle and hook sizes

Yarn Weight System & Category Names	Super Fine	Fine	Light	Medium	Bulky	Super Bulky
Type of Yarn in Category	Soft, Fingering, Baby	Sport, Baby	DK, Light Worsted	Worsted, Afghan, Aran	Chunky, Gryl, Rug	Bulky, Roving
Knit Gauge Range* in Stockinette Stitch to 4 inches	21-24 sts	25-28 sts	21-24 sts	16-20 sts	12-15 sts	6-11 sts
Recommended Needle in Metric Size Range	2.25-3.25 mm	3.25-3.75 mm	3.75-4.5 mm	4.5-5.5 mm	5.5-8 mm	8 mm and larger
Recommended Needle US Size Range	1 to 3	3 to 5	5 to 7	7 to 9	9 to 11	11 and larger
Crochet Gauge* Ranges in Single Crochet to 4 inch	21-24 sts	16-20 sts	12-15 sts	8-12 sts	6-10 sts	5-9 sts
Recommended Hook in Metric Size Range	2.25-3.5 mm	3.5-4.5 mm	4.5-5.5 mm	5.5-6.5 mm	6.5-9 mm	9 mm and larger
Recommended Hook US Size Range	B-1 to E-4	E-4 to F-7	F-7 to I-9	I-9 to K-10	K-10 to M-15	M-15 and larger

* GUIDELINES ONLY: The above reflect the most commonly used gauges and needle or hook sizes for specific yarn categories.

Skill Levels

- 1 Beginner** Projects for first-time knitters using basic knit/purl stitches. Minimal shaping.
- 2 Easy** Projects using basic stitches, repetitive stitch patterns, simple color changes, and simple shaping and finishing.
- 3 Intermediate** Projects with a variety of stitches, such as two-color and lace, simple intarsia, double-pointed needles and knitting in the round techniques, advanced shaping and finishing.
- 4 Experienced** Projects using advanced techniques and stitches, such as short rows, lace, more intricate intarsia, lace patterns and numerous color changes.

Knitting Needles Conversion

Metric (mm)	US	Metric (mm)	US
2.00	0	3.00	8
2.25	1	3.50	9
2.75	2	4.00	10
3.25	3	4.50	10 1/2
3.50	4	5.00	11
3.75	5	5.50	11 1/2
4.25	6	6.00	12
4.50	7	6.50	13



Seaming on a sleeve

into the little curved "smiles" of the end of each ridge, alternating between the two sides. For a seam that's reversible and has no bulk at all, sew through the bump of the very edge of the fabric instead (see photo below).



Seaming in garter stitch

DEALING WITH DIFFICULT YARN

Some yarns are almost impossible to sew seams together. Novelty yarns, yarns with slubs or bumps, loosely twisted or plied yarns and hairy mohair or angora all can be uncooperative when trying to sew with them. Luckily, there are several ways to deal with this problem. Substitute a smooth yarn in a matching color for joining the pieces together, which works best if it's the same thickness as the original yarn. Find embroidery floss in a matching color and sew with all the strands, being careful to work loosely so that the floss won't break when the garment is

stretched. Use slip stitch crochet to join the pieces, which will make a bulky seam and should be avoided unless working with thin yarn. Another alternative, if you like the way it looks, is to pick up stitches along both edges and use the 3-needle bind off to join them together. This makes quite a noticeable seam, so use it where it won't show or work it on the right side of the fabric, perhaps in a contrasting color for decorative effect.



Margaret Rodcliffe is the author of the best-selling *The Knitting Answer Book* from Storey Publishing and the owner of Maggie's Rags, publishing classic and innovative patterns for hand knitters. Margaret can be reached through her website www.maggiesrags.com.

SEAMING IN GARTER STITCH

Garter stitch side seams are a special case where I don't always use mattress stitch. Instead it's easy to make a neat nonbulky seam simply by sewing